

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### SODIUM SULPHITE LR (ANHYDROUS)

#### 1. Product Identification

**Synonyms:** Sodium sulfite anhydrous; disodium sulfite; sulfurous acid, disodium salt; exsiccated sodium sulfite  
**CAS No.:** 7757-83-7

Product Coad: S0192700500

**Molecular Weight:** 126.04  
**Chemical Formula:** Na<sub>2</sub>SO<sub>3</sub>

#### 2. Composition/Information on Ingredients

Ingredient	CAS No	Percent	Hazardous
Sodium Sulfite	7757-83-7	90 - 100%	Yes

#### 3. Hazards Identification

**Emergency Overview WARNING! HARMFUL IF SWALLOWED. MAY CAUSE ALLERGIC REACTION AND BREATHING DIFFICULTIES. MAY CAUSE IRRITATION TO SKIN, EYES, AND RESPIRATORY TRACT.**

**SAF-T-DATA<sup>(tm)</sup>** Ratings (Provided here for your convenience)

Health Rating: 2 - Moderate (Life)

Flammability Rating: 0 - None

Reactivity Rating: 1 - Slight

Contact Rating: 2 - Moderate

Lab Protective Equip: GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES

Storage Color Code: Green (General Storage)

##### Potential Health Effects

Although only moderately toxic in large amounts, sulfites can pose risk to some asthmatics producing central nervous system depression, bronchoconstriction and anaphylaxis.

**Inhalation:** Inhalation of dust may cause irritation to the mucous membranes of the upper respiratory tract. Use of bronchodilators preserved with sulfites can cause allergic reactions.

**Ingestion:** May cause gastric irritation by the liberation of sulfurous acid. Large doses may result in circulatory disturbances, diarrhea, and central nervous system depression. Estimated fatal dose is 0.5 to > 5g/kg. **Skin Contact:** May cause irritation.

**Eye Contact:** May cause irritation, redness and pain.

**Chronic Exposure:** No information found.

**Aggravation of Pre-existing Conditions:** Some individuals are said to be dangerously sensitive to minute amounts of sulfites in foods and some bronchodilator medicines preserved with sulfites. Symptoms may include broncho constriction, shock, gastrointestinal disturbances, angio edema, flushing, and tingling sensations.

#### 4. First Aid Measures

**Inhalation:** Remove to fresh air. Get medical attention for any breathing difficulty.

**Ingestion:** Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Call a physician immediately.

**Skin Contact:** Remove any contaminated clothing. Wash skin with soap and water for at least 15 minutes. Get medical attention if irritation develops or persists.

**Eye Contact:** Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

#### 5. Fire Fighting Measures

**Fire:** Not considered to be a fire hazard. If involved in a fire, can emit toxic fumes and irritating and corrosive gases.

**Explosion:** Not considered to be an explosion hazard.

**Fire Extinguishing Media:** Use any means suitable for extinguishing surrounding fire.

**Special Information:** In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### SODIUM SULPHITE LR (ANHYDROUS)

#### 6. Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Sweep up and containerize for reclamation or disposal. Vacuuming or wet sweeping may be used to avoid dust dispersal.

#### 7. Handling and Storage

Keep in a tightly closed container. Protect from physical damage. Store in a cool, dry, ventilated area away from sources of heat, moisture and incompatibilities. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

#### 8. Exposure Controls/Personal Protection

**Airborne Exposure Limits:** -ACGIH Threshold Limit Value (TLV):5mg/m3 (TWA) for sodium bisulfite & for sodium metabisulfite, A4 Not classifiable as a human carcinogen.

**Ventilation System:** A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

**Personal Respirators (NIOSH Approved):** If the exposure limit is exceeded and engineering controls are not feasible, a half facepiece particulate respirator (NIOSH type N95 or better filters) may be worn for up to ten times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest.. A full-face piece particulate respirator (NIOSH type N100 filters) may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency, or respirator supplier, whichever is lowest. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. **WARNING:** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres. **Skin Protection:** Wear protective gloves and clean body-covering clothing.

**Eye Protection:** Use chemical safety goggles. Maintain eye wash fountain and quick-drench facilities in work area.

#### 9. Physical and Chemical Properties

**Appearance:** White crystals.

**Odor:** Odorless.

**Solubility:** Soluble in ca. 3.2 parts water.

**Specific Gravity:** 2.6 @ 15.4C (60F)

**pH:** ca. 9

**% Volatiles by volume @ 21C (70F):** 0

#### 10. Stability and Reactivity

**Stability:** Stable under ordinary conditions of use and storage. Heat and moisture contribute to instability. May air-oxidize.

**Hazardous Decomposition Products:** Burning may produce sulfur oxides.

**Hazardous Polymerization:** Will not occur.

**Incompatibilities:** Acids, strong oxidizers, high temperatures.

**Conditions to Avoid:** Heat and moisture.

#### 11. Toxicological Information

Oral mouse LD50: 820 mg/kg. Investigated as a tumorigen and mutagen.

---NTP Carcinogen---

Ingredient	Known	Anticipated	IARC Category
Sodium Sulfite (7757-83-7)	No	No	3

#### 12. Ecological Information

**Environmental Fate:** No information found.

**Environmental Toxicity:** No information found.

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

**MATERIAL SAFETY DATA SHEET (MSDS)****SODIUM SULPHITE LR (ANHYDROUS)****13. Disposal Considerations**

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

**14. Transport Information**

Not regulated.

**15. Regulatory Information**

SARA Title III: N/A  
Federal Regulatory: N/A

**16. Other Information**

**NFPA Ratings:** Health: **2** Flammability: **0** Reactivity: **0**

**Label Hazard Warning:** WARNING! HARMFUL IF SWALLOWED. MAY CAUSE ALLERGIC REACTION AND BREATHING DIFFICULTIES. MAY CAUSE IRRITATION TO SKIN, EYES, AND RESPIRATORY TRACT.

**Label Precautions:** Avoid breathing dust.

Avoid contact with eyes, skin and clothing.

Wash thoroughly after handling.

Keep container closed.

Use with adequate ventilation.

For Reagent and Technical Grades: Not For Food Use. For TAC Grades: Do not use in meats or in foods recognized as a source of Vitamin B-1, nor in fruits or vegetables to be served or sold raw to consumers or

to be presented to consumers as fresh.

**Label First Aid:** If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. If inhaled, remove to fresh air. Get medical attention for any breathing difficulty. In all cases call a physician.

**Product Use:** Laboratory Reagent.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**