

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### SODIUM HYDROXIDE POWDER LR

#### 1. Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Trade name : SODIUM HYDROXIDE POWDER LR

Product code : S0195100500

Identification of the product : Sodium hydroxide  
 CAS No: 1310-73-2  
 EC No :215-185-5

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

##### 1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM  
 Chaitanya Tower, 2nd Floor, Office # 206,  
 Siddharth Nagar, S.V. Road,  
 Goregaon (West), Mumbai - 400062,  
 Maharashtra, India.  
 Contact: +91 22 28725393 / 94 / 95  
 Email ID: info@suvchem.com/care@suvchem.com

##### 1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

##### 2.1. Classification of the substance or mixture

##### Classification EC 67/548 or EC 1999/45

Classification : C; R35

##### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Skin corrosion - Category 1A - Danger (CLP : Skin Corr. 1A) H314

##### 2.2. Label elements

##### Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s) : C : Corrosive

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### SODIUM HYDROXIDE POWDER LR

#### 2. Hazards identification -DSD (continued)

**R Phrase(s)** : R35 : Causes severe burns.  
**S Phrase(s)** : S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 S37/39 : Wear suitable gloves and eye/face protection.  
 S45 : In case of accident or if you feel unwell, seek medical advice immediately ( show the label when possible).

**Contains** : Sodium hydroxide

#### Labelling Regulation EC 1272/2008 (CLP)

#### Hazard pictograms



**Signal words** : Danger

**Hazard statements** : H314 : Causes severe skin burns and eye damage.

#### Precautionary statements

• **Prevention** : P280: Wear protective gloves, protective clothing, eye protection, face protection.  
 P260: Do not breathe dust, fume, gas, mist, vapours, spray.  
 P264: Wash thoroughly after handling.

• **Response** : P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.  
 P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.  
 P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower.  
 P363: Wash contaminated clothing before reuse.

• **Storage** : P405: Store locked up.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**Contains** : Sodium hydroxide

#### 2.3. Other hazards

**Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

#### 3. Composition/information on ingredients

**Substance / Preparation** : Sodium hydroxide

EC No :215-185-5  
 Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Sodium hydroxide	> 99 %	1310-73-2	215-185-5	----	----	C; R35 Skin Corr. 1A_H314

**MATERIAL SAFETY DATA SHEET (MSDS)**
**SODIUM HYDROXIDE POWDER LR**
**3. Composition/information on ingredients (continued)**

Contains no other components or impurities which will influence the classification of the product.

**4. First aid measures**
**4.1. Description of first aid measures**

Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.
Skin contact	: Remove/Take off immediately all contaminated clothing. Immediately call a POISON CENTER or doctor. Wash with plenty of soap and water.
Eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Immediately call a POISON CENTER or doctor.
Ingestion	: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor.

**4.2. Most important symptoms and effects, both acute and delayed**

Symptoms relating to use	: Causes severe skin burns and eye damage.
--------------------------	--

**4.3. Indication of any immediate medical attention and special treatment needed**

General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
---------------------	---

**5. Fire-fighting measures**
**5.1. Extinguishing media**

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
Surrounding fires	: Use water spray or fog for cooling exposed containers.

**5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products	: Under fire conditions, hazardous fumes will be present. Thermal decomposition generates : Corrosive vapours.
-------------------------------	---

**5.3. Advice for fire-fighters**

Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**SODIUM HYDROXIDE POWDER LR**
**6. Accidental release measures**
**6.1. Personal precautions, protective equipment and emergency procedures**

**For emergency responders** : Equip cleanup crew with proper protection.  
Ventilate area.

**For non-emergency personnel** : Evacuate unnecessary personnel.

**6.2. Environmental precautions**

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

**6.3. Methods and material for containment and cleaning up**

**Clean up methods** : On land, sweep or shovel into suitable containers. Minimize generation of dust.  
Store away from other materials.

**6.4. Reference to other sections**

See section 8. Exposure controls/personal protection

**7. Handling and storage**
**7.1. Precautions for safe handling**

**Handling** : Wash thoroughly after handling. Avoid contact during pregnancy or while nursing.  
Do not breathe dust, fume, gas, mist, vapours, spray.

**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage** : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

**Storage regulation** : Comply with applicable regulations.

**Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

**7.3. Specific end use(s)**

**Specific end use(s)** : None.

**8. Exposure controls/personal protection**
**8.1. Exposure controls**

**Personal protection** : Avoid all unnecessary exposure.

• **Respiratory protection** : Wear approved mask.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**SODIUM HYDROXIDE POWDER LR**
**8. Exposure controls/personal protection (continued)**

- Hand protection : Wear protective gloves.
- Skin protection : Wear suitable protective clothing.
- Eye protection : Chemical goggles or face shield.
- Others : When using, do not eat, drink or smoke.

**8.2. Control parameters**

Occupational Exposure Limits : No data available.

**9. Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

Physical state at 20 °C	: Solid.
Colour	: White
Odour	: Characteristic.
Odour threshold	: No data available.
pH value	: 13-14
Melting point [°C]	: 318 °C
Decomposition point [°C]	: No data available.
Critical temperature [°C]	: Not applicable.
Auto-ignition temperature [°C]	: No data available.
Flammability (solid, gas)	: No data available.
Flash point [°C]	: Not applicable.
Initial boiling point [°C]	: Not applicable.
Final boiling point [°C]	: 1390 °C
Evaporation rate	: Not applicable.
Vapour pressure [20°C]	: < 24.00 hPa at 20 °C
Vapour density	: 1.38 - (Air = 1.0)
Density [g/cm <sup>3</sup> ]	: 2.1300 g/cm <sup>3</sup>
Relative density, liquid (water=1)	: Not applicable.
Solubility in water	: No data available.
Log Pow octanol / water at 20°C	: No data available.
Viscosity at 40°C [mm <sup>2</sup> /s]	: No data available.

**9.2. Other information**

Explosive properties	: No data available.
Explosion limits - upper [%]	: No data available.
Explosion limits - lower [%]	: No data available.
Oxidising properties	: No data available.

## MATERIAL SAFETY DATA SHEET (MSDS)

### SODIUM HYDROXIDE POWDER LR

#### 10. Stability and reactivity

##### 10.1. Reactivity

Reactivity : Not established.

##### 10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

##### 10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

##### 10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

##### 10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

##### 10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.  
Thermal decomposition generates : Corrosive vapours.

#### 11. Toxicological information

##### 11.1. Information on toxicological effects

###### Acute toxicity

- Inhalation : Based on available data, the classification criteria are not met.
- Dermal : Based on available data, the classification criteria are not met.
- Ingestion : Based on available data, the classification criteria are not met.

###### Corrosion

: Causes severe skin burns and eye damage.

###### Irritation

: Based on available data, the classification criteria are not met.

###### Sensitization

: Based on available data, the classification criteria are not met.

###### Mutagenicity

: Based on available data, the classification criteria are not met.

###### Carcinogenicity

: Based on available data, the classification criteria are not met.

###### Toxic for reproduction

: Based on available data, the classification criteria are not met.

###### STOT-single exposure

: Based on available data, the classification criteria are not met.

###### STOT-repeated exposure

: Based on available data, the classification criteria are not met.

###### Aspiration hazard

: Based on available data, the classification criteria are not met.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**SODIUM HYDROXIDE POWDER LR**
**12. Ecological information**
**12.1. Toxicity**

**Toxicity information** : Not established.

**12.2. Persistence - degradability**

**Persistence - degradability** : Biodegradable.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential** : Not established.

**12.4. Mobility in soil**

**Mobility in soil** : Not established.

**12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

**12.6. Other adverse effects**

**Environmental precautions** : Avoid release to the environment.

**13. Disposal considerations**
**13.1. Waste treatment methods**

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.  
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**14. Transport information**
**14.1. Land transport (ADR-RID)**

**Proper shipping name** : SODIUM HYDROXIDE, SOLID  
**UN N°** : 1823  
**H.I. nr** : 80  
**ADR - Class** : 8  
**Labelling - Transport** : 8 : Corrosive substance.



**MATERIAL SAFETY DATA SHEET (MSDS)**  
**SODIUM HYDROXIDE POWDER LR**
**14. Transport information (continued)**


ADR - Classification code : C6  
 ADR - Group : II  
 ADR - Packing instructions : P002  
 ADR - Limited Quantity : 1 KG  
 ADR - Tunnel code



: E : Passage forbidden through tunnels of category E.

**14.2. Sea transport (IMDG) [English only]**

Proper shipping name : SODIUM HYDROXIDE, SOLID  
 UN N° : 1823  
 IMO-IMDG - Class or division : 8 : Corrosive substance.  
 IMO-IMDG - Packing group : II  
 IMO-IMDG - Packing instructions : P002  
 IMO-IMDG - Limited quantities : 1 kg  
 IMO-IMDG - Marine pollution : No  
 EMS-Nr : F-A S-B

**14.3. Air transport (ICAO-IATA) [English only]**

Proper shipping name : SODIUM HYDROXIDE, SOLID  
 UN N° : 1823  
 IATA - Class or division : 8 : Corrosive substance.  
 IATA - Packing group : II  
 IATA - Passenger and Cargo Aircraft : ALLOWED  
   - Passenger and Cargo - Packing instruction : 859  
   - Passenger and Cargo - Maximum Quantity/Packing : 15 kg  
 IATA - Cargo only : ALLOWED  
   - Cargo only - Packing instruction : 863  
   - Cargo only - Maximum Quantity/Packing : 50 kg  
 IATA - Limited Quantities : 5 kg  
 ERG-Nr : 8L



## MATERIAL SAFETY DATA SHEET (MSDS)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

### DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document