

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM HYDROXIDE POWDER LR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : SODIUM HYDROXIDE POWDER LR

Product code : S0195105000

Identification of the product : Sodium hydroxide
CAS No: 1310-73-2
EC No :215-185-5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM
Chaitanya Tower, 2nd Floor, Office # 206,
Siddharth Nagar, S.V. Road,
Goregaon (West), Mumbai - 400062,
Maharashtra, India.
Contact: +91 22 28725393 / 94 / 95
Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : C; R35

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Skin corrosion - Category 1A - Danger (CLP : Skin Corr. 1A) H314

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s) : C : Corrosive

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM HYDROXIDE POWDER LR

2. Hazards identification -DSD (continued)

R Phrase(s) : R35 : Causes severe burns.
S Phrase(s) : S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 S37/39 : Wear suitable gloves and eye/face protection.
 S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).
Contains : Sodium hydroxide

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words : Danger
Hazard statements : H314 : Causes severe skin burns and eye damage.
Precautionary statements
 • **Prevention** : P280: Wear protective gloves, protective clothing, eye protection, face protection.
 P260: Do not breathe dust, fume, gas, mist, vapours, spray.
 P264: Wash thoroughly after handling.
 • **Response** : P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.
 P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.
 P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower.
 P363: Wash contaminated clothing before reuse.
 • **Storage** : P405: Store locked up.
 • **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Contains : Sodium hydroxide

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Sodium hydroxide

EC No :215-185-5
Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Sodium hydroxide	> 99 %	1310-73-2	215-185-5	----	----	C; R35 Skin Corr. 1A_H314

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM HYDROXIDE POWDER LR

3. Composition/information on ingredients (continued)

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

- Inhalation** : Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.
- Skin contact** : Remove/Take off immediately all contaminated clothing. Immediately call a POISON CENTER or doctor. Wash with plenty of soap and water.
- Eye contact** : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Immediately call a POISON CENTER or doctor.
- Ingestion** : Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms relating to use** : Causes severe skin burns and eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

- General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

- Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media** : Do not use a heavy water stream.
- Surrounding fires** : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

- Hazardous combustion products** : Under fire conditions, hazardous fumes will be present. Thermal decomposition generates : Corrosive vapours.

5.3. Advice for fire-fighters

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

MATERIAL SAFETY DATA SHEET (MSDS)
SODIUM HYDROXIDE POWDER LR
6. Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

- For emergency responders** : Equip cleanup crew with proper protection.
Ventilate area.
- For non-emergency personnel** : Evacuate unnecessary personnel.

6.2. Environmental precautions

- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Clean up methods** : On land, sweep or shovel into suitable containers. Minimize generation of dust.
Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage
7.1. Precautions for safe handling

- Handling** : Wash thoroughly after handling. Avoid contact during pregnancy or while nursing.
Do not breathe dust, fume, gas, mist, vapours, spray.
- Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

- Storage** : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.
- Storage regulation** : Comply with applicable regulations.
- Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

- Specific end use(s)** : None.

8. Exposure controls/personal protection
8.1. Exposure controls

- Personal protection** : Avoid all unnecessary exposure.
- **Respiratory protection** : Wear approved mask.

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM HYDROXIDE POWDER LR

8. Exposure controls/personal protection (continued)

- Hand protection : Wear protective gloves.
- Skin protection : Wear suitable protective clothing.
- Eye protection : Chemical goggles or face shield.
- Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: White
Odour	: Characteristic.
Odour threshold	: No data available.
pH value	: 13-14
Melting point [°C]	: 318 °C
Decomposition point [°C]	: No data available.
Critical temperature [°C]	: Not applicable.
Auto-ignition temperature [°C]	: No data available.
Flammability (solid, gas)	: No data available.
Flash point [°C]	: Not applicable.
Initial boiling point [°C]	: Not applicable.
Final boiling point [°C]	: 1390 °C
Evaporation rate	: Not applicable.
Vapour pressure [20°C]	: < 24.00 hPa at 20 °C
Vapour density	: 1.38 - (Air = 1.0)
Density [g/cm ³]	: 2.1300 g/cm ³
Relative density, liquid (water=1)	: Not applicable.
Solubility in water	: No data available.
Log Pow octanol / water at 20°C	: No data available.
Viscosity at 40°C [mm ² /s]	: No data available.

9.2. Other information

Explosive properties	: No data available.
Explosion limits - upper [%]	: No data available.
Explosion limits - lower [%]	: No data available.
Oxidising properties	: No data available.

MATERIAL SAFETY DATA SHEET (MSDS)
SODIUM HYDROXIDE POWDER LR
10. Stability and reactivity
10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.
 Thermal decomposition generates : Corrosive vapours.

11. Toxicological information
11.1. Information on toxicological effects
Acute toxicity

- Inhalation : Based on available data, the classification criteria are not met.
- Dermal : Based on available data, the classification criteria are not met.
- Ingestion : Based on available data, the classification criteria are not met.

Corrosion : Causes severe skin burns and eye damage.

Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

MATERIAL SAFETY DATA SHEET (MSDS)
SODIUM HYDROXIDE POWDER LR
12. Ecological information
12.1. Toxicity

Toxicity information : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations
13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information
14.1. Land transport (ADR-RID)

Proper shipping name : SODIUM HYDROXIDE, SOLID
 UN N° : 1823
 H.I. nr : 80
 ADR - Class : 8
 Labelling - Transport : 8 : Corrosive substance.

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM HYDROXIDE POWDER LR

14. Transport information (continued)



ADR - Classification code : C6
 ADR - Group : II
 ADR - Packing instructions : P002
 ADR - Limited Quantity : 1 KG
 ADR - Tunnel code



: E : Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : SODIUM HYDROXIDE, SOLID
 UN N° : 1823
 IMO-IMDG - Class or division : 8 : Corrosive substance.
 IMO-IMDG - Packing group : II
 IMO-IMDG - Packing instructions : P002
 IMO-IMDG - Limited quantities : 1 kg
 IMO-IMDG - Marine pollution : No
 EMS-Nr : F-A S-B

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : SODIUM HYDROXIDE, SOLID
 UN N° : 1823
 IATA - Class or division : 8 : Corrosive substance.
 IATA - Packing group : II
 IATA - Passenger and Cargo Aircraft : ALLOWED
 - Passenger and Cargo - Packing instruction : 859
 - Passenger and Cargo - Maximum Quantity/Packing : 15 kg
 IATA - Cargo only : ALLOWED
 - Cargo only - Packing instruction : 863
 - Cargo only - Maximum Quantity/Packing : 50 kg
 IATA - Limited Quantities : 5 kg
 ERG-Nr : 8L

MATERIAL SAFETY DATA SHEET (MSDS)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document