

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA.

CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

## SODIUM IODATE AR

#### 1. Product Identification

Synonyms: Iodic acid, sodium salt

CAS No.: 7681-55-2

Product Coad: S0195200100

Molecular Weight: 197.89 Chemical Formula: NaIO3

### 2. Composition/Information on Ingredients

Ingredient CAS No Percent Hazardous

Sodium Iodate 7681-55-2 90 - 100% Yes

#### 3. Hazards Identification

Emergency Overview DANGER! STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT.

Inhalation: Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath. Ingestion: Toxic! Probable lethal dose for humans is 50-500 mg/kg. May cause gastrointestinal upset with symptoms of abdominal pain, vomiting, and diarrhea. Animal experiments suggest a potential for kidney and blood cell damage, similar to that of the bromates and chlorates. Skin Contact: Possible irritation or reddening of moist skin on prolonged contact. Eye Contact: No adverse effects expected but dust may cause mechanical irritation. Chronic Exposure: May affect spleen, kidneys or liver after prolonged exposure. Aggravation of Pre-existing Conditions: Persons with impaired kidney function may be more susceptible to the effects of the substance.

## 4. First Aid Measures

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. Ingestion: Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention. Skin Contact: Remove any contaminated clothing. Wash skin with soap or mild detergent and water for at least 15 minutes. Get medical attention if irritation develops or persists. Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

### 5. Fire Fighting Measures

**Fire:** Not combustible, but substance is a strong oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. **Explosion:** May explode when exposed to mechanical shock or friction or can cause explosions with combustible or flammable materials or powdered metals. Sensitive to mechanical impact. **Fire Extinguishing Media:** Use any means suitable for extinguishing surrounding fire. **Special Information:** In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. Water spray may be used to keep fire exposed containers cool.

#### 6. Accidental Release Measures

Remove all sources of ignition. Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Clean up spills in a manner that does not disperse dust into the air. Use non-sparking tools and equipment. Reduce airborne dust and prevent scattering by moistening with water. Pick up spill for recovery or disposal and place in a closed container.

#### 7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage and moisture. Isolate from any source of heat or ignition. Avoid storage on wood floors. Separate from incompatibles, combustibles, organic or other readily oxidizable materials. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

### 8. Exposure Controls/Personal Protection

Airborne Exposure Limits: None established.

Ventilation System: A system of local and/or general exhaust is recommended to keep employee

exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details. **Personal Respirators (NIOSH Approved):** For conditions of use where exposure to dust or mist is apparent and



CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.

CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

## SODIUM IODATE AR

engineering controls are not feasible, a particulate respirator (NIOSH type N95 or better filters) may be worn. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres. **Skin Protection:** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

**Eye Protection:** Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

### 9. Physical and Chemical Properties

Appearance: White powder. Odor: Odorless. Solubility: 9 gm in 100 gm of water. Density: 4.28

pH: Aqueous solution is neutral. % Volatiles by volume @ 21C (70F): 0

#### 10. Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage. Strong oxidizing characteristics appear when mixed with acid solutions.

Hazardous Decomposition Products: Burning may produce toxic iodine vapors.

Hazardous Polymerization: Will not occur.

Incompatibilities: Reacts violently with combustible and reducing materials; aluminum, organic compounds, carbon, hydrogen peroxide, sulfides.

Conditions to Avoid: Heat, shock, friction, incompatibles.

#### 11. Toxicological Information

No LD50/LC50 information found relating to normal routes of occupational exposure.

1	NTP Card	inogen	-	
Ingredient	Known	Anticipa	ated	IARC Category
Sodium Iodate (7681-55-2)		No	No	None

## 12. Ecological Information

**Environmental Fate:** No information found. **Environmental Toxicity:** No information found.

## 13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

### 14. Transport Information

Domestic (Land, D.O.T.)
Proper Shipping Name: OXIDIZING SOLID, N.O.S. (SODIUM IODATE
Hazard Class: 5.1
<b>UN/NA:</b> UN1479
Packing Group: II
International (Water, I.M.O.)
Proper Shipping Name: OXIDIZING SOLID, N.O.S. (SODIUM IODATE)

Hazard Class: 5.1 UN/NA: UN1479 Packing Group: II

15. Regulatory Information	
\Chemical Inventory Status - Part 1\	



CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

## SODIUM IODATE AR

Ingredient	TSCA EC Japan Australia	
Sodium Iodate (7681-55-2)	Yes Yes Yes Yes	
\Chemical Inventory Status - Part 2\		
	Canada	
Ingredient	Korea DSL NDSL Phil.	
Sodium Iodate (7681-55-2)	Yes Yes No Yes	
\Federal, State & International Regulations - Part 1\		
-SAF	RA 302SARA 313	
Ingredient F	RQ TPQ List Chemical Catg.	
Sodium Iodate (7681-55-2)	No No No No	
\Federal, State & International Regulations - Part 2\		
	-RCRATSCA-	
Ingredient	CERCLA 261.33 8(d)	
Sodium Iodate (7681-55-2)	No No No	
Chemical Weapons Convention:	No TSCA 12(b): No CDTA: No	
SARA 311/312: Acute: Yes C	hronic: Yes Fire: No Pressure: No	
Reactivity: Yes (Pure / Solid) Australian Hazchem Code: 1WE Poison Schedule: None allocated		

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

### 16. Other Information

NFPA Ratings: Health: 1 Flammability: 0 Reactivity: 1 Other: Oxidizer

**Label Hazard Warning:** 

DANGER! STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. HARMFUL IF SWALLOWED OR INHALED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT.

Label Precautions: Keep from contact with clothing and other combustible materials.

Avoid breathing dust. Avoid contact with eyes, skin and clothing. Store in a tightly closed container.

Remove and wash contaminated clothing promptly.

Label First Aid: If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash clothing before reuse. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In all cases, get medical attention.

Product Use: Laboratory Reagent.



CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAŁ 400062, MH, INDIA.

CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

## SODIUM IODATE AR

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

## DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**