

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM NITRITE AR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : SODIUM NITRITE AR

Product code : S0195900500

Identification of the product : Sodium nitrite
 CAS No: 7632-00-0
 EC No :231-555-9
 Annex No :007-010-00-4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM
 Chaitanya Tower, 2nd Floor, Office # 206,
 Siddharth Nagar, S.V. Road,
 Goregaon (West), Mumbai - 400062,
 Maharashtra, India.
 Contact: +91 22 28725393 / 94 / 95
 Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : O; R8
 T; R25
 N; R50

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301

Physical hazards : Oxidizing solids - Category 1 - Danger (CLP : Ox. Sol. 1) H271

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400

2.2. Label elements

MATERIAL SAFETY DATA SHEET (MSDS)
SODIUM NITRITE AR
2. Hazards identification -DSD (continued)
Labelling EC 67/548 or EC 1999/45
Symbol(s)

Symbol(s)

: O : Oxidizing
 T : Toxic
 N : Dangerous for the environment

R Phrase(s)

: R8 : Contact with combustible material may cause fire.
 R25 : Toxic if swallowed.
 R50 : Very toxic to aquatic organisms.

S Phrase(s)

: S1/2 : Keep locked up and out of reach of children.
 S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).
 S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.

Contains

: Sodium nitrite

Labelling Regulation EC 1272/2008 (CLP)
Hazard pictograms

Signal words

: Danger

Hazard statements

: H271 : May cause fire or explosion; strong oxidizer.
 H301 : Toxic if swallowed.
 H400 : Very toxic to aquatic life.

Precautionary statements
• General

: P102: Keep out of reach of children.
 P103: Read label before use.
 P101: If medical advice is needed, have product container or label at hand.

• Prevention

: P210: Keep away from heat, sparks, open flames or hot surfaces. - No smoking.
 P280: Wear protective gloves, protective clothing, eye protection, face protection.
 P273: Avoid release to the environment.
 P220: Keep away from clothing - combustible materials.
 P264: Wash thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.

• Response

: P371+P380+P375: In case of major fire and large quantities : Evacuate area. Fight fire remotely due to the risk of explosion.
 P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor.
 P391: Collect spillage.
 P306+P360: IF ON CLOTHING : Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
 P370+P378: In case of fire: Use for extinction.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM NITRITE AR

2. Hazards identification -DSD (continued)

- **Storage** : P405: Store locked up.
- **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Contains** : Sodium nitrite

2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Sodium nitrite

EC No :231-555-9
 Annex No :007-010-00-4
 Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Sodium nitrite	100 %	7632-00-0	231-555-9	007-010-00-4	---	O; R8 T; R25 N; R50 ----- Ox. Sol. 1 _ H271 Acute Tox. 3 (oral) _ H301 Aquatic Acute 1 _ H400

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

- Inhalation** : Assure fresh air breathing. Allow the victim to rest.
- Skin contact** : Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. IF ON CLOTHING :
- Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
- Ingestion** : Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms relating to use** : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

- General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

MATERIAL SAFETY DATA SHEET (MSDS)
SODIUM NITRITE AR
5. Fire-fighting measures
5.1. Extinguishing media

- Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media** : Do not use a heavy water stream.
- Surrounding fires** : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

- Flammable class** : May cause fire or explosion; strong oxidizer.
- Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.
In case of major fire and large quantities : Evacuate area. Fight fire remotely due to the risk of explosion.

6. Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

- For emergency responders** : Equip cleanup crew with proper protection.
Ventilate area.
- Special precautions** : No naked lights. No smoking.
May cause fire or explosion; strong oxidizer.
- For non-emergency personnel** : Evacuate unnecessary personnel.

6.2. Environmental precautions

- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Clean up methods** : On land, sweep or shovel into suitable containers. Minimize generation of dust.
Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

MATERIAL SAFETY DATA SHEET (MSDS)
SODIUM NITRITE AR
7. Handling and storage
7.1. Precautions for safe handling

Handling	: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Take any precaution to avoid mixing with combustibles.
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed.

7.2. Conditions for safe storage, including any incompatibilities

Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use. Keep in fireproof place.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources. Combustible material.

7.3. Specific end use(s)

Specific end use(s)	: None.
----------------------------	---------

8. Exposure controls/personal protection
8.1. Exposure controls

Personal protection	: Avoid all unnecessary exposure.
• Respiratory protection	: Wear approved mask.
• Hand protection	: Wear protective gloves.
• Eye protection	: Chemical goggles or safety glasses.
• Others	: When using, do not eat, drink or smoke. Wear fire, flame resistant, retardant clothing.

8.2. Control parameters

Occupational Exposure Limits	: No data available.
-------------------------------------	----------------------

9. Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: Pale yellow crystals
Odour	: Odorless
Odour threshold	: No data available.

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM NITRITE AR

9. Physical and chemical properties (continued)

pH value	: Not applicable.
Melting point [°C]	: 271 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 320 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm ³]	: 2,168
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: 820 g/l at 20 °C
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 9
Viscosity at 40°C [mm ² /s]	: N/A

9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: May cause fire or explosion; strong oxidizer.

10. Stability and reactivity

10.1. Reactivity.

Reactivity	: Not established.
------------	--------------------

10.2. Chemical stability.

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

10.3. Possibility of hazardous reactions

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM NITRITE AR

10. Stability and reactivity (continued)

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Overheating. Open flame.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

- **Inhalation** : Based on available data, the classification criteria are not met.
- **Dermal** : Based on available data, the classification criteria are not met.
- **Ingestion** : Toxic if swallowed.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information : Very toxic to aquatic life.

12.2. Persistence - degradability

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM NITRITE AR

12. Ecological information (continued)

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Hazardous waste due to potential risk of explosion. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Hazardous waste due to toxicity.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : SODIUM NITRITE
 UN N° : 1500
 H.I. nr : 56
 ADR - Class : 5.1
 Labelling - Transport : 5.1 : Oxidizing substances. 6.1 : Toxic substances.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM NITRITE AR

14. Transport information (continued)

ADR - Classification code : OT2
 ADR - Group : III
 ADR - Packing instructions : P002 R001
 ADR - Limited Quantity : 5 KG
 ADR - Tunnel code



: E : Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG).[English only]

Proper shipping name : SODIUM NITRITE
 UN N° : 1500
 IMO-IMDG - Class or division : 5.1 : Oxidizing substances. (6.1 : Toxic substances.)
 IMO-IMDG - Packing group : III
 IMO-IMDG - Packing instructions : P002
 IMO-IMDG - Limited quantities : 5 kg
 IMO-IMDG - Marine pollution : Yes
 EMS-Nr : F-A S-Q

14.3. Air transport (ICAO-IATA).[English only]

Proper shipping name : SODIUM NITRITE
 UN N° : 1500
 IATA - Class or division : 5.1 : Oxidizing substances. (6.1 : Toxic substances.)
 IATA - Packing group : III
 IATA - Passenger and Cargo Aircraft : ALLOWED
 - Passenger and Cargo - Packing : 559
 instruction
 - Passenger and Cargo - Maximum : 25 kg
 Quantity/Packing
 IATA - Cargo only : ALLOWED
 - Cargo only - Packing instruction : 563
 - Cargo only - Maximum Quantity/ : 100 kg
 Packing
 IATA - Limited Quantities : 10 kg
 ERG-Nr : 5P

MATERIAL SAFETY DATA SHEET (MSDS)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document