

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM PEROXIDE GRANULARS AR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : SODIUM PEROXIDE GRANULARS AR

Product code : S0196700100

Identification of the product : Sodium peroxide
 CAS No: 1313-60-6
 EC No :215-209-4
 Annex No :011-003-00-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM
 Chaitanya Tower, 2nd Floor, Office # 206,
 Siddharth Nagar, S.V. Road,
 Goregaon (West), Mumbai - 400062,
 Maharashtra, India.
 Contact: +91 22 28725393 / 94 / 95
 Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : O; R8
 C; R35

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Serious eye damage - Category 1 - Danger (CLP : Eye Dam. 1) H318
 Skin corrosion - Category 1A - Danger (CLP : Skin Corr. 1A) H314

Physical hazards : Oxidizing solids - Category 1 - Danger (CLP : Ox. Sol. 1) H271

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

MATERIAL SAFETY DATA SHEET (MSDS)
SODIUM PEROXIDE GRANULARS AR
2. Hazards identification -DSD (continued)
Symbol(s)

Symbol(s)

 : O : Oxidizing
 : C : Corrosive

R Phrase(s)

 : R8 : Contact with combustible material may cause fire.
 : R35 : Causes severe burns.

S Phrase(s)

 : S1/2 : Keep locked up and out of reach of children.
 : S8 : Keep container dry.
 : S27 : Take off immediately all contaminated clothing.
 : S39 : Wear eye/face protection.
 : S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).

Contains

: Sodium peroxide

Labelling Regulation EC 1272/2008 (CLP)
Hazard pictograms

Signal words

: Danger

Hazard statements

 : H271 : May cause fire or explosion; strong oxidizer.
 : H314 : Causes severe skin burns and eye damage.

Precautionary statements
• General

 : P102: Keep out of reach of children.
 : P103: Read label before use.
 : P101: If medical advice is needed, have product container or label at hand.

• Prevention

 : P210: Keep away from heat, sparks, open flames or hot surfaces. - No smoking.
 : P280: Wear protective gloves, protective clothing, eye protection, face protection.
 : P260: Do not breathe dust, fume, gas, mist, vapours, spray.
 : P220: Keep away from clothing - combustible materials.
 : P264: Wash thoroughly after handling.

• Response

 : P371+P380+P375: In case of major fire and large quantities : Evacuate area. Fight fire remotely due to the risk of explosion.
 : P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.
 : P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 : P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower.
 : P306+P360: IF ON CLOTHING : Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
 : P363: Wash contaminated clothing before reuse.
 : P370+P378: In case of fire: Use for extinction.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM PEROXIDE GRANULARS AR

2. Hazards identification -DSD (continued)

- **Storage** : P405: Store locked up.
- **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Contains** : Sodium peroxide

2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Sodium peroxide

EC No :215-209-4
 Annex No :011-003-00-1
 Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Sodium peroxide	: 100 %	1313-60-6	215-209-4	011-003-00-1	----	O: R8 C: R35
						Ox. Sol. 1 _ H271 Skin Corr. TA+ _ H314 Eye Dam 1 _ H318

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures

- Inhalation** : Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.
- Skin contact** : Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. IF ON CLOTHING : Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Immediately call a POISON CENTER or doctor.
- Eye contact** : Immediately call a POISON CENTER or doctor. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Ingestion** : Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms relating to use** : Causes severe skin burns and eye damage.

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM PEROXIDE GRANULARS AR

4. First aid measures (continued)

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.
Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Flammable class : May cause fire or explosion; strong oxidizer.
Hazardous combustion products : Under fire conditions, hazardous fumes will be present.
 Thermal decomposition generates : Corrosive vapours.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.
 In case of major fire and large quantities : Evacuate area. Fight fire remotely due to the risk of explosion.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.
 Ventilate area.
Special precautions : No naked lights. No smoking.
 May cause fire or explosion; strong oxidizer.
For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM PEROXIDE GRANULARS AR

6. Accidental release measures (continued)

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Do not breathe dust, fume, gas, mist, vapours, spray. Avoid contact during pregnancy or while nursing. Wash thoroughly after handling. Take any precaution to avoid mixing with combustibles.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use. Keep in fireproof place.

Storage regulation : Comply with applicable regulations.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources. Combustible material.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

- **Respiratory protection** : Wear approved mask.
- **Hand protection** : Wear protective gloves.
- **Skin protection** : Wear suitable protective clothing.
- **Eye protection** : Chemical goggles or face shield.
- **Others** : When using, do not eat, drink or smoke. Wear fire, flame resistant, retardant clothing.

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM PEROXIDE GRANULARS AR

8. Exposure controls/personal protection (continued)

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: Pale yellow
Odour	: Odorless
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 460 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 657 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm ³]	: 2,81
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Soluble in water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 12.8
Viscosity at 40°C [mm ² /s]	: N/A

9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A

MATERIAL SAFETY DATA SHEET (MSDS)

SODIUM PEROXIDE GRANULARS AR

9. Physical and chemical properties (continued)

Explosion limits - lower [%]	: N/A
Oxidising properties	: May cause fire or explosion; strong oxidizer.

10. Stability and reactivity

10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

10.2. Chemical stability

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

10.3. Possibility of hazardous reactions

Hazardous reactions	: Not established.
---------------------	--------------------

10.4. Conditions to avoid

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Overheating. Open flame.
---------------------	--

10.5. Incompatible materials

Materials to avoid	: Strong acids. Strong bases.
--------------------	-------------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.
----------------------------------	---

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

• Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
• Ingestion	: Based on available data, the classification criteria are not met.

Corrosion

: Causes severe skin burns and eye damage. Causes serious eye damage.
--

Irritation

: Based on available data, the classification criteria are not met.

MATERIAL SAFETY DATA SHEET (MSDS)
SODIUM PEROXIDE GRANULARS AR
11. Toxicological information (continued)

Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information
12.1. Toxicity

Toxicity information : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations
13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Hazardous waste due to potential risk of explosion. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

MATERIAL SAFETY DATA SHEET (MSDS)
SODIUM PEROXIDE GRANULARS AR
14. Transport information
14.1. Land transport (ADR-RID)

Proper shipping name : SODIUM PEROXIDE
 UN N° : 1504
 H.I. nr : --
 ADR - Class : 5.1
 Labelling - Transport : 5.1 : Oxidizing substances.



ADR - Classification code : O2
 ADR - Group : I
 ADR - Packing instructions : P503
 ADR - Limited Quantity : 0
 ADR - Tunnel code : E : Passage forbidden through tunnels of category E.


14.2. Sea transport (IMDG) [English only]

Proper shipping name : SODIUM PEROXIDE
 UN N° : 1504
 IMO-IMDG - Class or division : 5.1 : Oxidizing substances.
 IMO-IMDG - Packing group : I
 IMO-IMDG - Packing instructions : P503
 IMO-IMDG - Limited quantities : None
 IMO-IMDG - Marine pollution : No
 EMS-Nr : F-G S-Q

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : SODIUM PEROXIDE
 UN N° : 1504
 IATA - Class or division : 5.1 : Oxidizing substances.
 IATA - Packing group : I
 IATA - Passenger and Cargo Aircraft : NOT ALLOWED
 IATA - Cargo only : ALLOWED

MATERIAL SAFETY DATA SHEET (MSDS)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document