

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

**MATERIAL SAFETY DATA SHEET (MSDS)****SUCROSE LR****1. Product Identification**

**Synonyms:** alpha-D-glucopyranosyl-beta-D-fructofuranoside; sugar  
**CAS No.:** 57-50-1

Product Coad: S0198700500

**Molecular Weight:** 342.3  
**Chemical Formula:** C<sub>12</sub>H<sub>22</sub>O<sub>11</sub>

**2. Composition/Information on Ingredients**

Ingredient	CAS No	Percent
Sucrose	57-50-1	90 - 100%

**3. Hazards Identification**

Emergency Overview CAUTION! MAY FORM COMBUSTIBLE DUST CONCENTRATIONS IN AIR. NUISANCE DUST. HIGH CONCENTRATIONS MAY IRRITATE EYES AND RESPIRATORY TRACT.

Inhalation: Not expected to be a health hazard. Nuisance dust. Inhalation of high concentrations may cause coughing and upper respiratory tract irritation.

Ingestion: Extremely large oral dosages may produce gastrointestinal disturbances.

Skin Contact: No adverse effects expected.

Eye Contact: No adverse effects expected but dust may cause mechanical irritation.

**4. First Aid Measures**

Inhalation: Remove to fresh air. Get medical attention for any breathing difficulty.

Ingestion: If large amounts were swallowed, give water to drink and get medical advice.

Skin Contact: Not expected to require first aid measures.

Eye Contact: Wash thoroughly with running water. Get medical advice if irritation develops.

**5. Fire Fighting Measures**

Fire: Not considered to be a fire hazard.

Explosion: Fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Minimum explosible concentration in air: 0.045 g/l.

Fire Extinguishing Media: Use any means suitable for extinguishing surrounding fire.

Special Information: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

**6. Accidental Release Measures**

Remove all sources of ignition. Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Clean up spills in a manner that does not disperse dust into the air. Use non-sparking tools and equipment. Reduce airborne dust and prevent scattering by moistening with water. Pick up spill for recovery or disposal and place in a closed container.

**7. Handling and Storage**

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Isolate from any source of heat or ignition. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

**8. Exposure Controls/Personal Protection**

Airborne Exposure Limits: Sucrose:- OSHA Permissible Exposure Limit (PEL) -

Respirable fraction: 5 mg/m<sup>3</sup> (TWA)

Total dust: 15 mg/m<sup>3</sup> (TWA)

- ACGIH Threshold Limit Value (TLV) -

10 mg/m<sup>3</sup> (TWA), A4 - Not classifiable as a human carcinogen

Ventilation System: A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended*

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### SUCROSE LR

*Practices*, most recent edition, for details. Personal Respirators (NIOSH Approved):

If the exposure limit is exceeded and engineering controls are not feasible, a half facepiece particulate respirator (NIOSH type N95 or better filters) may be worn for up to ten times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest.. A full-face piece particulate respirator (NIOSH type N100 filters) may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency, or respirator supplier, whichever is lowest. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection: Wear protective gloves and clean body-covering clothing.

Eye Protection: Safety glasses.

#### 9. Physical and Chemical Properties

Appearance: Monoclinic sphenoidal crystals. Odor: Characteristic caramel.

Solubility: 1 gm/0.5 ml water Density: 1.59

pH: Solutions are neutral to litmus. % Volatiles by volume @ 21C (70F): 0

#### 10. Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage. Hazardous Decomposition Products: Carbon dioxide and carbon monoxide may form when heated to decomposition. Hazardous Polymerization: Will not occur. Incompatibilities: Oxidizers, sulfuric acid and nitric acid. Conditions to Avoid: Heat, flames, ignition sources and incompatibles.

#### 11. Toxicological Information

Oral rat LD50: 29700 mg/kg; investigated as a mutagen, reproductive effector.

---NTP Carcinogen---

Ingredient	Known	Anticipated	IARC Category
Sucrose (57-50-1)	No	No	None

#### 12. Ecological Information

Environmental Fate: No information found.

Environmental Toxicity: No information found.

#### 13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

#### 14. Transport Information

NON HAZARDOUS FOR AIR, ROAD AND SEA TRANSPORT

#### 15. Regulatory Information

NA

#### 16. Other Information

**NFPA Ratings: Health: 0 Flammability: 1 Reactivity: 0 Label Hazard Warning: CAUTION! MAY FORM COMBUSTIBLE DUST CONCENTRATIONS IN AIR. NUISANCE DUST. HIGH CONCENTRATIONS MAY IRRITATE EYES AND RESPIRATORY TRACT.** Label Precautions: Avoid dust cloud in presence of an ignition source. Maintain adequate ventilation. Keep container closed. Label First Aid: If inhaled, remove to fresh air. Get medical attention for any breathing difficulty. In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes.

**Product Use:** Laboratory Reagent.

**MATERIAL SAFETY DATA SHEET (MSDS)**

**SUCROSE LR**

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**