

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

NITRIC ACID MIN.68 % PURE AR

1. Identification of the substance/mixture and of the company/undertaking

| <u>1.1. Product identifier</u> Trade name | : NITRIC ACID MIN.68 % PURE AR | | |
|--|--|--|--|
| Product code <u>1.2. Relevant identified uses of the su</u> | : SA0010802500 CAS No: 7697-37-2 Ibstance or mixture and uses advised against | | |
| Use | : Industrial. For professional use only. | | |
| 1.3. Details of the supplier of the safety data sheet | | | |
| Company identification | SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com | | |
| 1.4. Emergency telephone number | | | |
| Phone no. | : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours] | | |

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification

: C; R35

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Not classified.

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s)

R Phrase(s)

: O : Oxidizing C : Corrosive

R35 : Causes severe burns.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

NITRIC ACID MIN.68 % PURE AR

| 2. Hazards identification -DSD (continued) | | |
|--|---|--|
| S Phrase(s) | : S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36 : Wear suitable protective clothing. S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible). | |
| Contains | : NITRIC ACID | |
| Labelling Regulation EC 12 | <u>72/2008 (CLP)</u> | |
| Not classified. Hazard pictograms | | |
| Contains | : NITRIC ACID | |
| 2.3. Other hazards | | |
| Other hazards | : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH. | |

| 3. | . Composition/information on ingredients | | | | | | | |
|----|--|---|----------|-----------|-----------|----------|------------|------------------------------------|
| | Substance / Preparation | า | : Pre | paration. | | | | |
| Su | bstance name | | Contents | CAS No | EC No | Annex No | REACH Ref. | Classification |
| Nľ | TRIC ACID | : | 69 71 | 7697-37-2 | 231-714-2 | | | C; R35 Not classified (GHS) |

4. First aid measures

4.1. Description of first aid measures

| Inhalation | : Assure fresh air breathing. Allow the victim to rest. |
|---------------------------------|---|
| Skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. |
| Eye contact | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist. |
| Ingestion | : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth. |
| 4.2. Most important symptoms an | d effects, both acute and delayed |
| Symptoms relating to use | : Not expected to present a significant hazard under anticipated conditions of normal use. |

4.3. Indication of any immediate medical attention and special treatment needed



MATERIAL SAFETY DATA SHEET (MSDS)

NITRIC ACID MIN.68 % PURE AR

4. First aid measures (continued)

General information

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media Surrounding fires | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers. |
|---|--|
| 5.2. Special hazards arising from the | substance or mixture |
| Hazardous combustion products | : Under fire conditions, hazardous fumes will be present. |
| 5.3. Advice for fire-fighters | |
| Protection against fire | : Do not enter fire area without proper protective equipment, including respiratory protection. |
| Special procedures | : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment. |

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| For emergency responders | : Equip cleanup crew with proper protection. Ventilate area. |
|---------------------------------------|--|
| For non-emergency personnel | : Evacuate unnecessary personnel. |
| 6.2. Environmental precautions | |
| Environmental precautions | : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. |
| 6.3. Methods and material for contain | nment and cleaning up |
| Clean up methods | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. |
| 6.4. Reference to other sections | |

See section 8. Exposure controls/personal protection



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

NITRIC ACID MIN.68 % PURE AR

7. Handling and storage

| 7.1. Precautions for safe handling | |
|---------------------------------------|--|
| Handling | : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. |
| Technical protective measures | : Provide good ventilation in process area to prevent formation of vapour. |
| 7.2. Conditions for safe storage, inc | luding any incompatibilities |
| Storage | : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use. |
| Storage - away from | : Strong bases. Strong acids. Sources of ignition. Direct sunlight. |
| <u>7.3. Specific end use(s)</u> | |
| Specific end use(s) | : None. |

8. Exposure controls/personal protection 8.1. Exposure controls Personal protection : Avoid all unnecessary exposure. • Respiratory protection : Wear approved mask. • Hand protection : Wear protective gloves.

- Eye protection : Chemical goggles or safety glasses.
- Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state at 20 °C | : Liquid. |
|---------------------------|----------------------|
| Colour | : Colorless |
| Odour | : Characteristic. |
| Odour threshold | : No data available. |
| pH value | : No data available. |
| Melting point [°C] | : No data available. |
| Decomposition point [°C] | : No data available. |
| Critical temperature [°C] | : No data available. |



MATERIAL SAFETY DATA SHEET (MSDS)

NITRIC ACID MIN.68 % PURE AR

9. Physical and chemical properties (continued)

| Auto-ignition temperature [°C] | : No data available. |
|------------------------------------|----------------------|
| Flammability (solid, gas) | : No data available. |
| Flash point [°C] | : No data available. |
| Initial boiling point [°C] | : No data available. |
| Final boiling point [°C] | : No data available. |
| Evaporation rate | : No data available. |
| Vapour pressure [20°C] | : No data available. |
| Vapour density | : No data available. |
| Density [g/cm3] | : No data available. |
| Relative density, liquid (water=1) | : No data available. |
| Solubility in water | : No data available. |
| Log Pow octanol / water at 20°C | : No data available. |
| Viscosity at 40°C [mm2/s] | : No data available. |
| 9.2. Other information | |

| Explosive properties | : No data available. |
|------------------------------|----------------------|
| Explosion limits - upper [%] | : No data available. |
| Explosion limits - lower [%] | : No data available. |
| Oxidising properties | : No data available. |

10. Stability and reactivity

| 10.1. Reactivity | |
|---|--|
| Reactivity | : Not established. |
| 10.2. Chemical stability | |
| Chemical stability | : Stable under recommended storage conditions. |
| 10.3. Possibility of hazardous reaction | ons |
| Hazardous reactions | : Not established. |
| 10.4. Conditions to avoid | |
| Conditions to avoid | : Direct sunlight. Extremely high or low temperatures. |
| 10.5. Incompatible materials | |
| Materials to avoid | : Strong acids. Strong bases. |
| 10.6. Hazardous decomposition prod | lucts |



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

NITRIC ACID MIN.68 % PURE AR

10. Stability and reactivity (continued)

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

| Toxicity information | : The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations. |
|-------------------------------|--|
| Acute toxicity | |
| Inhalation | : Based on available data, the classification criteria are not met. |
| • Dermal | : Based on available data, the classification criteria are not met. |
| Ingestion | : Based on available data, the classification criteria are not met. |
| Corrosion | : Based on available data, the classification criteria are not met. |
| Irritation | : Based on available data, the classification criteria are not met. |
| Sensitization | : Based on available data, the classification criteria are not met. |
| Mutagenicity | : Based on available data, the classification criteria are not met. |
| Carcinogenicity | : Based on available data, the classification criteria are not met. |
| Toxic for reproduction | : Based on available data, the classification criteria are not met. |
| STOT-single exposure | : Based on available data, the classification criteria are not met. |
| STOT-repeated exposure | : Based on available data, the classification criteria are not met. |
| Aspiration hazard | : Based on available data, the classification criteria are not met. |

12. Ecological information

| <u>12.1. Toxicity</u> | |
|---|--|
| Toxicity information | : The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations. |
| <u> 12.2. Persistence - degradability</u> | |
| Persistence - degradability | : Biodegradable. |
| 12.3. Bioaccumulative potential | |
| Bioaccumulative potential | : Not established. |
| <u>12.4. Mobility in soil</u> | |
| Mobility in soil | : Not established. |
| 12.5. Results of PBT and vPvB asses | <u>sment</u> |



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

NITRIC ACID MIN.68 % PURE AR

12. Ecological information (continued)

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General

: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

14. Transport information

14.1. Land transport (ADR-RID)

| Proper shipping name | : NITRIC ACID, other than red fuming, with >= 65% but <= 70% nitric acid |
|-----------------------|--|
| UN N° | : 2031 |
| H.I. nr | : 85 |
| ADR - Class | : 8 |
| Labelling - Transport | : 8 : Corrosive substance. 5.1 : Oxidizing substances. |
| | |



| ADR - Classification code | : CO1 |
|----------------------------|--------|
| ADR - Group | : 11 |
| ADR - Packing instructions | : P001 |
| ADR - Limited Quantity | : 1 L |
| ADR - Tunnel code | |

| à | |
|---|------|
| V | Ne v |

: E : Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

| Proper shipping name | : NITRIC ACID, other than red fuming, with >= 65% but <= 70% nitric acid |
|------------------------------|--|
| UN N° | : 2031 |
| IMO-IMDG - Class or division | : 8 : Corrosive substance. (5.1 : Oxidizing substances.) |

Page: 7

AN ISO 9001: 2015 CERTIFIED



MATERIAL SAFETY DATA SHEET (MSDS)

NITRIC ACID MIN.68 % PURE AR

14. Transport information (continued)

| IMO-IMDG - Packing group | : 11 |
|----------------------------------|-----------|
| IMO- IMDG - Packing instructions | : P001 |
| IMO-IMDG - Limited quantities | :1L |
| IMO-IMDG - Marine pollution | : No |
| EMS-Nr | : F-A S-B |

14.3. Air transport (ICAO-IATA) [English only]

| Proper shipping name | : NITRIC ACID, other than red fuming, with >= 65% but <= 70% nitric acid |
|-------------------------------------|--|
| UN N° | : 2031 |
| IATA - Class or division | : 8 : Corrosive substance. (5.1 : Oxidizing substances.) |
| IATA - Packing group | :11 |
| IATA - Passenger and Cargo Aircraft | : NOT ALLOWED |
| IATA - Cargo only | : ALLOWED |
| - Cargo only - Packing instruction | : 855 |
| - Cargo only - Maximum Quantity/ | : 30 L |
| Packing | |
| ERG-Nr | : 8L |

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| Safety, health and environmental regulations/legislation specific for th substance or mixture | : Ensure all national/local regulations are observed. e |
|---|--|
| REACH Restrictions - Annex XVII | : The components of this product are not subject to restrictions. |
| REACH Authorisation - Annex XIV | : The components of this product are not subject to authorization. |
| 15.2. Chemical Safety Assessment | |

| : It has not been carried out. |
|--------------------------------|
| |

| Revision | : Revision - See : * |
|----------------------------|--|
| Abbreviations and acronyms | : PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative |
| Sources of key data used | : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging o substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 |

Page: 8

AN ISO 9001: 2015 CERTIFIED



MATERIAL SAFETY DATA SHEET (MSDS)

NITRIC ACID MIN.68 % PURE AR

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document