

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)**ALBERT STAIN A SOLUTION****1. Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Trade name : ALBERT STAIN A SOLUTION

Product code : SI0300300125

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet**Company identification**

SUVCHEM
Chaitanya Tower, 2nd Floor, Office # 206,
Siddharth Nagar, S.V. Road,
Goregaon (West), Mumbai - 400062,
Maharashtra, India.
Contact: +91 22 28725393 / 94 / 95
Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD**2.1. Classification of the substance or mixture****Classification EC 67/548 or EC 1999/45**

Classification : Xi; R36/38

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319
Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315

2.2. Label elements**Labelling EC 67/548 or EC 1999/45**

Symbol(s)



MATERIAL SAFETY DATA SHEET (MSDS)

ALBERT STAIN A SOLUTION

2. Hazards identification -DSD (continued)

Symbol(s)	: Xi : Irritant
R Phrase(s)	: R36/38 : Irritating to eyes and skin.
S Phrase(s)	: S24 : Avoid contact with skin. S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S35 : This material and its container must be disposed of in a safe way. S36/37 : Wear suitable protective clothing and gloves. S51 : Use only in well-ventilated areas. S59 : Refer to manufacturer/supplier for information on recovery/recycling.
Contains	: Water - Ethanol - Acetic acid - Verde malaquita, clorhidrato; C.I. Verde básico 4 - TOLUIDINE BLUE C.I.No.52040

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words	: Warning
Hazard statements	: H319 : Causes serious eye irritation. H315 : Causes skin irritation.

Precautionary statements

• Prevention	: P280: Wear protective gloves, protective clothing, eye protection, face protection. P264: Wash thoroughly after handling.
• Response	: P302+P352: IF ON SKIN : Wash with plenty of soap and water. P332+P313: If skin irritation occurs : Get medical advice. P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P363: Wash contaminated clothing before reuse.

Contains	: Water - Ethanol - Acetic acid - Verde malaquita, clorhidrato; C.I. Verde básico 4 - TOLUIDINE BLUE C.I.No.52040
-----------------	--

2.3. Other hazards

Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
----------------------	---

3. Composition/information on ingredients

Substance / Preparation	: Preparation.
Hazardous component(s)	: This product is hazardous.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
TOLUIDINE BLUE C.I.No.52040	: > 0.1 < 1 %	----	----	----	----	Not classified (DSD/DPD) Not classified (GHS)

MATERIAL SAFETY DATA SHEET (MSDS)
ALBERT STAIN A SOLUTION
3. Composition/information on ingredients (continued)

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Verde malaquita, clorhidrato; C.I. : Verde básico 4	> 0.01 < 1 %	569-64-2	209-322-8	602-096-00-5	----	Repr. Cat. 3; R63 Xn; R22 Xi; R41 N; R50-53 ----- Eye Dam 1 _ H318 Acute Tox. 4 (oral) _ H302 Repr. 2 _ H361d Aquatic Acute 1 _ H400 Aquatic Chronic 1 _ H410
Water	> 75 < 99 %	7732-18-5	231-791-2	----	----	Not classified (DSD/DPD) ----- Not classified (GHS)
Acetic acid	> 1 < 5 %	64-19-7	200-580-7	607-002-00-6	----	R10 C; R35 ----- Skin Corr. 1A+ _ H314 Eye Dam 1 _ H318 Flam. Liq. 3 _ H226 Acute Tox. 4 (inhal) _ H332
Ethanol	> 1 < 5 %	64-17-5	200-578-6	603-002-00-5	----	R10 C; R35 ----- Skin Corr. 1A _ H314 Flam. Liq. 3 _ H226

4. First aid measures
4.1. Description of first aid measures

Inhalation	: Assure fresh air breathing. Allow the victim to rest.
Skin contact	: Specific treatment (see on this label). Wash contaminated clothing before reuse. Get medical advice. If skin irritation occurs : Wash with plenty of soap and water.
Eye contact	: Get medical advice. If eye irritation persists : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
Ingestion	: Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use	: Causes serious eye irritation. Causes skin irritation.
---------------------------------	---

4.3. Indication of any immediate medical attention and special treatment needed

General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
----------------------------	---

5. Fire-fighting measures
5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
-------------------------------------	--

MATERIAL SAFETY DATA SHEET (MSDS)
ALBERT STAIN A SOLUTION
5. Fire-fighting measures (continued)

- Unsuitable extinguishing media** : Do not use a heavy water stream.
Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

- Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

- For emergency responders** : Equip cleanup crew with proper protection.
 Ventilate area.
For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Clean up methods** : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

- See section 8. Exposure controls/personal protection

7. Handling and storage
7.1. Precautions for safe handling

- Handling** : Wash thoroughly after handling.
 Wash thoroughly after handling. Wash thoroughly after handling.
Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

MATERIAL SAFETY DATA SHEET (MSDS)
ALBERT STAIN A SOLUTION
7. Handling and storage (continued)
7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection
8.1. Exposure controls
Personal protection


Personal protection : Avoid all unnecessary exposure.

- **Respiratory protection** : Wear approved mask.
- **Hand protection** : Wear protective gloves.
- **Skin protection** : Wear suitable protective clothing.
- **Eye protection** : Chemical goggles or safety glasses.
- **Others** : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Liquid.

Colour : Colorless

Odour : Characteristic.

Odour threshold : No data available.

pH value : No data available.

Melting point [°C] : No data available.

Decomposition point [°C] : N/A

MATERIAL SAFETY DATA SHEET (MSDS)
ALBERT STAIN A SOLUTION
9. Physical and chemical properties (continued)

Critical temperature [°C]	: No data available.
Auto-ignition temperature [°C]	: No data available.
Flammability (solid, gas)	: N/A
Flash point [°C]	: No data available.
Boiling point [°C]	: N/A
Initial boiling point [°C]	: No data available.
Final boiling point [°C]	: No data available.
Evaporation rate	: N/A
Vapour pressure [20°C]	: No data available.
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm ³]	: N/A
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: N/A
Solubility in water	: No data available.
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm ² /s]	: No data available.

9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: No data available.
Explosion limits - lower [%]	: No data available.
Oxidising properties	: No data available.

10. Stability and reactivity
10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

10.2. Chemical stability

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

10.3. Possibility of hazardous reactions

Hazardous reactions	: Not established.
---------------------	--------------------

10.4. Conditions to avoid

MATERIAL SAFETY DATA SHEET (MSDS)
ALBERT STAIN A SOLUTION
10. Stability and reactivity (continued)

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information
11.1. Information on toxicological effects

Toxicity information : The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.

Acute toxicity

- **Inhalation** : Based on available data, the classification criteria are not met.
- **Dermal** : Based on available data, the classification criteria are not met.
- **Ingestion** : Based on available data, the classification criteria are not met.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Causes serious eye irritation.
Causes skin irritation.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information
12.1. Toxicity

Toxicity information : The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

MATERIAL SAFETY DATA SHEET (MSDS)**ALBERT STAIN A SOLUTION****12. Ecological information (continued)****12.3. Bioaccumulative potential**

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.**12.6. Other adverse effects**

Environmental precautions : Avoid release to the environment.

13. Disposal considerations**13.1. Waste treatment methods**

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

14. Transport information**14.1. Land transport (ADR-RID)**

General information : Not regulated.

14.2. Sea transport (IMDG) [English only]

General information : Not regulated.

14.3. Air transport (ICAO-IATA) [English only]

General information : Not regulated.

15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

MATERIAL SAFETY DATA SHEET (MSDS)
ALBERT STAIN A SOLUTION
15. Regulatory information (continued)

- Safety, health and environmental regulations/legislation specific for the substance or mixture** : Ensure all national/local regulations are observed.
- REACH Restrictions - Annex XVII** : The components of this product are not subject to restrictions.
- REACH Authorisation - Annex XIV** : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

- Chemical Safety Assessment** : It has not been carried out.

16. Other information

- Revision** : Revision - See : *
- Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.
vPvB: very persistent and very bioaccumulative
- Sources of key data used** : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- List of relevant R phrases (heading 3)** : R10 : Flammable.
R22 : Harmful if swallowed.
R35 : Causes severe burns.
R41 : Risk of serious damage to eyes.
R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R63 : Possible risk of harm to the unborn child.
- List of full text of H-statements in section 3** : H226 : Flammable liquid and vapour.
H302 : Harmful if swallowed.
H314 : Causes severe skin burns and eye damage.
H318 : Causes serious eye damage.
H332 : Harmful if inhaled.
H361U : Suspected of damaging the unborn child.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
- Further information** : None.

MATERIAL SAFETY DATA SHEET (MSDS)

ALBERT STAIN A SOLUTION

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document