

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN STRONG [STAINING SOLUTION(ZIEHL NEELSEN)]

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : CARBOL FUCHSIN STRONG [STAINING SOLUTION(ZIEHL NEELSEN)]
Product code : SI0302000500

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM
Chaitanya Tower, 2nd Floor, Office # 206,
Siddharth Nagar, S.V. Road,
Goregaon (West), Mumbai - 400062,
Maharashtra, India.
Contact: +91 22 28725393 / 94 / 95
Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Carc. Cat. 2; R45
Muta. Cat. 3; R68
Xn; R20/21/22
C; R34

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Category 2 - Warning (CLP : STOT SE 2) H371
Skin corrosion - Category 1B - Danger (CLP : Skin Corr. 1B) H314
Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302
Acute toxicity, dermal - Category 4 - Warning (CLP : Acute Tox. 4) H312
Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN STRONG [STAINING SOLUTION(ZIEHL NEELSEN)]

2. Hazards identification -DSD (continued)

Symbol(s)



Symbol(s)

: T : Toxic
C : Corrosive

R Phrase(s)

: R20/21/22 : Harmful by inhalation, in contact with skin and if swallowed.
R34 : Causes burns.
R45 : May cause cancer.
R68 : Possible risks of irreversible effects.

S Phrase(s)

: S4 : Keep away from living quarters.
S24 : Avoid contact with skin.
S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S28 : After contact with skin, wash immediately with
S35 : This material and its container must be disposed of in a safe way.
S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection.
S38 : In case of insufficient ventilation, wear suitable respiratory equipment.
S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).
S53 : Avoid exposure - obtain special instructions before use.
S59 : Refer to manufacturer/supplier for information on recovery/recycling.

Contains

: Water - Ethanol - Phenol - C.I. Basic Red 9

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words

: Danger

Hazard statements

: H314 : Causes severe skin burns and eye damage.
H302 : Harmful if swallowed.
H312 : Harmful in contact with skin.
H332 : Harmful if inhaled.
H371 : May cause damage to organs.

Precautionary statements

• Prevention

: P280: Wear protective gloves, protective clothing, eye protection, face protection.
P271: Use only outdoors or in a well-ventilated area.
P260: Do not breathe dust, fume, gas, mist, vapours, spray.
P264: Wash thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.

• Response

: P302+P352: IF ON SKIN : Wash with plenty of soap and water.
P309+P311: IF exposed or if you feel unwell : Call a POISON CENTER or doctor.
P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.
P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN STRONG [STAINING SOLUTION(ZIEHL NEELSEN)]

2. Hazards identification -DSD (continued)

- P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.
P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower.
P363: Wash contaminated clothing before reuse.
- **Storage** : P405: Store locked up.
 - **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Contains** : Water - Ethanol - Phenol - C.I. Basic Red 9

2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

- Substance / Preparation** : Preparation.
Hazardous component(s) : This product is hazardous.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
C.I. Basic Red 9	> 0.01 < 1 %	569-61-9	209-321-2	611-031-00-X	---	Carc. Cat. 2; R45 Carc. 1B _ H350
Phenol	> 1 < 5 %	108-95-2	203-632-7	604-001-00-2	---	Muta. Cat. 3; R68 T; R23/24/25 Xn; R48/20/21/22 C; R34 Acute Tox. 3 (skin) _ H311 Acute Tox. 3 (inhal) _ H331 Acute Tox. 3 (oral) _ H301 Skin Corr. 1B _ H314 Eye Dam 1 _ H318 Muta. 2 _ H341 STOT RE 2 _ H373
Ethanol	> 5 < 10 %	64-17-5	200-578-6	603-002-00-5	---	R10 C; R35 Skin Corr. 1A _ H314 Flam. Liq. 3 _ H226
Water	> 75 < 99 %	7732-18-5	231-791-2	---	---	Not classified (DSD/DPD) Not classified (GHS)

4. First aid measures

4.1. Description of first aid measures

- Inhalation** : Call a POISON CENTER or doctor if you feel unwell. Immediately call a POISON CENTER or doctor. Remove to fresh air and keep at rest in a position comfortable for breathing.
- Skin contact** : Specific treatment (see on this label). Wash contaminated clothing before reuse. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Immediately call a POISON CENTER or doctor.

MATERIAL SAFETY DATA SHEET (MSDS)
CARBOL FUCHSIN STRONG [STAINING SOLUTION(ZIEHL NEELSEN)]
4. First aid measures (continued)

- Eye contact** : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Immediately call a POISON CENTER or doctor.
- Ingestion** : Immediately call a POISON CENTER or doctor. Do NOT induce vomiting. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms relating to use** : Causes severe skin burns and eye damage.
 Repeated exposure to this material can result in absorption through skin causing significant health hazard.
 May cause damage to organs.
 Danger of serious damage to health by prolonged exposure through inhalation.
 Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

- General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures
5.1. Extinguishing media

- Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media** : Do not use a heavy water stream.
- Surrounding fires** : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

- Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.
 Thermal decomposition generates : Corrosive vapours.

5.3. Advice for fire-fighters

- Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

MATERIAL SAFETY DATA SHEET (MSDS)
CARBOL FUCHSIN STRONG [STAINING SOLUTION(ZIEHL NEELSEN)]
6. Accidental release measures (continued)

- For emergency responders** : Equip cleanup crew with proper protection.
 Ventilate area.
 Avoid breathing dust, fume, gas, mist, vapours, spray.
- For non-emergency personnel** : Evacuate unnecessary personnel.

6.2. Environmental precautions

- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Clean up methods** : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage
7.1. Precautions for safe handling

- Personal protection** : Do not breathe dust, fume, gas, mist, vapours, spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.
- Handling** : Avoid breathing dust, fume, gas, mist, vapours, spray. Use only outdoors or in a well-ventilated area. Wash contaminated clothing before reuse. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust, fume, gas, mist, vapours, spray.
- Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

- Storage** : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.
- Storage regulation** : Comply with applicable regulations.
- Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

- Specific end use(s)** : None.

MATERIAL SAFETY DATA SHEET (MSDS)
CARBOL FUCHSIN STRONG [STAINING SOLUTION(ZIEHL NEELSEN)]
8. Exposure controls/personal protection
8.1. Exposure controls

Personal protection	: Avoid all unnecessary exposure.
• Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
• Hand protection	: Wear protective gloves.
• Skin protection	: Wear suitable protective clothing.
• Eye protection	: Chemical goggles or face shield.
• Others	: When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits	: No data available.
-------------------------------------	----------------------

9. Physical and chemical properties
9.1. Information on basic physical and chemical properties

Odour threshold	: No data available.
Melting point [°C]	: -114.1°C
Decomposition point [°C]	: N/A
Flammability (solid, gas)	: Flammable.
Boiling point [°C]	: 78.5°C
Evaporation rate	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: 1,59
Density [g/cm³]	: 0,98
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Easily soluble in co
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 4,4

9.2. Other information

Explosive properties	: N/A
Oxidising properties	: No data available.

MATERIAL SAFETY DATA SHEET (MSDS)
CARBOL FUCHSIN STRONG [STAINING SOLUTION(ZIEHL NEELSEN)]
10. Stability and reactivity
10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.
 Thermal decomposition generates : Corrosive vapours.

11. Toxicological information
11.1. Information on toxicological effects

Toxicity information : The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.

Acute toxicity

• Inhalation : Harmful if inhaled.

• Dermal : Harmful in contact with skin.

• Ingestion : Harmful if swallowed.

Corrosion : Causes severe skin burns and eye damage.

Irritation : Based on available data, the classification criteria are not met.

Sensitization : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Causes damage to organ.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

MATERIAL SAFETY DATA SHEET (MSDS)
CARBOL FUCHSIN STRONG [STAINING SOLUTION(ZIEHL NEELSEN)]
11. Toxicological information (continued)

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information
12.1. Toxicity

Toxicity information : The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations
13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information
14.1. Land transport (ADR-RID)

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN STRONG [STAINING SOLUTION(ZIEHL NEELSEN)]

14. Transport information (continued)

Proper shipping name : FLAMMABLE LIQUID, CORROSIVE, N.O.S.
UN N° : 2924
H.I. nr : 38
ADR - Class : 3
Labelling - Transport : 3 : Flammable liquid. 8 : Corrosive substance.



ADR - Classification code : FC
FC
ADR - Group : III
ADR - Packing instructions : P001 R001
ADR - Limited Quantity : 5 L
ADR - Tunnel code



: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : FLAMMABLE LIQUID, CORROSIVE, N.O.S.
UN N° : 2924
IMO-IMDG - Class or division : 3 : Flammable liquid. (8 : Corrosive substance.)
IMO-IMDG - Packing group : III
IMO-IMDG - Packing instructions : P001
IMO-IMDG - Limited quantities : 5 L
IMO-IMDG - Marine pollution : Yes
EMS-Nr : F-E S-C

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : FLAMMABLE LIQUID, CORROSIVE, N.O.S.
UN N° : 2924
IATA - Class or division : 3 : Flammable liquid. (8 : Corrosive substance.)
IATA - Packing group : III
IATA - Passenger and Cargo Aircraft : ALLOWED
- Passenger and Cargo - Packing instruction : 354

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN STRONG [STAINING SOLUTION(ZIEHL NEELSEN)]

14. Transport information (continued)

- Passenger and Cargo - Maximum Quantity/Packing	: 5 L
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 365
- Cargo only - Maximum Quantity/Packing	: 60 L
IATA - Limited Quantities	: 1 L
ERG-Nr	: 3C

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture	: Ensure all national/local regulations are observed.
REACH Restrictions - Annex XVII	: With the exception of those listed below: The components of this product are not subject to restrictions. • C.I. Basic Red 9 : Annex XVII
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment	: It has not been carried out.
----------------------------	--------------------------------

16. Other information

Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
List of relevant R phrases (heading 3)	: R10 : Flammable. R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed. R34 : Causes burns. R35 : Causes severe burns. R45 : May cause cancer. R48/20/21/22 : Harmful : danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed. R68 : Possible risks of irreversible effects.
List of full text of H-statements in section 3	: H226 : Flammable liquid and vapour. H301 : Toxic if swallowed. H311 : Toxic in contact with skin.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

CARBOL FUCHSIN STRONG [STAINING SOLUTION(ZIEHL NEELSEN)]

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document