

MATERIAL SAFETY DATA SHEET (MSDS)

D.P.X MOUNTANT (FOR MICROSCOPY)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : D.P.X MOUNTANT (FOR MICROSCOPY)

Product code : SI0303200250

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

Cas NO:130-12-2

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM

Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Repr. Cat. 2; R61-62

Xn; R20/21 Xi; R38

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Reproductive toxicity - Unborn Child - Category 1A - Danger (CLP : Repr. 1A)

H360

Reproductive toxicity - Fertility - Category 2 - Warning (CLP : Repr. 2) H361 Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -

Category 3 - Warning (CLP : STOT SE 3) H335

Skin irritation - Category 2 - Warning (CLP: Skin Corr. 2) H315

Acute toxicity, dermal - Category 4 - Warning (CLP : Acute Tox. 4) H312 Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332

2.2. Label elements



MATERIAL SAFETY DATA SHEET (MSDS)

D.P.X MOUNTANT (FOR MICROSCOPY)

2. Hazards identification -DSD (continued)

Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s) : T : Toxic

R Phrase(s) : R20/21 : Harmful by inhalation and in contact with skin.

R38: Irritating to skin.

R61 : May cause harm to the unborn child. R62 : Possible risk of impaired fertility.

S Phrase(s) : S4 : Keep away from living quarters.

S24: Avoid contact with skin.

S28: After contact with skin, wash immediately with

S35: This material and its container must be disposed of in a safe way.

S36/37: Wear suitable protective clothing and gloves.

S38: In case of insufficient ventilation, wear suitable respiratory equipment. S45: In case of accident or if you feel unwell, seek medical advice immediately (

show the label when possible).

S53 : Avoid exposure - obtain special instructions before use.

S59: Refer to manufacturer/supplier for information on recovery/recycling.

Contains : Xylene - Dibutyl phthalate

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms









Signal words : Danger

Hazard statements : H360D: May damage the unborn child.

H361f: Suspected of damaging fertility. H312: Harmful in contact with skin. H315: Causes skin irritation. H332: Harmful if inhaled.

H335: May cause respiratory irritation.

Precautionary statements

• **General** : P201: Obtain special instructions before use.

• **Prevention** : P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P264: Wash thoroughly after handling.

• Response : P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P308+P313: If exposed or concerned : get medical advice. P332+P313: If skin irritation occurs : Get medical advice.

P332+P313: If skin irritation occurs: Get medical advice.
P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position

Page: 2



MATERIAL SAFETY DATA SHEET (MSDS)

D.P.X MOUNTANT (FOR MICROSCOPY)

2. Hazards identification -DSD (continued)

comfortable for breathing.

P363: Wash contaminated clothing before reuse.

• **Storage** : P403+P233: Store in well-ventilated place. Keep container tightly closed.

P405: Store locked up.

• Disposal considerations : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

egulation.

Special labelling : Restricted to professional users. (Substances which appear in Part 3 of Annex VI to

Regulation (EC) No 1272/2008)

Contains : Xylene - Dibutyl phthalate

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Preparation.

Hazardous component(s) : This product is hazardous.

 Substance name
 Contents
 CAS No
 EC No
 Annex No
 REACH Ref.
 Classification

 Xylene
 : > 50 < 75 %</td>
 1330-20-7
 215-535-7
 601-022-00-9
 --- R10 Xn; R20/21 Xi; R20/21 Xi; R33

Flam. Liq. 3 _ H226
Acute Tox. 4 (skin) _ H312
Acute Tox. 4 (inhal) _ H332
Skin Irrit. 2 _ H315
STOT SE 3 _ H335

Dibutyl phthalate : > 10 < 15 % 84-74-2 201-557-4 607-318-00-4 ----

Repr. Cat. 2; R61 Repr. Cat. 3; R62 N; R50

Repr. 1B H360D Repr. 2 H361f Aquatic Acute 1 H400

4. First aid measures

4.1. Description of first aid measures

Inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or doctor if you feel unwell.

Skin contact : Wash contaminated clothing before reuse. Specific treatment (see on this label).

Immediately call a POISON CENTER or doctor. If skin irritation occurs : Remove/ Take off immediately all contaminated clothing. Wash with plenty of soap and

water. Get medical advice.

Eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or

redness persist. Rinse cautiously with water for several minutes. Get medical advice. If eye irritation persists: Remove contact lenses, if present and easy to do.

Continue rinsing.



MATERIAL SAFETY DATA SHEET (MSDS)

D.P.X MOUNTANT (FOR MICROSCOPY)

4. First aid measures (continued)

Ingestion: Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Repeated exposure to this material can result in absorption through skin causing

significant health hazard.

Danger of serious damage to health by prolonged exposure through inhalation. May

damage the unborn child. Suspected of damaging fertility. Causes serious eye irritation.

Causes skin irritation. May cause respiratory irritation.

May cause damage to organs.

4.3. Indication of any immediate medical attention and special treatment needed

General information: Never give anything by mouth to an unconscious person.

If exposed or concerned : get medical advice.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

Avoid breathing dust, fume, gas, mist, vapours, spray.



MATERIAL SAFETY DATA SHEET (MSDS)

D.P.X MOUNTANT (FOR MICROSCOPY)

6. Accidental release measures (continued)

Technical measures : Use special care to avoid static electric charges.

Special precautions : Remove ignition sources. No naked lights. No smoking.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions: Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Clean up methods : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Personal protection : Do not breathe dust, fume, gas, mist, vapours, spray. Wash thoroughly after

handling. Do not eat, drink or smoke when using this product.

Handling : Handle empty containers with care because residual vapours are flammable. Wash

thoroughly after handling. Wash thoroughly after handling. Take precautionary measures against static discharge. Obtain special instructions before use. Use only

outdoors or in a well-ventilated area. Avoid breathing dust, fume, gas, mist,

vapours, spray. Wash thoroughly after handling.

Wash thoroughly after handling. Wash thoroughly after handling.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical, ventilating, lighting, ..., equipment. Use only non-

sparking tools.

Special precautions : No naked lights. No smoking. Avoid breathing dust, fume, gas, mist, vapours,

spray.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep in fireproof

place. Keep container tightly closed. Ground/bond container and receiving

equipment.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.



MATERIAL SAFETY DATA SHEET (MSDS)

D.P.X MOUNTANT (FOR MICROSCOPY)

7. Handling and storage (continued)

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection











Personal protection : Avoid all unnecessary exposure.

• Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Where exposure through inhalation may occur from use, respiratory protection

equipment is recommended.

• Hand protection : Wear protective gloves.

• Skin protection : Wear suitable protective clothing.

• Eye protection : Chemical goggles or safety glasses.

• Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

Occupational Exposure Limits : Xylene : ILV (EU) - 8 H - [mg/m³] : (221 Skin.)

Xylene: ILV (EU) - 8 H - [ppm]: (50 Skin.) Xylene: ILV (EU) - 15 min - [mg/m³]: (442 Skin.)

Xylene: ILV (EU) - 15 min - [ppm]: (100 Skin.) Xylene: HTP-värden - 8 H - [ppm]: 50

Xylene : HTP-värden - 15min - [ppm] : 100 Xylene : HTP-värden - 8 H - [mg/m³] : 220

Xylene: HTP-värden - 15min - [mg/m³]: 440

Xylene : NGV - [ppm] : 50 Xylene : NGV - [mg/m³] : 200

Xylene : KTV - [ppm] : 100 Xylene : KTV - [mg/m³] : 450

Xylene: VLA-ED [ppm]: 50 Xylene: VLA-ED [mg/m³]: 221 Xylene: VLA-EC [ppm]: 100 Xylene: VLA-EC [mg/m³]: 442



MATERIAL SAFETY DATA SHEET (MSDS)

D.P.X MOUNTANT (FOR MICROSCOPY)

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Liquid.

Colour : Colorless

Odour : Characteristic.

Odour threshold : No data available.

pH value : No data available.

Melting point [°C] : No data available.

Decomposition point [°C] : N/A

Critical temperature [°C] : No data available.

Auto-ignition temperature [°C] : No data available.

Flammability (solid, gas) : Flammable.

Flammable liquid and vapour.

Flash point [°C] : 24°C Boiling point [°C] : N/A

Initial boiling point [°C] : No data available. Final boiling point [°C] : No data available.

Evaporation rate : N/A

Vapour pressure [20°C] : No data available.

Vapour pressure mm/Hg : N/A
Vapour density : N/A
Density [g/cm3] : N/A
Relative density, gas (air=1) : N/A
Relative density, liquid (water=1) : N/A
Solubility in water [% weight] : N/A

Solubility in water : No data available.

Log Pow octanol / water at 20°C : No data available.

Solubility : 6 to7

Viscosity at 40°C [mm2/s] : No data available.

9.2. Other information

Explosive properties : N/A

Explosion limits - upper [%] : No data available.

Explosion limits - lower [%] : No data available.

Oxidising properties : No data available.



MATERIAL SAFETY DATA SHEET (MSDS)

D.P.X MOUNTANT (FOR MICROSCOPY)

10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures. Open flame. Overheating.

Heat. Sparks.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

May release flammable gases.

11. Toxicological information

11.1. Information on toxicological effects

Toxicity information: The product has been not fully tested. The calculated risk has been done under the

requirements of the EU regulations.

Acute toxicity

• Inhalation : Harmful if inhaled.

• **Dermal** : Harmful in contact with skin.

• **Ingestion** : Based on available data, the classification criteria are not met. **Corrosion** : Based on available data, the classification criteria are not met.

Irritation : Causes serious eye irritation.

Causes skin irritation.

May cause respiratory irritation.

Sensitization: Based on available data, the classification criteria are not met.Mutagenicity: Based on available data, the classification criteria are not met.Carcinogenicity: Based on available data, the classification criteria are not met.



MATERIAL SAFETY DATA SHEET (MSDS)

D.P.X MOUNTANT (FOR MICROSCOPY)

11. Toxicological information (continued)

Toxic for reproduction : May damage the unborn child. Suspected of damaging fertility.

STOT-single exposure : Causes damage to organ.

Causes damage to organ. Causes damage to organ.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information: The product has been not fully tested. The calculated risk has been done under the

requirements of the EU regulations.

Very toxic to aquatic life.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.



MATERIAL SAFETY DATA SHEET (MSDS)

D.P.X MOUNTANT (FOR MICROSCOPY)

13. Disposal considerations (continued)

Special precautions : Handle empty containers with care because residual vapours are flammable.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : XYLENES UN N° : 1307 H.I. nr : 33 ADR - Class : 3

Labelling - Transport : 3 : Flammable liquid.



ADR - Classification code : F1

F1 F1 F1

ADR - Group : II

ADR - Packing instructions : P001 R001

ADR - Limited Quantity : 1 L

ADR - Tunnel code



: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : XYLENES UN N° : 1307

IMO-IMDG - Class or division : 3 : Flammable liquid.

IMO-IMDG - Packing group : II
IMO- IMDG - Packing instructions : P001
IMO-IMDG - Limited quantities : 1 L
IMO-IMDG - Marine pollution : No
EMS-Nr : F-E S-D

14.3. Air transport (ICAO-IATA) [English only]



MATERIAL SAFETY DATA SHEET (MSDS)

D.P.X MOUNTANT (FOR MICROSCOPY)

14. Transport information (continued)

Proper shipping name : XYLENES UN N° : 1307

IATA - Class or division : 3 : Flammable liquid.

IATA - Packing group

IATA - Passenger and Cargo Aircraft : ALLOWED - Passenger and Cargo - Packing

instruction

- Passenger and Cargo - Maximum : 5 L

Quantity/Packing

IATA - Cargo only : ALLOWED - Cargo only - Packing instruction : 364 - Cargo only - Maximum Quantity/

Packing

IATA - Limited Quantites : 1 L **ERG-Nr** : 3L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the

substance or mixture

: Ensure all national/local regulations are observed.

REACH Restrictions - Annex XVII

: With the exception of those listed below:

The components of this product are not subject to restrictions.

Dibutyl phthalate: Annex XVII

REACH Authorisation - Annex XIV

: With the exception of those listed below:

The components of this product are not subject to authorization.

 Dibutyl phthalate: Annex XIV Dibutyl phthalate : Annex XIV

15.2. Chemical Safety Assessment

: It has not been carried out. **Chemical Safety Assessment**

16. Other information

Revision : Revision - See : *

: PBT: persistent, bioaccumulative and toxic. Abbreviations and acronyms

vPvB: very persistent and very bioaccumulative

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF Sources of key data used

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006

Page: 11



MATERIAL SAFETY DATA SHEET (MSDS)

D.P.X MOUNTANT (FOR MICROSCOPY)

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document