

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

EOSIN STAINING SOLUTION (2% w/v)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : EOSIN STAINING SOLUTION (2% w/v)

Product code : SI0303800500

Cas No:N/A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM
 Chaitanya Tower, 2nd Floor, Office # 206,
 Siddharth Nagar, S.V. Road,
 Goregaon (West), Mumbai - 400062,
 Maharashtra, India.
 Contact: +91 22 28725393 / 94 / 95
 Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : F; R11
 C; R35
 Xi; R37
 R43

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Skin corrosion - Category 1A - Danger (CLP : Skin Corr. 1A) H314
 Skin sensitisation - Category 1 - Warning (CLP : Skin Sens. 1) H317
 Physical hazards : Flammable liquids - Category 2 - Danger (CLP : Flam. Liq. 2) H225

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

Symbol(s)



MATERIAL SAFETY DATA SHEET (MSDS)
EOSIN STAINING SOLUTION (2% w/v)
2. Hazards identification -DSD (continued)

Symbol(s)	: C : Corrosive F : Highly flammable
R Phrase(s)	: R11 : Highly flammable. R35 : Causes severe burns. R37 : Irritating to respiratory system. R43 : May cause sensitization by skin contact.
S Phrase(s)	: S3 : Keep in a cool place. S9 : Keep container in a well-ventilated place. S16 : Keep away from sources of ignition - No smoking. S24 : Avoid contact with skin. S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28 : After contact with skin, wash immediately with S33 : Take precautionary measures against static discharges. S35 : This material and its container must be disposed of in a safe way. S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection. S43 : In case of fire, use . S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible). S51 : Use only in well-ventilated areas. S59 : Refer to manufacturer/supplier for information on recovery/recycling.
Contains	: Ethanol - Water - EOSINE YELLOW C.I.No.45380 - Formaldehyde - Acetic acid

Labelling Regulation EC 1272/2008 (CLP)
Hazard pictograms

Signal words

: Danger

Hazard statements

 : H225 : Highly flammable liquid and vapour.
 H314 : Causes severe skin burns and eye damage.
 H317 : May cause an allergic skin reaction.

Precautionary statements
• Prevention

 : P240: Ground/bond container and receiving equipment.
 P241: Use explosion-proof electrical, ventilating, lighting, ..., equipment.
 P210: Keep away from heat, sparks, open flames or hot surfaces. - No smoking.
 P280: Wear protective gloves, protective clothing, eye protection, face protection.
 P260: Do not breathe dust, fume, gas, mist, vapours, spray.
 P233: Keep container tightly closed.
 P264: Wash thoroughly after handling.
 P272: Contaminated work clothing should not be allowed out of the workplace.

• Response

 : P302+P352: IF ON SKIN : Wash with plenty of soap and water.
 P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.
 P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.
 P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

EOSIN STAINING SOLUTION (2% w/v)

2. Hazards identification -DSD (continued)

- clothing. Rinse skin with water/shower.
 P333+P313: If skin irritation or rash occurs : Get medical advice.
 P363: Wash contaminated clothing before reuse.
 P370+P378: In case of fire: Use for extinction.
- **Storage** : P403+P235: Store in well-ventilated place. Keep cool.
 P405: Store locked up.
 - **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Contains** : Ethanol - Water - EOSINE YELLOW C.I.No.45380 - Formaldehyde - Acetic acid

2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

- Substance / Preparation** : Preparation.
Hazardous component(s) : This product is hazardous.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
EOSINE YELLOW C.I.No.45380	> 1 < 5 %	17372-87-1	----	----	----	Xi; R36 ----- Eye irrit 2 _ H319 Not classified (DSD/DPD) ----- Not classified (GHS)
Water	> 15 < 25 %	7732-18-5	231-791-2	----	----	R10 C; R35 ----- Skin Corr. 1A _ H314 Flam. Liq. 3 _ H226
Ethanol	> 75 < 99 %	64-17-5	200-578-6	603-002-00-5	----	R10 C; R35 ----- Skin Corr. 1A+ _ H314 Eye Dam 1 _ H318 Flam. Liq. 3 _ H226 Acute Tox. 4 (inhal) _ H332
Acetic acid	> 0.01 < 1 %	64-19-7	200-580-7	607-002-00-6	----	R10 C; R35 ----- Skin Corr. 1A+ _ H314 Eye Dam 1 _ H318 Flam. Liq. 3 _ H226 Acute Tox. 4 (inhal) _ H332
Formaldehyde	> 0.01 < 1 %	50-00-0	200-001-8	605-001-00-5	----	Carc. Cat. 3; R40 T; R23/24/25 C; R34 Xi; R37 R43 ----- Acute Tox. 2 (skin) _ H310 Acute Tox. 3 (inhal) _ H331 Acute Tox. 3 (oral) _ H301 Skin Corr. 1B _ H314 Eye Dam 1 _ H318 Carc. 2 _ H351 STOT SE 3 _ H335 Skin Sens. 1 _ H317

4. First aid measures

4.1. Description of first aid measures

- Inhalation** : Immediately call a POISON CENTER or doctor. Remove to fresh air and keep at rest in a position comfortable for breathing.

MATERIAL SAFETY DATA SHEET (MSDS)
EOSIN STAINING SOLUTION (2% w/v)
4. First aid measures (continued)

Skin contact	: Get medical advice. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs : Wash contaminated clothing before reuse.
Eye contact	: Immediately call a POISON CENTER or doctor. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
Ingestion	: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use	: Causes severe skin burns and eye damage. May cause an allergic skin reaction.
---------------------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
----------------------------	---

5. Fire-fighting measures
5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
Surrounding fires	: Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Flammable class	: Highly flammable liquid and vapour.
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present. Thermal decomposition generates : Corrosive vapours.

5.3. Advice for fire-fighters

Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.
---------------------------------	---

MATERIAL SAFETY DATA SHEET (MSDS)
EOSIN STAINING SOLUTION (2% w/v)
6. Accidental release measures (continued)

Technical measures	: Use special care to avoid static electric charges.
Special precautions	: Remove ignition sources. No naked lights. No smoking.
For non-emergency personnel	: Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
---------------------------	--

6.3. Methods and material for containment and cleaning up

Clean up methods	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.
------------------	--

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage
7.1. Precautions for safe handling

Handling	: Handle empty containers with care because residual vapours are flammable. Do not breathe dust, fume, gas, mist, vapours, spray. Avoid contact during pregnancy or while nursing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace.
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical, ventilating, lighting, ..., equipment.
Special precautions	: No naked lights. No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Storage	: Keep only in the original container in a cool, well ventilated place. Keep in fireproof place. Ground/bond container and receiving equipment. Keep container tightly closed.
Storage regulation	: Comply with applicable regulations.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

Specific end use(s)	: None.
---------------------	---------

8. Exposure controls/personal protection
8.1. Exposure controls

MATERIAL SAFETY DATA SHEET (MSDS)
EOSIN STAINING SOLUTION (2% w/v)
8. Exposure controls/personal protection (continued)
Personal protection

Personal protection

- **Respiratory protection** : Avoid all unnecessary exposure.
: Wear approved mask.
- **Hand protection** : Wear protective gloves.
- **Skin protection** : Wear suitable protective clothing.
- **Eye protection** : Chemical goggles or face shield.
- **Others** : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Colorless
Odour	: Characteristic.
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: - 114 °C - lit
Decomposition point [°C]	: N/A
Critical temperature [°C]	: No data available.
Auto-ignition temperature [°C]	: No data available.
Flammability (solid, gas)	: N/A Highly flammable liquid and vapour.
Flash point [°C]	: 14 °C
Boiling point [°C]	: 100 °C
Initial boiling point [°C]	: No data available.
Final boiling point [°C]	: No data available.
Evaporation rate	: N/A
Vapour pressure [20°C]	: No data available.
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A

MATERIAL SAFETY DATA SHEET (MSDS)
EOSIN STAINING SOLUTION (2% w/v)
9. Physical and chemical properties (continued)

Density [g/cm ³]	: N/A
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: N/A
Solubility in water	: No data available.
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm ² /s]	: No data available.

9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: No data available.
Explosion limits - lower [%]	: No data available.
Oxidising properties	: No data available.

10. Stability and reactivity
10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

10.2. Chemical stability

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

10.3. Possibility of hazardous reactions

Hazardous reactions	: Not established.
---------------------	--------------------

10.4. Conditions to avoid

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Open flame.
---------------------	--

10.5. Incompatible materials

Materials to avoid	: Strong acids. Strong bases.
--------------------	-------------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours. May release flammable gases.
----------------------------------	---

MATERIAL SAFETY DATA SHEET (MSDS)
EOSIN STAINING SOLUTION (2% w/v)
11. Toxicological information
11.1. Information on toxicological effects

Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
Acute toxicity	
• Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
• Ingestion	: Based on available data, the classification criteria are not met.
Corrosion	: Causes severe skin burns and eye damage.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: May cause an allergic skin reaction.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information
12.1. Toxicity

Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
-----------------------------	--

12.2. Persistence - degradability

Persistence - degradability	: Biodegradable.
------------------------------------	------------------

12.3. Bioaccumulative potential

Bioaccumulative potential	: Not established.
----------------------------------	--------------------

12.4. Mobility in soil

Mobility in soil	: Not established.
-------------------------	--------------------

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
---	---

12.6. Other adverse effects

MATERIAL SAFETY DATA SHEET (MSDS)
EOSIN STAINING SOLUTION (2% w/v)
12. Ecological information (continued)

Environmental precautions : Avoid release to the environment.

13. Disposal considerations
13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Handle empty containers with care because residual vapours are flammable.

14. Transport information
14.1. Land transport (ADR-RID)

Proper shipping name : ETHANOL (ETHYL ALCOHOL) / ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

UN N° : 1170

H.I. nr : 33

ADR - Class : 3

Labelling - Transport : 3 : Flammable liquid.



ADR - Classification code : F1
F1

ADR - Group : II

ADR - Packing instructions : P001 R001

ADR - Limited Quantity : 1 L

ADR - Tunnel code



: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG). [English only]

Proper shipping name : ETHANOL (ETHYL ALCOHOL) / ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

MATERIAL SAFETY DATA SHEET (MSDS)
EOSIN STAINING SOLUTION (2% w/v)
14. Transport information (continued)

UN N°	: 1170
IMO-IMDG - Class or division	: 3 : Flammable liquid.
IMO-IMDG - Packing group	: II
IMO-IMDG - Packing instructions	: P001
IMO-IMDG - Limited quantities	: 1 L
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-E S-D

14.3. Air transport (ICAO-IATA). [English only]

Proper shipping name	: ETHANOL (ETHYL ALCOHOL) / ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
UN N°	: 1170
IATA - Class or division	: 3 : Flammable liquid.
IATA - Packing group	: II
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 353
- Passenger and Cargo - Maximum Quantity/Packing	: 5 L
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 364
- Cargo only - Maximum Quantity/Packing	: 60 L
IATA - Limited Quantities	: 1 L
ERG-Nr	: 3L

15. Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture	: Ensure all national/local regulations are observed.
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment	: It has not been carried out.
----------------------------	--------------------------------

MATERIAL SAFETY DATA SHEET (MSDS)

EOSIN STAINING SOLUTION (2% w/v)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document