

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

EUPAROL (FOR MICROSCOPY) (MOUNTING MEDIA)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : EUPAROL (FOR MICROSCOPY) (MOUNTING MEDIA)

Product code : SI0304100250
 CAS No: N/A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM
 Chaitanya Tower, 2nd Floor, Office # 206,
 Siddharth Nagar, S.V. Road,
 Goregaon (West), Mumbai - 400062,
 Maharashtra, India.
 Contact: +91 22 28725393 / 94 / 95
 Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Repr. Cat. 2; R61
 Xn; R20/21
 Xi; R38

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Reproductive toxicity - Unborn Child - Category 1A - Danger (CLP : Repr. 1A) H360
 Reproductive toxicity - Fertility - Category 2 - Warning (CLP : Repr. 2) H361
 Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation - Category 3 - Warning (CLP : STOT SE 3) H335
 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315
 Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332
 Acute toxicity, dermal - Category 4 - Warning (CLP : Acute Tox. 4) H312

2.2. Label elements

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

EUPAROL (FOR MICROSCOPY) (MOUNTING MEDIA)

2. Hazards identification -DSD (continued)

Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s)

: T : Toxic

R Phrase(s)

: R20/21 : Harmful by inhalation and in contact with skin.

R38 : Irritating to skin.

R61 : May cause harm to the unborn child.

S Phrase(s)

: S4 : Keep away from living quarters.

S24 : Avoid contact with skin.

S28 : After contact with skin, wash immediately with

S35 : This material and its container must be disposed of in a safe way.

S36/37 : Wear suitable protective clothing and gloves.

S38 : In case of insufficient ventilation, wear suitable respiratory equipment.

S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).

S53 : Avoid exposure - obtain special instructions before use.

S59 : Refer to manufacturer/supplier for information on recovery/recycling.

Contains

: Xylene - Dibutyl phthalate

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words

: Danger

Hazard statements

: H360D: May damage the unborn child.

H361f : Suspected of damaging fertility.

H312 : Harmful in contact with skin.

H315 : Causes skin irritation.

H332 : Harmful if inhaled.

H335 : May cause respiratory irritation.

Precautionary statements

• General

: P201: Obtain special instructions before use.

• Prevention

: P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P264: Wash thoroughly after handling.

• Response

: P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P308+P313: If exposed or concerned : get medical advice.

P332+P313: If skin irritation occurs : Get medical advice.

P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

EUPAROL (FOR MICROSCOPY) (MOUNTING MEDIA)

2. Hazards identification -DSD (continued)

- **Storage** : P363: Wash contaminated clothing before reuse.
 : P403+P233: Store in well-ventilated place. Keep container tightly closed.
 P405: Store locked up.
- **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Special labelling** : Restricted to professional users. (Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008)
- Contains** : Xylene - Dibutyl phthalate

2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation		: Preparation.				
Hazardous component(s)		: This product is hazardous.				
Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Xylene	: > 50 < 75 %	1330-20-7	215-535-7	601-022-00-9	----	R10 Xn; R20/21 Xi; R38 ----- Flam. Liq. 3 _ H226 Acute Tox. 4 (skin) _ H312 Acute Tox. 4 (inhal) _ H332 Skin Irrit. 2 _ H315 STOT SE 3 _ H335
Dibutyl phthalate	: > 1 < 5 %	84-74-2	201-557-4	607-318-00-4	----	Repr. Cat. 2; R61 Repr. Cat. 3; R62 N; R50 ----- Repr. 1B _ H360D Repr. 2 _ H361f Aquatic Acute 1 _ H400

4. First aid measures

4.1. Description of first aid measures

- Inhalation** : Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep at rest in a position comfortable for breathing.
- Skin contact** : Immediately call a POISON CENTER or doctor. Specific treatment (see on this label). If skin irritation occurs : Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get medical advice.
- Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
- Ingestion** : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

MATERIAL SAFETY DATA SHEET (MSDS)

EUPAROL (FOR MICROSCOPY) (MOUNTING MEDIA)

4. First aid measures (continued)

Symptoms relating to use : May damage the unborn child.
 Repeated exposure to this material can result in absorption through skin causing significant health hazard.
 Suspected of damaging fertility.
 Causes skin irritation. May cause respiratory irritation.
 Danger of serious damage to health by prolonged exposure through inhalation.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person.
 If exposed or concerned : get medical advice.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.
Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.
 Ventilate area.
For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

MATERIAL SAFETY DATA SHEET (MSDS)

EUPAROL (FOR MICROSCOPY) (MOUNTING MEDIA)

6. Accidental release measures (continued)

6.3. Methods and material for containment and cleaning up

Clean up methods : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Wash thoroughly after handling. Obtain special instructions before use. Avoid breathing dust, fume, gas, mist, vapours, spray. Use only outdoors or in a well-ventilated area.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

Special precautions : Avoid breathing dust, fume, gas, mist, vapours, spray.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection



Personal protection

- **Respiratory protection** : Avoid all unnecessary exposure.
: In case of insufficient ventilation, wear suitable respiratory equipment.
- **Hand protection** : Wear protective gloves.
- **Skin protection** : Wear suitable protective clothing.

MATERIAL SAFETY DATA SHEET (MSDS)

EUPAROL (FOR MICROSCOPY) (MOUNTING MEDIA)

8. Exposure controls/personal protection (continued)

- Eye protection : Chemical goggles or safety glasses.
- Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits	: No data available.
Occupational Exposure Limits	: Xylene : ILV (EU) - 8 H - [mg/m ³] : (221 Skin.)
	Xylene : ILV (EU) - 8 H - [ppm] : (50 Skin.)
	Xylene : ILV (EU) - 15 min - [mg/m ³] : (442 Skin.)
	Xylene : ILV (EU) - 15 min - [ppm] : (100 Skin.)
	Xylene : HTP-värden - 8 H - [ppm] : 50
	Xylene : HTP-värden - 15min - [ppm] : 100
	Xylene : HTP-värden - 8 H - [mg/m ³] : 220
	Xylene : HTP-värden - 15min - [mg/m ³] : 440
	Xylene : NGV - [ppm] : 50
	Xylene : NGV - [mg/m ³] : 200
	Xylene : KTV - [ppm] : 100
	Xylene : KTV - [mg/m ³] : 450
	Xylene : VLA-ED [ppm] : 50
	Xylene : VLA-ED [mg/m ³] : 221
	Xylene : VLA-EC [ppm] : 100
	Xylene : VLA-EC [mg/m ³] : 442

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Colorless
Odour	: Characteristic.
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: No data available.
Decomposition point [°C]	: N/A
Critical temperature [°C]	: No data available.
Auto-ignition temperature [°C]	: No data available.
Flammability (solid, gas)	: N/A
Flash point [°C]	: No data available.
Boiling point [°C]	: N/A
Initial boiling point [°C]	: No data available.
Final boiling point [°C]	: No data available.
Evaporation rate	: N/A

MATERIAL SAFETY DATA SHEET (MSDS)

EUPAROL (FOR MICROSCOPY) (MOUNTING MEDIA)

9. Physical and chemical properties (continued)

Vapour pressure [20°C]	: No data available.
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm ³]	: N/A
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Insoluble in water
Solubility in water	: No data available.
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm ² /s]	: No data available.

9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: No data available.
Explosion limits - lower [%]	: No data available.
Oxidising properties	: No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

10.2. Chemical stability

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

10.3. Possibility of hazardous reactions

Hazardous reactions	: Not established.
---------------------	--------------------

10.4. Conditions to avoid

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
---------------------	--

10.5. Incompatible materials

Materials to avoid	: Strong acids. Strong bases.
--------------------	-------------------------------

10.6. Hazardous decomposition products

MATERIAL SAFETY DATA SHEET (MSDS)

EUPAROL (FOR MICROSCOPY) (MOUNTING MEDIA)

10. Stability and reactivity (continued)

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
Acute toxicity	
• Inhalation	: Harmful if inhaled.
• Dermal	: Harmful in contact with skin.
• Ingestion	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes skin irritation. May cause respiratory irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: May damage the unborn child. Suspected of damaging fertility.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
-----------------------------	--

12.2. Persistence - degradability

Persistence - degradability	: Biodegradable.
------------------------------------	------------------

12.3. Bioaccumulative potential

Bioaccumulative potential	: Not established.
----------------------------------	--------------------

12.4. Mobility in soil

Mobility in soil	: Not established.
-------------------------	--------------------

MATERIAL SAFETY DATA SHEET (MSDS)

EUPAROL (FOR MICROSCOPY) (MOUNTING MEDIA)

12. Ecological information (continued)

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : FLAMMABLE LIQUID, N.O.S.
UN N° : 1993
H.I. nr : 30
ADR - Class : 3
Labelling - Transport : 3 : Flammable liquid.



ADR - Classification code : F1
ADR - Group : III
ADR - Packing instructions : P001 R001 LP001
ADR - Limited Quantity : 5 L
ADR - Tunnel code : D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.



MATERIAL SAFETY DATA SHEET (MSDS)

EUPAROL (FOR MICROSCOPY) (MOUNTING MEDIA)

14. Transport information (continued)

14.2. Sea transport (IMDG) [English only]

Proper shipping name : FLAMMABLE LIQUID, N.O.S.
 UN N° : 1993
 IMO-IMDG - Class or division : 3 : Flammable liquid.
 IMO-IMDG - Packing group : III
 IMO-IMDG - Packing instructions : P001 LP01
 IMO-IMDG - Limited quantities : 5 L
 IMO-IMDG - Marine pollution : Yes
 EMS-Nr : F-E S-E

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : FLAMMABLE LIQUID, N.O.S.
 UN N° : 1993
 IATA - Class or division : 3 : Flammable liquid.
 IATA - Packing group : III
 IATA - Passenger and Cargo Aircraft : ALLOWED
 - Passenger and Cargo - Packing : 355
 instruction
 - Passenger and Cargo - Maximum : 60 L
 Quantity/Packing
 IATA - Cargo only : ALLOWED
 - Cargo only - Packing instruction : 366
 - Cargo only - Maximum Quantity/ : 220 L
 Packing
 IATA - Limited Quantities : 10 L
 ERG-Nr : 3L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture : Ensure all national/local regulations are observed.

REACH Restrictions - Annex XVII : With the exception of those listed below:
 The components of this product are not subject to restrictions.
 • Dibutyl phthalate : Annex XVII

REACH Authorisation - Annex XIV : With the exception of those listed below:
 The components of this product are not subject to authorization.
 • Dibutyl phthalate : Annex XIV

MATERIAL SAFETY DATA SHEET (MSDS)
EUPAROL (FOR MICROSCOPY) (MOUNTING MEDIA)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document