

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

FEHLING'S SOLUTION NO.2 (FEHLING'S SOLUTION B)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : FEHLING'S SOLUTION NO.2 (FEHLING'S SOLUTION B)

Product code : SI0304305000
 CAS No: N/A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM
 Chaitanya Tower, 2nd Floor, Office # 206,
 Siddharth Nagar, S.V. Road,
 Goregaon (West), Mumbai - 400062,
 Maharashtra, India.
 Contact: +91 22 28725393 / 94 / 95
 Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : C; R34

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Skin corrosion - Category 1A - Danger (CLP : Skin Corr. 1A) H314

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s) : C : Corrosive

MATERIAL SAFETY DATA SHEET (MSDS)

FEHLING'S SOLUTION NO.2 (FEHLING'S SOLUTION B)

2. Hazards identification -DSD (continued)

R Phrase(s)	: R34 : Causes burns.
S Phrase(s)	: S24 : Avoid contact with skin. S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28 : After contact with skin, wash immediately with S35 : This material and its container must be disposed of in a safe way. S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection. S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible). S59 : Refer to manufacturer/supplier for information on recovery/recycling.
Contains	: Water - Hidróxido de sodio

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words	: Danger
Hazard statements	: H314 : Causes severe skin burns and eye damage.
Precautionary statements	
• Prevention	: P280: Wear protective gloves, protective clothing, eye protection, face protection. P260: Do not breathe dust, fume, gas, mist, vapours, spray. P264: Wash thoroughly after handling.
• Response	: P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting. P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower. P363: Wash contaminated clothing before reuse.
• Storage	: P405: Store locked up.
• Disposal considerations	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Contains	: Water - Hidróxido de sodio

2.3. Other hazards

Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
----------------------	---

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

FEHLING'S SOLUTION NO.2 (FEHLING'S SOLUTION B)

3. Composition/information on ingredients

Substance / Preparation		: Preparation.				
Hazardous component(s)		: This product is hazardous.				
Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Hidróxido de sodio	: > 5 < 10 %	1310-73-2	-----	-----	----	C; R35
						Skin Corr. 1A _ H314
Water	: > 50 < 75 %	7732-18-5	231-791-2	-----	----	Not classified (DSD/DPD)
						Not classified (GHS)

4. First aid measures

4.1. Description of first aid measures

Inhalation	: Immediately call a POISON CENTER or doctor. Remove to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Immediately call a POISON CENTER or doctor.
Eye contact	: Immediately call a POISON CENTER or doctor. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
Ingestion	: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use	: Causes severe skin burns and eye damage.
---------------------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
----------------------------	---

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
Surrounding fires	: Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	: Under fire conditions, hazardous fumes will be present. Thermal decomposition generates : Corrosive vapours.
--------------------------------------	---

5.3. Advice for fire-fighters

MATERIAL SAFETY DATA SHEET (MSDS)

FEHLING'S SOLUTION NO.2 (FEHLING'S SOLUTION B)

5. Fire-fighting measures (continued)

- | | |
|--------------------------------|--|
| Protection against fire | : Do not enter fire area without proper protective equipment, including respiratory protection. |
| Special procedures | : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment. |

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------------------------|--|
| For emergency responders | : Equip cleanup crew with proper protection. Ventilate area. |
| For non-emergency personnel | : Evacuate unnecessary personnel. |

6.2. Environmental precautions

- | | |
|----------------------------------|--|
| Environmental precautions | : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. |
|----------------------------------|--|

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| Clean up methods | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. |
|-------------------------|--|

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

- | | |
|--------------------------------------|--|
| Handling | : Do not breathe dust, fume, gas, mist, vapours, spray. Avoid contact during pregnancy or while nursing. Wash thoroughly after handling. |
| Technical protective measures | : Provide good ventilation in process area to prevent formation of vapour. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|----------------------------|--|
| Storage | : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use. |
| Storage regulation | : Comply with applicable regulations. |
| Storage - away from | : Strong bases. Strong acids. Sources of ignition. Direct sunlight. |

7.3. Specific end use(s)

MATERIAL SAFETY DATA SHEET (MSDS)

FEHLING'S SOLUTION NO.2 (FEHLING'S SOLUTION B)

7. Handling and storage (continued)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection



Personal protection	: Avoid all unnecessary exposure.
• Respiratory protection	: Wear approved mask.
• Hand protection	: Wear protective gloves.
• Skin protection	: Wear suitable protective clothing.
• Eye protection	: Chemical goggles or face shield.
• Others	: When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Colorless
Odour	: Characteristic.
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: No data available.
Decomposition point [°C]	: No data available.
Critical temperature [°C]	: No data available.
Auto-ignition temperature [°C]	: No data available.
Flammability (solid, gas)	: No data available.
Flash point [°C]	: No data available.
Initial boiling point [°C]	: No data available.
Final boiling point [°C]	: No data available.
Evaporation rate	: No data available.

MATERIAL SAFETY DATA SHEET (MSDS)

FEHLING'S SOLUTION NO.2 (FEHLING'S SOLUTION B)

9. Physical and chemical properties (continued)

Vapour pressure [20°C]	: No data available.
Vapour density	: No data available.
Density [g/cm ³]	: No data available.
Relative density, liquid (water=1)	: No data available.
Solubility in water	: No data available.
Log Pow octanol / water at 20°C	: No data available.
Viscosity at 40°C [mm ² /s]	: No data available.

9.2. Other information

Explosive properties	: No data available.
Explosion limits - upper [%]	: No data available.
Explosion limits - lower [%]	: No data available.
Oxidising properties	: No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

10.2. Chemical stability

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

10.3. Possibility of hazardous reactions

Hazardous reactions	: Not established.
---------------------	--------------------

10.4. Conditions to avoid

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
---------------------	--

10.5. Incompatible materials

Materials to avoid	: Strong acids. Strong bases.
--------------------	-------------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.
----------------------------------	---

MATERIAL SAFETY DATA SHEET (MSDS)

FEHLING'S SOLUTION NO.2 (FEHLING'S SOLUTION B)

11. Toxicological information

11.1. Information on toxicological effects

Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
Acute toxicity	
• Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
• Ingestion	: Based on available data, the classification criteria are not met.
Corrosion	: Causes severe skin burns and eye damage.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
-----------------------------	--

12.2. Persistence - degradability

Persistence - degradability	: Biodegradable.
------------------------------------	------------------

12.3. Bioaccumulative potential

Bioaccumulative potential	: Not established.
----------------------------------	--------------------

12.4. Mobility in soil

Mobility in soil	: Not established.
-------------------------	--------------------

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
---	---

12.6. Other adverse effects

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

FEHLING'S SOLUTION NO.2 (FEHLING'S SOLUTION B)

12. Ecological information (continued)

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : SODIUM HYDROXIDE SOLUTION
 UN N° : 1824
 H.I. nr : 80
 ADR - Class : 8
 Labelling - Transport : 8 : Corrosive substance.



ADR - Classification code : C5
 ADR - Group : II
 ADR - Packing instructions : P001
 ADR - Limited Quantity : 1 L
 ADR - Tunnel code : E : Passage forbidden through tunnels of category E.



14.2. Sea transport (IMDG). [English only]

Proper shipping name : SODIUM HYDROXIDE SOLUTION
 UN N° : 1824
 IMO-IMDG - Class or division : 8 : Corrosive substance.
 IMO-IMDG - Packing group : II

MATERIAL SAFETY DATA SHEET (MSDS)
FEHLING'S SOLUTION NO.2 (FEHLING'S SOLUTION B)
14. Transport information (continued)

IMO- IMDG - Packing instructions : P001
 IMO-IMDG - Limited quantities : 1 L
 IMO-IMDG - Marine pollution : No
 EMS-Nr : F-A S-B

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : SODIUM HYDROXIDE SOLUTION
 UN N° : 1824
 IATA - Class or division : 8 : Corrosive substance.
 IATA - Packing group : II
 IATA - Passenger and Cargo Aircraft : ALLOWED
 - Passenger and Cargo - Packing instruction : 851
 - Passenger and Cargo - Maximum Quantity/Packing : 1 L
 IATA - Cargo only : ALLOWED
 - Cargo only - Packing instruction : 855
 - Cargo only - Maximum Quantity/Packing : 30 L
 IATA - Limited Quantities : 0.5 L
 ERG-Nr : 8L

15. Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture : Ensure all national/local regulations are observed.
 REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.
 REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

Revision : Revision - See : *
 Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.
 vPvB: very persistent and very bioaccumulative

MATERIAL SAFETY DATA SHEET (MSDS)

FEHLING'S SOLUTION NO.2 (FEHLING'S SOLUTION B)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document