

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY)

Product code : SI0306900250
 CAS No: N/A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM
 Chaitanya Tower, 2nd Floor, Office # 206,
 Siddharth Nagar, S.V. Road,
 Goregaon (West), Mumbai - 400062,
 Maharashtra, India.
 Contact: +91 22 28725393 / 94 / 95
 Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : T; R23/24/25-R39/23/24/25

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Category 1 - Danger (CLP : STOT SE 1) H370
 Acute toxicity, dermal - Category 3 - Danger (CLP : Acute Tox. 3) H311
 Acute toxicity, Inhalation - Category 3 - Danger (CLP : Acute Tox. 3) H331
 Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY)

2. Hazards identification -DSD (continued)

Symbol(s)



Symbol(s)

: T : Toxic

R Phrase(s)

: R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed.
 R39/23/24/25 : Toxic : danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.

S Phrase(s)

: S4 : Keep away from living quarters.
 S24 : Avoid contact with skin.
 S28 : After contact with skin, wash immediately with
 S35 : This material and its container must be disposed of in a safe way.
 S36/37 : Wear suitable protective clothing and gloves.
 S38 : In case of insufficient ventilation, wear suitable respiratory equipment.
 S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).
 S59 : Refer to manufacturer/supplier for information on recovery/recycling.

Contains

: METHANOL EL (ELECTRONIC Grade) 99.7% - LEISHMAN'S STAIN FOR MICROSCOPY

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words

: Danger

Hazard statements

: H301 : Toxic if swallowed.
 H311 : Toxic in contact with skin.
 H331 : Toxic if inhaled.
 H370 : Causes damage to organ.

Precautionary statements

• Prevention

: P280: Wear protective gloves, protective clothing, eye protection, face protection.
 P271: Use only outdoors or in a well-ventilated area.
 P260: Do not breathe dust, fume, gas, mist, vapours, spray.
 P264: Wash thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.

• Response

: P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor.
 P307+P311: IF EXPOSED : Call a POISON CENTER or doctor.
 P302+P352: IF ON SKIN : Wash with plenty of soap and water.
 P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.
 P363: Wash contaminated clothing before reuse.
 P361: Remove immediately all contaminated clothing.

• Storage

: P403+P233: Store in well-ventilated place. Keep container tightly closed.
 P405: Store locked up.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY)

2. Hazards identification -DSD (continued)

- **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
 P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Contains** : METHANOL EL (ELECTRONIC Grade) 99.7% - LEISHMAN'S STAIN FOR MICROSCOPY

2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

- Substance / Preparation** : Preparation.
- Hazardous component(s)** : This product is hazardous.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
LEISHMAN'S STAIN FOR MICROSCOPY	> 0.1 < 1 %	12627-53-1	----	----	----	Xi; R36 Eye irrit 2 _ H319
METHANOL EL (ELECTRONIC Grade) 99.7%	> 99 %	97-56-1	----	----	----	F; R11 T; R23/24/25-39/23/24/25 Flam. Liq. 2 _ H225 Acute Tox. 3 (skin) _ H311 Acute Tox. 3 (inhal) _ H331 Acute Tox. 3 (oral) _ H301 STOT SE 1 _ H370

4. First aid measures

4.1. Description of first aid measures

- Inhalation** : Remove to fresh air and keep at rest in a position comfortable for breathing. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor.
- Skin contact** : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. Immediately call a POISON CENTER or doctor. Specific treatment (see on this label). Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.
- Eye contact** : Obtain medical attention if pain, blinking or redness persist. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Ingestion** : Immediately call a POISON CENTER or doctor. Specific treatment (see on this label). Do NOT induce vomiting. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY)

4. First aid measures (continued)

Symptoms relating to use : Repeated exposure to this material can result in absorption through skin causing significant health hazard.
 Causes damage to organ.
 Danger of serious damage to health by prolonged exposure through inhalation.
 Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a POISON CENTER or doctor.
 Specific treatment (see on this label).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.
Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.
 Ventilate area.
 Avoid breathing dust, fume, gas, mist, vapours, spray.
For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY)

6. Accidental release measures (continued)

6.3. Methods and material for containment and cleaning up

Clean up methods : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Use only outdoors or in a well-ventilated area. Do not breathe dust, fume, gas, mist, vapours, spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection



- Personal protection** : Avoid all unnecessary exposure.
- **Respiratory protection** : In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
 - **Hand protection** : Wear protective gloves.
 - **Eye protection** : Chemical goggles or safety glasses.

MATERIAL SAFETY DATA SHEET (MSDS)
LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY)
8. Exposure controls/personal protection (continued)

- Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Colorless
Odour	: Characteristic.
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: -98°C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: No data available.
Auto-ignition temperature [°C]	: No data available.
Flammability (solid, gas)	: Flammable.
Flash point [°C]	: No data available.
Boiling point [°C]	: 65 °C
Initial boiling point [°C]	: No data available.
Final boiling point [°C]	: No data available.
Evaporation rate	: N/A
Vapour pressure [20°C]	: No data available.
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm ³]	: 0,8
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Complete.
Solubility in water	: No data available.
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm ² /s]	: No data available.

9.2. Other information

Explosive properties : N/A

MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY)

9. Physical and chemical properties (continued)

Explosion limits - upper [%]	: No data available.
Explosion limits - lower [%]	: No data available.
Oxidising properties	: No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

10.2. Chemical stability

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

10.3. Possibility of hazardous reactions

Hazardous reactions	: Not established.
---------------------	--------------------

10.4. Conditions to avoid

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
---------------------	--

10.5. Incompatible materials

Materials to avoid	: Strong acids. Strong bases.
--------------------	-------------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.
----------------------------------	---

11. Toxicological information

11.1. Information on toxicological effects

Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
Acute toxicity	
• Inhalation	: Toxic if inhaled.
• Dermal	: Toxic in contact with skin.
• Ingestion	: Toxic if swallowed.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Based on available data, the classification criteria are not met.

MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY)

11. Toxicological information (continued)

Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Causes damage to organ.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
-----------------------------	--

12.2. Persistence - degradability

Persistence - degradability	: Biodegradable.
------------------------------------	------------------

12.3. Bioaccumulative potential

Bioaccumulative potential	: Not established.
----------------------------------	--------------------

12.4. Mobility in soil

Mobility in soil	: Not established.
-------------------------	--------------------

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
---	---

12.6. Other adverse effects

Environmental precautions	: Avoid release to the environment.
----------------------------------	-------------------------------------

13. Disposal considerations

13.1. Waste treatment methods

General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
----------------	---

MATERIAL SAFETY DATA SHEET (MSDS)
LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY)
13. Disposal considerations (continued)

Special precautions : Hazardous waste due to toxicity.

14. Transport information
14.1. Land transport (ADR-RID)

Proper shipping name : METHANOL
 UN N° : 1230
 H.I. nr : 336
 ADR - Class : 3
 Labelling - Transport : 3 : Flammable liquid. 6.1 : Toxic substances.



ADR - Classification code : FT1
 ADR - Group : II
 ADR - Packing instructions : P001
 ADR - Limited Quantity : 1 L
 ADR - Tunnel code : D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.


14.2. Sea transport (IMDG) [English only]

Proper shipping name : METHANOL
 UN N° : 1230
 IMO-IMDG - Class or division : 3 : Flammable liquid. (6.1 : Toxic substances.)
 IMO-IMDG - Packing group : II
 IMO-IMDG - Packing instructions : P001
 IMO-IMDG - Limited quantities : 1 L
 IMO-IMDG - Marine pollution : No
 EMS-Nr : F-E S-D

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : METHANOL

MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY)

14. Transport information (continued)

UN N°	: 1230
IATA - Class or division	: 3 : Flammable liquid. (6.1 : Toxic substances.)
IATA - Packing group	: II
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 352
- Passenger and Cargo - Maximum Quantity/Packing	: 1 L
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 364
- Cargo only - Maximum Quantity/Packing	: 60 L
IATA - Limited Quantities	: 1 L
ERG-Nr	: 3L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture	: Ensure all national/local regulations are observed.
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment	: It has not been carried out.
----------------------------	--------------------------------

16. Other information

Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
List of relevant R phrases (heading 3)	: R11 : Highly flammable. R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed. R36 : Irritating to eyes. R39/23/24/25 : Toxic : danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.

MATERIAL SAFETY DATA SHEET (MSDS)
LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document