

MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY) (POWDER SUPPLIED SEPARATELY)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Trade name	: LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY) (POWDER SUPPLIED SEPARATELY)		
Product code	: SI0307000500 CAS No: N/A		
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against		
Use	: Industrial. For professional use only.		
1.3. Details of the supplier of the safety data sheet			
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95		
1.4. Emergency telephone number	Email ID: info@suvchem.com/care@suvchem.com		
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]		

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45			
Classification	: T; R23/24/25-R39/23/24/25		
Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)			
Health hazards	 Specific Target Organ Toxicity - Single exposure - Category 1 - Danger (CLP : STOT SE 1) H370 Acute toxicity, dermal - Category 3 - Danger (CLP : Acute Tox. 3) H311 Acute toxicity, Inhalation - Category 3 - Danger (CLP : Acute Tox. 3) H331 Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301 		
2.2. Label elements			
Labelling EC 67/548 or EC 1999/45			
Symbol(s)			



MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY) (POWDER SUPPLIED SEPARATELY)

Toxic 3/24/25 : Toxic by inhalation, in contact with skin and if swallowed. 9/23/24/25 : Toxic : danger of very serious irreversible effects through inhalation contact with skin and if swallowed. : Keep away from living quarters. 4 : Avoid contact with skin. 3 : After contact with skin, wash immediately with 5 : This material and its container must be disposed of in a safe way. 6/37 : Wear suitable protective clothing and gloves. 3 : In case of insufficient ventilation, wear suitable respiratory equipment. 5 : In case of accident or if you feel unwell, seek medical advice immediately (w the label when possible). 9 : Refer to manufacturer/supplier for information on recovery/recycling. THANOL EL (ELECTRONIC Grade) 99.7% - LEISHMAN`S STAIN FOR CROSCOPY Mager
 9/23/24/25 : Toxic : danger of very serious irreversible effects through inhalatio contact with skin and if swallowed. Keep away from living quarters. A : Avoid contact with skin. B : After contact with skin, wash immediately with 5 : This material and its container must be disposed of in a safe way. 6/37 : Wear suitable protective clothing and gloves. B : In case of insufficient ventilation, wear suitable respiratory equipment. 5 : In case of accident or if you feel unwell, seek medical advice immediately (ow the label when possible). 9 : Refer to manufacturer/supplier for information on recovery/recycling. THANOL EL (ELECTRONIC Grade) 99.7% - LEISHMAN'S STAIN FOR CROSCOPY
 Keep away from living quarters. Avoid contact with skin. After contact with skin, wash immediately with This material and its container must be disposed of in a safe way. This material and its container must be disposed of in a safe way. Wear suitable protective clothing and gloves. In case of insufficient ventilation, wear suitable respiratory equipment. In case of accident or if you feel unwell, seek medical advice immediately (we the label when possible). Refer to manufacturer/supplier for information on recovery/recycling. THANOL EL (ELECTRONIC Grade) 99.7% - LEISHMAN`S STAIN FOR CROSCOPY
 5 : This material and its container must be disposed of in a safe way. 6/37 : Wear suitable protective clothing and gloves. 8 : In case of insufficient ventilation, wear suitable respiratory equipment. 5 : In case of accident or if you feel unwell, seek medical advice immediately (bw the label when possible). 9 : Refer to manufacturer/supplier for information on recovery/recycling. THANOL EL (ELECTRONIC Grade) 99.7% - LEISHMAN`S STAIN FOR CROSCOPY
5 : In case of accident or if you feel unwell, seek medical advice immediately (bw the label when possible). 9 : Refer to manufacturer/supplier for information on recovery/recycling. THANOL EL (ELECTRONIC Grade) 99.7% - LEISHMAN`S STAIN FOR CROSCOPY
THANOL EL (ELECTRONIC Grade) 99.7% - LEISHMAN'S STAIN FOR CROSCOPY
A contraction of the second se
A A A A A A A A A A A A A A A A A A A
nger
01 : Toxic if swallowed. 11 : Toxic in contact with skin. 31 : Toxic if inhaled. 70 : Causes damage to organ.
80: Wear protective gloves, protective clothing, eye protection, face protection. 71: Use only outdoors or in a well-ventilated area. 60: Do not breathe dust, fume, gas, mist, vapours, spray.
64: Wash thoroughly after handling. 70: Do not eat, drink or smoke when using this product.
01+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor. 07+P311: IF EXPOSED : Call a POISON CENTER or doctor.
02+P352: IF ON SKIN : Wash with plenty of soap and water. 04+P340: IF INHALED : Remove to fresh air and keep at rest in a position nfortable for breathing.
63: Wash contaminated clothing before reuse. 61: Remove immediately all contaminated clothing.
03+P233: Store in well-ventilated place. Keep container tightly closed. 05: Store locked up.
01: Dispose of this material and its container to hazardous or special waste lection point, in accordance with local, regional, national and/or international ulation.



MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY) (POWDER SUPPLIED SEPARATELY)

2. Hazards identification -DSD (continued)

Contains

: METHANOL EL (ELECTRONIC Grade) 99.7% - LEISHMAN'S STAIN FOR MICROSCOPY

2.3. Other hazards

Other hazards

: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

Substance / Preparation	: Pre	eparation.				
Hazardous component(s)	: Thi	s product is ha	azardous.			
Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
EISHMAN'S STAIN FOR	> 0.1 < 1 %	12627-53-1				Xi; R36
MICROSCOPY						Eye irrit 2 _ H319
METHANOL EL (ELECTRONIC : Grade) 99.7%	> 99 %	97-56-1				F; R11 T; R23/24/25-39/23/24/25
						Flam. Liq. 2_H225 Acute Tox. 3 (skin)_H31 Acute Tox. 3 (inhal)_H33 Acute Tox. 3 (inhal)_H33 Acute Tox. 3 (oral)_H30 STOT SE 1_H370

4. First aid measures

4.1. Description of first aid measur	<u>es</u>	
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor.	
Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. Immediately call a POISON CENTER or doctor. Specific treatment (see on this label). Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.	
Eye contact	: Obtain medical attention if pain, blinking or redness persist. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
Ingestion	: Immediately call a POISON CENTER or doctor. Specific treatment (see on this label). Do NOT induce vomiting. Rinse mouth.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms relating to use	 Repeated exposure to this material can result in absorption through skin causing significant health hazard. Causes damage to organ. Danger of serious damage to health by prolonged exposure through inhalation. Swallowing a small quantity of this material will result in serious health hazard. 	
4.3 Indication of any immediate m	odical attention and special treatment needed	

4.3. Indication of any immediate medical attention and special treatment needed



MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY) (POWDER SUPPLIED SEPARATELY)

4. First aid measures (continued)

General information

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a POISON CENTER or doctor. Specific treatment (see on this label).

5. Fire-fighting measures

5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
Surrounding fires	: Use water spray or fog for cooling exposed containers.
5.2. Special hazards arising from th	e substance or mixture
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.
5.3. Advice for fire-fighters	
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders For non-emergency personnel	 Equip cleanup crew with proper protection. Ventilate area. Avoid breathing dust, fume, gas, mist, vapours, spray. Evacuate unnecessary personnel. 	
6.2. Environmental precautions		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.	
6.3. Methods and material for containment and cleaning up		
Clean up methods	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	

6.4. Reference to other sections

See section 8. Exposure controls/personal protection



MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY) (POWDER SUPPLIED SEPARATELY)

7. Handling and storage

7.1. Precautions for safe handling

Handling	: Use only outdoors or in a well-ventilated area. Do not breathe dust, fume, gas, mist, vapours, spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.	
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container tightly closed.	
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.	
<u>7.3. Specific end use(s)</u>		
Specific end use(s)	: None.	

8. Exposure controls/personal protection 8.1. Exposure controls **Personal protection Personal protection** : Avoid all unnecessary exposure. Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Hand protection : Wear protective gloves. Eye protection : Chemical goggles or safety glasses. Others : When using, do not eat, drink or smoke. 8.2. Control parameters **Occupational Exposure Limits** : No data available. 9. Physical and chemical properties 9.1. Information on basic physical and chemical properties : Liquid. Physical state at 20 °C Colour : Colorless



MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY) (POWDER SUPPLIED SEPARATELY)

9. Physical and chemical properties (continued)

Odour	: Characteristic.
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: -98°C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: No data available.
Auto-ignition temperature [°C]	: No data available.
Flammability (solid, gas)	: Flammable.
Flash point [°C]	: No data available.
Boiling point [°C]	: 65 °C
Initial boiling point [°C]	: No data available.
Final boiling point [°C]	: No data available.
Evaporation rate	: N/A
Vapour pressure [20°C]	: No data available.
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm3]	: 0,8
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Complete.
Solubility in water	: No data available.
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: No data available.
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: No data available.
Explosion limits - lower [%]	: No data available.
Oxidising properties	: No data available.

10. Stability and reactivity

10.1. Reactivity	
Reactivity	: Not established.
10.2. Chemical stability	
Chemical stability	: Stable under recommended storage conditions.



MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY) (POWDER SUPPLIED SEPARATELY)

10. Stability and reactivity (continued)

10.3. Possibility of hazardous reactions		
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.	

11. Toxicological information

11.1. Information on toxicological effects

Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
Acute toxicity	
Inhalation	: Toxic if inhaled.
• Dermal	: Toxic in contact with skin.
Ingestion	: Toxic if swallowed.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Causes damage to organ.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.



MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY) (POWDER SUPPLIED SEPARATELY)

12.2. Persistence - degradability Persistence - degradability : 12.3. Bioaccumulative potential	Biodegradable.	
	Biodegradable	
12.3. Bioaccumulative potential	Bloddyrddablo.	
Bioaccumulative potential	: Not established.	
<u>12.4. Mobility in soil</u>		
Mobility in soil	Not established.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.		
12.6. Other adverse effects		
Environmental precautions	Avoid release to the environment.	
13. Disposal considerations		
13.1. Waste treatment methods		
General	Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.	
Special precautions	Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. : Hazardous waste due to toxicity.	
14. Transport information		
14.1. Land transport (ADR-RID)		
UN N° : H.I. nr : ADR - Class :	METHANOL 1230 336 3 3 : Flammable liquid. 6.1 : Toxic substances.	



MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY) (POWDER SUPPLIED SEPARATELY)

14. Transport information (continued)

ADR - Classification code	: FT1
ADR - Group	: 11
ADR - Packing instructions	: P001
ADR - Limited Quantity	: 1L
ADR - Tunnel code	: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.



14.2. Sea transport (IMDG) [English only]

Proper shipping name UN N°	: METHANOL : 1230
•••••	
IMO-IMDG - Class or division	: 3 : Flammable liquid. (6.1 : Toxic substances.)
IMO-IMDG - Packing group	: 11
IMO- IMDG - Packing instructions	: P001
IMO-IMDG - Limited quantities	: 1L
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-E S-D

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	: METHANOL
UN N°	: 1230
IATA - Class or division	: 3 : Flammable liquid. (6.1 : Toxic substances.)
IATA - Packing group	: 11
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing	: 352
instruction	
- Passenger and Cargo - Maximum Quantity/Packing	: 1L
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 364
- Cargo only - Maximum Quantity/	: 60 L
Packing	
IATA - Limited Quantites	: 1L
ERG-Nr	: 3L



MATERIAL SAFETY DATA SHEET (MSDS)

LEISHMAN'S STAINING SOLUTION (FOR MICROSCOPY) (POWDER SUPPLIED SEPARATELY)

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document

Page :10

AN ISO 9001: 2015 CERTIFIED