

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

PHENOL CRYSTAL AR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : PHENOL CRYSTAL AR

Product code : SM0050601000

Identification of the product : Phenol
 CAS No: 108-95-2
 EC No :203-632-7
 Annex No :604-001-00-2

Chemical formula : C₆H₆O - (CHCHCHCHCHCOH)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM
 Chaitanya Tower, 2nd Floor, Office # 206,
 Siddharth Nagar, S.V. Road,
 Goregaon (West), Mumbai - 400062,
 Maharashtra, India.
 Contact: +91 22 28725393 / 94 / 95
 Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45


Classification : Muta. Cat. 3; R68
 T; R23/24/25
 Xn; 48/20/21/22
 C; R34

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Germ cell mutagenicity - Category 2 - Warning (CLP : Muta. 2) H341
 Specific Target Organ Toxicity - Repeated exposure - Category 2 - Warning (CLP : STOT RE 2) H373
 Serious eye damage - Category 1 - Danger (CLP : Eye Dam. 1) H318
 Skin corrosion - Category 1B - Danger (CLP : Skin Corr. 1B) H314
 Acute toxicity, Inhalation - Category 3 - Danger (CLP : Acute Tox. 3) H331

MATERIAL SAFETY DATA SHEET (MSDS)
PHENOL CRYSTAL AR
2. Hazards identification -DSD (continued)

 Acute toxicity, dermal - Category 3 - Danger (CLP : Acute Tox. 3) H311
 Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301

2.2. Label elements
Labelling EC 67/548 or EC 1999/45
Symbol(s)

Symbol(s)

 : T : Toxic
 C : Corrosive

R Phrase(s)

 : R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed.
 R34 : Causes burns.
 R48/20/21/22 : Harmful : danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.
 R68 : Possible risks of irreversible effects.

S Phrase(s)

 : S1/2 : Keep locked up and out of reach of children.
 S24/25 : Avoid contact with skin and eyes.
 S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 S28 : After contact with skin, wash immediately with
 S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection.
 S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).

Contains

: Phenol

Labelling Regulation EC 1272/2008 (CLP)
Hazard pictograms

Signal words

: Danger

Hazard statements

 : H314 : Causes severe skin burns and eye damage.
 H301 : Toxic if swallowed.
 H311 : Toxic in contact with skin.
 H331 : Toxic if inhaled.
 H341 : Suspected of causing genetic defects.
 H373 : May cause damage to organs through prolonged or repeated exposure.

Precautionary statements
• General

 : P102: Keep out of reach of children.
 P103: Read label before use.
 P101: If medical advice is needed, have product container or label at hand.
 P201: Obtain special instructions before use.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

PHENOL CRYSTAL AR

2. Hazards identification -DSD (continued)

- **Prevention** : P280: Wear protective gloves, protective clothing, eye protection, face protection.
 P271: Use only outdoors or in a well-ventilated area.
 P260: Do not breathe dust, fume, gas, mist, vapours, spray.
 P264: Wash thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.
- **Response** : P302+P352: IF ON SKIN : Wash with plenty of soap and water.
 P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.
 P308+P313: If exposed or concerned : get medical advice.
 P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes.
 Remove contact lenses, if present and easy to do. Continue rinsing.
 P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.
 P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower.
 P363: Wash contaminated clothing before reuse.
 P314: Get medical advice if you feel unwell.
 P361: Remove immediately all contaminated clothing.
- **Storage** : P403+P233: Store in well-ventilated place. Keep container tightly closed.
 P405: Store locked up.
- **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
 P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Contains** : Phenol

2.3. Other hazards

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : Phenol

EC No :203-632-7
 Annex No :604-001-00-2
 Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Phenol	100 %	108-95-2	203-632-7	604-001-00-2	----	Muta. Cat. 3; R68 T; R23/24/25 Xn; R48/20/21/22 C; R34 ----- Acute Tox. 3 (skin) _ H311 Acute Tox. 3 (inhal) _ H331 Acute Tox. 3 (oral) _ H301 Skin Corr. 1B _ H314 Eye Dam 1 _ H318 Muta. 2 _ H341 STOT RE 2 _ H373

MATERIAL SAFETY DATA SHEET (MSDS)
PHENOL CRYSTAL AR
3. Composition/information on ingredients (continued)

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures
4.1. Description of first aid measures

Inhalation	: Specific treatment is urgent (see on this label). Remove to fresh air and keep at rest in a position comfortable for breathing. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor.
Skin contact	: Wash contaminated clothing before reuse. Wash with plenty of soap and water. Immediately call a POISON CENTER or doctor. Remove/Take off immediately all contaminated clothing. Specific treatment (see on this label).
Eye contact	: Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
Ingestion	: Rinse mouth. Do NOT induce vomiting. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Suspected of causing genetic defects. Causes damage to organ. Causes severe skin burns and eye damage. Causes serious eye damage. Danger of serious damage to health by prolonged exposure through inhalation. Swallowing a small quantity of this material will result in serious health hazard. Corrosive to respiratory tract.
---------------------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
----------------------------	---

5. Fire-fighting measures
5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
Surrounding fires	: Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

MATERIAL SAFETY DATA SHEET (MSDS)
PHENOL CRYSTAL AR
5. Fire-fighting measures (continued)

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.
Thermal decomposition generates : Corrosive vapours.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures
6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.
Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.
Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage
7.1. Precautions for safe handling

Handling : Use personal protective equipment as required. Obtain special instructions before use. Wash contaminated clothing before reuse. Do not breathe dust, fume, gas, mist, vapours, spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

Special precautions : Avoid breathing dust, fume, gas, mist, vapours, spray.

7.2. Conditions for safe storage, including any incompatibilities

MATERIAL SAFETY DATA SHEET (MSDS)
PHENOL CRYSTAL AR
7. Handling and storage (continued)

Storage	: Keep only in the original container in a cool, well ventilated place. Do not store in corrodable metal. Keep container tightly closed.
Storage regulation	: Comply with applicable regulations.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s).

Specific end use(s)	: None.
----------------------------	---------

8. Exposure controls/personal protection
8.1. Exposure controls

Personal protection	: Avoid all unnecessary exposure.
• Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
• Hand protection	: Wear protective gloves.
• Skin protection	: Wear suitable protective clothing.
• Eye protection	: Chemical goggles or face shield.
• Others	: When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits	: No data available.
-------------------------------------	----------------------

9. Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Solid.
Colour	: Colorless to light pink
Odour	: Medicinal Sweet odor
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 40 - 42°C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: 715°C
Flammability (solid, gas)	: N/A
Flash point [°C]	: 79°C
Boiling point [°C]	: 182°C

MATERIAL SAFETY DATA SHEET (MSDS)
PHENOL CRYSTAL AR
9. Physical and chemical properties (continued)

Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: 0.5 hPa at 20°C
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm ³]	: 1,07
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: 1 g/15 ml of water
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 6
Viscosity at 40°C [mm ² /s]	: N/A

9.2. Other information

Explosive properties	: N/A
Explosion limits - upper [%]	: 8,60%
Explosion limits - lower [%]	: 1,70%
Oxidising properties	: No data available.

10. Stability and reactivity
10.1. Reactivity

Reactivity	: Not established.
------------	--------------------

10.2. Chemical stability

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

10.3. Possibility of hazardous reactions

Hazardous reactions	: Not established.
---------------------	--------------------

10.4. Conditions to avoid

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
---------------------	--

10.5. Incompatible materials

MATERIAL SAFETY DATA SHEET (MSDS)
PHENOL CRYSTAL AR
10. Stability and reactivity (continued)

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.
 Thermal decomposition generates : Corrosive vapours.

11. Toxicological information
11.1. Information on toxicological effects
Acute toxicity

- Inhalation : Toxic if inhaled.
- Dermal : Toxic in contact with skin.
- Ingestion : Toxic if swallowed.

Corrosion

: Causes severe skin burns and eye damage.
 Causes serious eye damage.
 Corrosive to respiratory tract.

Irritation

: Based on available data, the classification criteria are not met.

Sensitization

: Based on available data, the classification criteria are not met.

Mutagenicity

: Suspected of causing genetic defects.

Carcinogenicity

: Based on available data, the classification criteria are not met.

Toxic for reproduction

: Based on available data, the classification criteria are not met.

STOT-single exposure

: Based on available data, the classification criteria are not met.

STOT-repeated exposure

: May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

: Based on available data, the classification criteria are not met.

12. Ecological information
12.1. Toxicity

Toxicity information : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

PHENOL CRYSTAL AR

12. Ecological information (continued)

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Hazardous waste due to toxicity.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name : PHENOL, SOLID
UN N° : 1671
H.I. nr : 60
ADR - Class : 6.1
Labelling - Transport : 6.1 : Toxic substances.



ADR - Classification code : T2
ADR - Group : II
ADR - Packing instructions : P002
ADR - Limited Quantity : 500 G
ADR - Tunnel code



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)
PHENOL CRYSTAL AR
14. Transport information (continued)

: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

14.2. Sea transport (IMDG) [English only]

Proper shipping name : PHENOL, SOLID
 UN N° : 1671
 IMO-IMDG - Class or division : 6.1 : Toxic substances.
 IMO-IMDG - Packing group : II
 IMO-IMDG - Packing instructions : P002
 IMO-IMDG - Limited quantities : 500 g
 IMO-IMDG - Marine pollution : No
 EMS-Nr : F-A S-A

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : PHENOL, SOLID
 UN N° : 1671
 IATA - Class or division : 6.1 : Toxic substances.
 IATA - Packing group : II
 IATA - Passenger and Cargo Aircraft : ALLOWED
 - Passenger and Cargo - Packing : 669
 instruction
 - Passenger and Cargo - Maximum : 25 kg
 Quantity/Packing
 IATA - Cargo only : ALLOWED
 - Cargo only - Packing instruction : 676
 - Cargo only - Maximum Quantity/ : 100 kg
 Packing
 IATA - Limited Quantities : 1 kg
 ERG-Nr : 6L

15. Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental : Ensure all national/local regulations are observed.
 regulations/legislation specific for the substance or mixture
 REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions.
 REACH Authorisation - Annex XIV : The components of this product are not subject to authorization.

MATERIAL SAFETY DATA SHEET (MSDS)

PHENOL CRYSTAL AR

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document