

MATERIAL SAFETY DATA SHEET (MSDS)

COBALT (II) CHLORIDE TEST PAPER

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : COBALT (II) CHLORIDE TEST PAPER

Product code : SP04003200LV

Identification of the product : COBALT (II) CHLORIDE TEST PAPER

CAS No:N/A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Not classified.

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Not classified.

Health hazards : Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302

Respiratory sensitization - Category 1 - Danger (CLP: Resp. Sens. 1) H334

Skin sensitisation - Category 1 - Warning (CLP: Skin Sens. 1) H317

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP

: Aquatic Acute 1) H400

Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (

CLP: Aquatic Chronic 1) H410

2.2. Label elements



MATERIAL SAFETY DATA SHEET (MSDS)

COBALT (II) CHLORIDE TEST PAPER

2. Hazards identification -DSD (continued)

Labelling EC 67/548 or EC 1999/45

Not classified.

Labelling Regulation EC 1272/2008 (CLP)

Not classified.

Signal words : Danger

Hazard statements : H302 : Harmful if swallowed.

H334 : May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317: May cause an allergic skin reaction.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention : P285: In case of inadequate ventilation wear respiratory protection.

P280: Wear protective gloves, protective clothing, eye protection, face protection.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P273: Avoid release to the environment. P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P272: Contaminated work clothing should not be allowed out of the workplace.

• Response : P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor if you feel

unwell.

P391: Collect spillage.

P304+P341: IF INHALED: If breathing is difficult, remove to fresh air and keep at

rest in a position comfortable for breathing.

P333+P313: If skin irritation or rash occurs: Get medical advice.

P342+P311: If experiencing respiratory symptoms : Call a POISON CENTER or

doctor.

P363: Wash contaminated clothing before reuse.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

3. Composition/information on ingredients

Substance / Preparation : COBALT (II) CHLORIDE TEST PAPER

CAS No:7791-13-1

Substance.

Contains no other components or impurities which will influence the classification of the product.



MATERIAL SAFETY DATA SHEET (MSDS)

COBALT (II) CHLORIDE TEST PAPER

4. First aid measures

4.1. Description of first aid measures

Inhalation : Assure fresh air breathing. Allow the victim to rest. If breathing is difficult, remove to

fresh air and keep at rest in a position comfortable for breathing. If experiencing

respiratory symptoms:

Skin contact : Remove affected clothing and wash all exposed skin area with mild soap and

water, followed by warm water rinse. Specific treatment (see on this label). Get medical advice. If skin irritation or rash occurs: Wash with plenty of soap and

water. Wash contaminated clothing before reuse.

Eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or

redness persist.

Ingestion : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting. Call a

POISON CENTER or doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Swallowing a small quantity of this material will result in serious health hazard.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.



MATERIAL SAFETY DATA SHEET (MSDS)

COBALT (II) CHLORIDE TEST PAPER

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.

Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

Handling : Avoid breathing dust, fume, gas, mist, vapours, spray. Wash contaminated clothing

before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash thoroughly

after handling.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container

closed when not in use.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.



MATERIAL SAFETY DATA SHEET (MSDS)

COBALT (II) CHLORIDE TEST PAPER

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

• Respiratory protection : In case of inadequate ventilation wear respiratory protection.

• Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.
 Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Solid.

Colour : Slightly pink colour paper

Odour : N/A

Odour threshold : No data available.
pH value : Not applicable.
Melting point [°C] : No data available.

: N/A **Decomposition point [°C]** Critical temperature [°C] : N/A : N/A Auto-ignition temperature [°C] : N/A Flammability (solid, gas) Flash point [°C] : N/A : N/A **Boiling point [°C]** : N/A Initial boiling point [°C] : N/A Final boiling point [°C] **Evaporation rate** : N/A Vapour pressure [20°C] : N/A Vapour pressure mm/Hg : N/A Vapour density : N/A Density [g/cm3] : N/A Relative density, gas (air=1) : N/A Relative density, liquid (water=1) : N/A Solubility in water [% weight] : N/A Solubility in water : N/A



MATERIAL SAFETY DATA SHEET (MSDS)

COBALT (II) CHLORIDE TEST PAPER

9. Physical and chemical properties (continued)

Log Pow octanol / water at 20°C : No data available.

Solubility : N/A Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products: Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

• Inhalation : Based on available data, the classification criteria are not met.



MATERIAL SAFETY DATA SHEET (MSDS)

COBALT (II) CHLORIDE TEST PAPER

11. Toxicological information (continued)

Dermal : Based on available data, the classification criteria are not met.

• Ingestion : Harmful if swallowed.

Corrosion : Based on available data, the classification criteria are not met. **Irritation** : Based on available data, the classification criteria are not met.

Sensitization : May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Mutagenicity: Based on available data, the classification criteria are not met.Carcinogenicity: Based on available data, the classification criteria are not met.Toxic for reproduction: Based on available data, the classification criteria are not met.STOT-single exposure: Based on available data, the classification criteria are not met.STOT-repeated exposure: Based on available data, the classification criteria are not met.Aspiration hazard: Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity

Toxicity information: Very toxic to aquatic life with long lasting effects.

12.2. Persistence - degradability

Persistence - degradability : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.



MATERIAL SAFETY DATA SHEET (MSDS)

COBALT (II) CHLORIDE TEST PAPER

13. Disposal considerations

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

14. Transport information

14.1. Land transport (ADR-RID)

General information : Not regulated.

14.2. Sea transport (IMDG) [English only]

General information : Not regulated.

14.3. Air transport (ICAO-IATA) [English only]

General information : Not regulated.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental

regulations/legislation specific for the

substance or mixture

REACH Restrictions - Annex XVII

REACH Authorisation - Annex XIV

: Ensure all national/local regulations are observed.

: The components of this product are not subject to restrictions.: The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.

16. Other information

Revision - See : *

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006



MATERIAL SAFETY DATA SHEET (MSDS)

COBALT (II) CHLORIDE TEST PAPER

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document