

**MATERIAL SAFETY DATA SHEET (MSDS)**
**BENZYL ALCOHOL LR**
**1. Identification of the substance/mixture and of the company/undertaking**
**1.1. Product identifier**

Trade name : BENZYL ALCOHOL LR

Product code : SS0101000500

Identification of the product : Benzyl alcohol  
 CAS No :100-51-6  
 EC No :202-859-9  
 Annex No :603-057-00-5

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use : Industrial. For professional use only.

**1.3. Details of the supplier of the safety data sheet**

Company identification SUVCHEM  
 Chaitanya Tower, 2nd Floor, Office # 206,  
 Siddharth Nagar, S.V. Road,  
 Goregaon (West), Mumbai - 400062,  
 Maharashtra, India.  
 Contact: +91 22 28725393 / 94 / 95  
 Email ID: info@suvchem.com/care@suvchem.com

**1.4. Emergency telephone number**

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

**2. Hazards identification -DSD**
**2.1. Classification of the substance or mixture**
**Classification EC 67/548 or EC 1999/45**

Classification : Xn; R20/22

**Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)**

Health hazards : Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332  
 Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302

**2.2. Label elements**
**Labelling EC 67/548 or EC 1999/45**

**MATERIAL SAFETY DATA SHEET (MSDS)**
**BENZYL ALCOHOL LR**
**2. Hazards identification -DSD (continued)**
**Symbol(s)**

**Symbol(s)**

: Xn : Harmful

**R Phrase(s)**

: R20/22 : Harmful by inhalation and if swallowed.

**S Phrase(s)**

: S2 : Keep out of the reach of children.

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Contains**

: Benzyl alcohol

**Labelling Regulation EC 1272/2008 (CLP)**
**Hazard pictograms**

**Signal words**

: Warning

**Hazard statements**

: H302 : Harmful if swallowed.

H332 : Harmful if inhaled.

**Precautionary statements**
**• General**

: P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

**• Prevention**

: P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

**• Response**

: P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell.

P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.

**• Disposal considerations**

: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**Contains**

: Benzyl alcohol

**2.3. Other hazards**
**Other hazards**

: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

**MATERIAL SAFETY DATA SHEET (MSDS)**
**BENZYL ALCOHOL LR**
**3. Composition/information on ingredients**

**Substance / Preparation** : Benzyl alcohol  
 CAS No :100-51-6  
 EC No :202-859-9  
 Annex No :603-057-00-5  
 Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Benzyl alcohol	100 %	100-51-6	202-859-9	603-057-00-5	----	Xn; R20/22 Acute Tox. 4 (inhal) _ H332 Acute Tox. 4 (oral) _ H302

Contains no other components or impurities which will influence the classification of the product.

**4. First aid measures**
**4.1. Description of first aid measures**

**Inhalation** : Assure fresh air breathing. Allow the victim to rest. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

**Skin contact** : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

**Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.

**Ingestion** : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.

**4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms relating to use** : Danger of serious damage to health by prolonged exposure through inhalation. Swallowing a small quantity of this material will result in serious health hazard.

**4.3. Indication of any immediate medical attention and special treatment needed**

**General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**5. Fire-fighting measures**
**5.1. Extinguishing media**

**Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media** : Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.

**5.2. Special hazards arising from the substance or mixture**

**MATERIAL SAFETY DATA SHEET (MSDS)**
**BENZYL ALCOHOL LR**
**5. Fire-fighting measures (continued)**

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

**5.3. Advice for fire-fighters**

**Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.

**Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

**6. Accidental release measures**
**6.1. Personal precautions, protective equipment and emergency procedures**

**For emergency responders** : Equip cleanup crew with proper protection. Ventilate area.

**For non-emergency personnel** : Evacuate unnecessary personnel.

**6.2. Environmental precautions**

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

**6.3. Methods and material for containment and cleaning up**

**Clean up methods** : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

**6.4. Reference to other sections**

See section 8. Exposure controls/personal protection

**7. Handling and storage**
**7.1. Precautions for safe handling**

**Handling** : Use only outdoors or in a well-ventilated area. Avoid breathing dust, fume, gas, mist, vapours, spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage** : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**BENZYL ALCOHOL LR**
**7. Handling and storage (continued)**

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

**7.3. Specific end use(s).**

Specific end use(s) : None.

**8. Exposure controls/personal protection**
**8.1. Exposure controls**

Personal protection : Avoid all unnecessary exposure.

- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
- Hand protection : Wear protective gloves.
- Eye protection : Chemical goggles or safety glasses.
- Others : When using, do not eat, drink or smoke.

**8.2. Control parameters**

Occupational Exposure Limits : No data available.

**9. Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

Physical state at 20 °C : Liquid.

Colour : Clear Colorless

Odour : Faint aromatic odor

Odour threshold : No data available.

pH value : No data available.

Melting point [°C] : -16 - -13 °C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : 4360C

Flammability (solid, gas) : N/A

Flash point [°C] : 96 °C

Boiling point [°C] : 203 - 205 °C

Initial boiling point [°C] : 203°C

Final boiling point [°C] : 205 °C

Evaporation rate : 1,8

Vapour pressure [20°C] : 0.125 hPa at 20 °C

**MATERIAL SAFETY DATA SHEET (MSDS)**
**BENZYL ALCOHOL LR**
**9. Physical and chemical properties (continued)**

Vapour pressure mm/Hg	: N/A
Vapour density	: 3,73
Density [g/cm <sup>3</sup> ]	: 1,045
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: 33 g/l at 20 °C
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm <sup>2</sup> /s]	: N/A

**9.2. Other information**

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

**10. Stability and reactivity**
**10.1. Reactivity**

Reactivity	: Not established.
------------	--------------------

**10.2. Chemical stability**

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

**10.3. Possibility of hazardous reactions**

Hazardous reactions	: Not established.
---------------------	--------------------

**10.4. Conditions to avoid**

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
---------------------	--

**10.5. Incompatible materials**

Materials to avoid	: Strong acids. Strong bases.
--------------------	-------------------------------

**10.6. Hazardous decomposition products**

Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.
----------------------------------	---

**MATERIAL SAFETY DATA SHEET (MSDS)**
**BENZYL ALCOHOL LR**
**11. Toxicological information**
**11.1. Information on toxicological effects**
**Acute toxicity**

- Inhalation : Harmful if inhaled.
- Dermal : Based on available data, the classification criteria are not met.
- Ingestion : Harmful if swallowed.

**Corrosion** : Based on available data, the classification criteria are not met.

**Irritation** : Based on available data, the classification criteria are not met.

**Sensitization** : Based on available data, the classification criteria are not met.

**Mutagenicity** : Based on available data, the classification criteria are not met.

**Carcinogenicity** : Based on available data, the classification criteria are not met.

**Toxic for reproduction** : Based on available data, the classification criteria are not met.

**STOT-single exposure** : Based on available data, the classification criteria are not met.

**STOT-repeated exposure** : Based on available data, the classification criteria are not met.

**Aspiration hazard** : Based on available data, the classification criteria are not met.

**12. Ecological information**
**12.1. Toxicity**

**Toxicity information** : Not established.

**12.2. Persistence - degradability**

**Persistence - degradability** : Biodegradable.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential** : Not established.

**12.4. Mobility in soil**

**Mobility in soil** : Not established.

**12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

**12.6. Other adverse effects**

**Environmental precautions** : Avoid release to the environment.



**MATERIAL SAFETY DATA SHEET (MSDS)**
**BENZYL ALCOHOL LR**
**13. Disposal considerations**
**13.1. Waste treatment methods**

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.  
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**14. Transport information**
**14.1. Land transport (ADR-RID)**

**General information** : Not regulated.

**14.2. Sea transport (IMDG). [English only]**

**General information** : Not regulated.

**14.3. Air transport (ICAO-IATA). [English only]**

**General information** : Not regulated.

**15. Regulatory information**
**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Safety, health and environmental regulations/legislation specific for the substance or mixture** : Ensure all national/local regulations are observed.

**REACH Restrictions - Annex XVII** : The components of this product are not subject to restrictions.

**REACH Authorisation - Annex XIV** : The components of this product are not subject to authorization.

**15.2. Chemical Safety Assessment**

**Chemical Safety Assessment** : It has not been carried out.

**16. Other information**

**Revision** : Revision - See : \*

**Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.  
 vPvB: very persistent and very bioaccumulative

**Sources of key data used** : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006



**MATERIAL SAFETY DATA SHEET (MSDS)**

**BENZYL ALCOHOL LR**

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**