

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

**MATERIAL SAFETY DATA SHEET (MSDS)**
**CHLOROFORM SPECIALLY DRIED AR (TRICHLOROMETHANE)**
**1. Identification of the substance/mixture and of the company/undertaking**
**1.1. Product identifier**

Trade name : CHLOROFORM SPECIALLY DRIED AR (TRICHLOROMETHANE)

Product code : SS0101800500

Identification of the product : Trichloromethane  
 CAS No :67-66-3  
 EC No :200-663-8  
 Annex No :602-006-00-4

Chemical formula : CHCl<sub>3</sub>

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use : Industrial. For professional use only.

**1.3. Details of the supplier of the safety data sheet**

Company identification : SUVCHEM  
 Chaitanya Tower, 2nd Floor, Office # 206,  
 Siddharth Nagar, S.V. Road,  
 Goregaon (West), Mumbai - 400062,  
 Maharashtra, India.  
 Contact: +91 22 28725393 / 94 / 95  
 Email ID: info@suvchem.com/care@suvchem.com

**1.4. Emergency telephone number**

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

**2. Hazards identification -DSD**
**2.1. Classification of the substance or mixture**
**Classification EC 67/548 or EC 1999/45**

Classification : Carc. Cat. 3; R40  
 Xn; R22-48/20/22  
 Xi; R38

**Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)**

Health hazards : Carcinogenicity - Category 2 - Warning (CLP : Carc. 2) H351  
 Specific Target Organ Toxicity - Repeated exposure - Category 2 - Warning (CLP :  
 STOT RE 2) H373  
 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315  
 Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302

**2.2. Label elements**

**MATERIAL SAFETY DATA SHEET (MSDS)**
**CHLOROFORM SPECIALLY DRIED AR (TRICHLOROMETHANE)**
**2. Hazards identification -DSD (continued)**
Labelling EC 67/548 or EC 1999/45
**Symbol(s)**

**Symbol(s)**

: Xn : Harmful

**R Phrase(s)**

 : R20/22 : Harmful by inhalation and if swallowed.  
 R36/38 : Irritating to eyes and skin.  
 R40 : Limited evidence of a carcinogenic effect.  
 R48/20/22 : Harmful : danger of serious damage to health by prolonged exposure through inhalation and if swallowed.  
 R63 : Possible risk of harm to the unborn child.  
**S Phrase(s)** : S2 : Keep out of the reach of children.  
 S36/37 : Wear suitable protective clothing and gloves.

**Contains**

: Trichloromethane

Labelling Regulation EC 1272/2008 (CLP)
**Hazard pictograms**

**Signal words**

: Warning

**Hazard statements**

 : H302 : Harmful if swallowed.  
 H315 : Causes skin irritation.  
 H319 : Causes serious eye irritation.  
 H331 : Toxic if inhaled.  
 H351 : Suspected of causing cancer.  
 H361d : Suspected of damaging the unborn child.  
 H372 : Causes damage to organs through prolonged or repeated exposure.

**Precautionary statements**
**• General**

 : P102: Keep out of reach of children.  
 P103: Read label before use.  
 P101: If medical advice is needed, have product container or label at hand.  
 P201: Obtain special instructions before use.

**• Prevention**

 : P261: Avoid breathing vapours.  
 P281: Use personal protective equipment as required.

**• Response**

 : P302+P352: IF ON SKIN : Wash with plenty of soap and water.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P311: Call a POISON CENTER or doctor/ physician.

**• Storage**

: P405: Store locked up.

**• Disposal considerations**

: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### CHLOROFORM SPECIALLY DRIED AR (TRICHLOROMETHANE)

#### 2. Hazards identification -DSD (continued)

Contains : Trichloromethane

#### 2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

#### 3. Composition/information on ingredients

Substance / Preparation : Trichloromethane  
 CAS No :000067-66-3  
 EC No :200-663-8  
 Annex No :602-006-00-4  
 Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Trichloromethane	100 %	67-66-3	200-663-8	602-006-00-4	----	Carc. Cat. 3; R40 Xn; R22-48/20/22 Xi; R38  Acute Tox. 4 (oral) _ H302 Carc. 2 _ H351 Skin Irrit. 2 _ H315 STOT RE 2 _ H373

Contains no other components or impurities which will influence the classification of the product.

#### 4. First aid measures

##### 4.1. Description of first aid measures

**Inhalation** : Assure fresh air breathing. Allow the victim to rest.  
**Skin contact** : Get medical advice. If skin irritation occurs : Wash with plenty of soap and water. Wash contaminated clothing before reuse. Specific treatment (see on this label).  
**Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.  
**Ingestion** : Obtain emergency medical attention. Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.

##### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms relating to use** : Swallowing a small quantity of this material will result in serious health hazard. Suspected of causing cancer. Causes damage to organ. Causes skin irritation.

##### 4.3. Indication of any immediate medical attention and special treatment needed

**General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**MATERIAL SAFETY DATA SHEET (MSDS)**
**CHLOROFORM SPECIALLY DRIED AR (TRICHLOROMETHANE)**
**5. Fire-fighting measures**
**5.1. Extinguishing media**

**Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media** : Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.

**5.2. Special hazards arising from the substance or mixture**

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

**5.3. Advice for fire-fighters**

**Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.

**Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

**6. Accidental release measures**
**6.1. Personal precautions, protective equipment and emergency procedures**

**For emergency responders** : Equip cleanup crew with proper protection.  
Ventilate area.

**For non-emergency personnel** : Evacuate unnecessary personnel.

**6.2. Environmental precautions**

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

**6.3. Methods and material for containment and cleaning up**

**Clean up methods** : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

**6.4. Reference to other sections**

See section 8. Exposure controls/personal protection

**7. Handling and storage**
**7.1. Precautions for safe handling**

**Handling** : Obtain special instructions before use. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Wash thoroughly after handling.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**CHLOROFORM SPECIALLY DRIED AR (TRICHLOROMETHANE)**
**7. Handling and storage (continued)**

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.  
 Special precautions : Avoid breathing dust, fume, gas, mist, vapours, spray.

**7.2. Conditions for safe storage, including any incompatibilities**

Storage : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.  
 Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

**7.3. Specific end use(s)**

Specific end use(s) : None.

**8. Exposure controls/personal protection**
**8.1. Exposure controls**

Personal protection : Avoid all unnecessary exposure.  
 • Respiratory protection : Wear approved mask.  
 • Hand protection : Wear protective gloves.  
 • Skin protection : Wear suitable protective clothing.  
 • Eye protection : Chemical goggles or safety glasses.  
 • Others : When using, do not eat, drink or smoke.

**8.2. Control parameters**

Occupational Exposure Limits : No data available.

**9. Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

Physical state at 20 °C : Liquid.  
 Colour : Clear Colorless  
 Odour : Sweet pleasant  
 Odour threshold : No data available.  
 pH value : No data available.  
 Melting point [°C] : -63 °C  
 Decomposition point [°C] : 290°C  
 Critical temperature [°C] : N/A  
 Auto-ignition temperature [°C] : N/A  
 Flammability (solid, gas) : N/A

**MATERIAL SAFETY DATA SHEET (MSDS)**
**CHLOROFORM SPECIALLY DRIED AR (TRICHLOROMETHANE)**
**9. Physical and chemical properties (continued)**

Flash point [°C]	: N/A
Boiling point [°C]	: 60.5 - 61.5 °C
Initial boiling point [°C]	: 60.5 °C
Final boiling point [°C]	: 61.5 °C
Evaporation rate	: 11,6
Vapour pressure [20°C]	: 213.3 hPa at 20°C
Vapour pressure mm/Hg	: N/A
Vapour density	: 4,12
Density [g/cm <sup>3</sup> ]	: 1,492
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Slightly soluble
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm <sup>2</sup> /s]	: 0.58 cps@ 20 °C

**9.2. Other information**

Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

**10. Stability and reactivity**
**10.1. Reactivity**

Reactivity	: Not established.
------------	--------------------

**10.2. Chemical stability**

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

**10.3. Possibility of hazardous reactions**

Hazardous reactions	: Not established.
---------------------	--------------------

**10.4. Conditions to avoid**

Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.
---------------------	--

**10.5. Incompatible materials**

**MATERIAL SAFETY DATA SHEET (MSDS)**
**CHLOROFORM SPECIALLY DRIED AR (TRICHLOROMETHANE)**
**10. Stability and reactivity (continued)**

Materials to avoid : Strong acids. Strong bases.

**10.6. Hazardous decomposition products**

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

**11. Toxicological information**
**11.1. Information on toxicological effects**
**Acute toxicity**

- Inhalation : Based on available data, the classification criteria are not met.
- Dermal : Based on available data, the classification criteria are not met.
- Ingestion : Harmful if swallowed.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : Causes skin irritation.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Suspected of causing cancer.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Based on available data, the classification criteria are not met.

**12. Ecological information**
**12.1. Toxicity**

Toxicity information : Not established.

**12.2. Persistence - degradability**

Persistence - degradability : Biodegradable.

**12.3. Bioaccumulative potential**

Bioaccumulative potential : Not established.

**12.4. Mobility in soil**

Mobility in soil : Not established.

**12.5. Results of PBT and vPvB assessment**



**MATERIAL SAFETY DATA SHEET (MSDS)**
**CHLOROFORM SPECIALLY DRIED AR (TRICHLOROMETHANE)**
**12. Ecological information (continued)**

**Results of PBT and vPvB assessment** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

**12.6. Other adverse effects**


**Environmental precautions** : Avoid release to the environment.

**13. Disposal considerations**
**13.1. Waste treatment methods**

**General** : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.  
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**14. Transport information**
**14.1. Land transport (ADR-RID)**

**Proper shipping name** : CHLOROFORM  
**UN N°** : 1888  
**H.I. nr** : 60  
**ADR - Class** : 6.1  
**Labelling - Transport** : 6.1 : Toxic substances.



**ADR - Classification code** : T1  
**ADR - Group** : III  
**ADR - Packing instructions** : P001 R001 LP001  
**ADR - Limited Quantity** : 5 L  
**ADR - Tunnel code**



: E : Passage forbidden through tunnels of category E.

**14.2. Sea transport (IMDG) [English only]**

**Proper shipping name** : CHLOROFORM



**MATERIAL SAFETY DATA SHEET (MSDS)**
**CHLOROFORM SPECIALLY DRIED AR (TRICHLOROMETHANE)**
**14. Transport information (continued)**

UN N°	: 1888
IMO-IMDG - Class or division	: 6.1 : Toxic substances.
IMO-IMDG - Packing group	: III
IMO-IMDG - Packing instructions	: P001 LP01
IMO-IMDG - Limited quantities	: 5 L
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-A S-A

**14.3. Air transport (ICAO-IATA) [English only]**

Proper shipping name	: CHLOROFORM
UN N°	: 1888
IATA - Class or division	: 6.1 : Toxic substances.
IATA - Packing group	: III
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 680
- Passenger and Cargo - Maximum Quantity/Packing	: 60 L
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 680
- Cargo only - Maximum Quantity/Packing	: 220 L
IATA - Limited Quantities	: 2 L
ERG-Nr	: 6A

**15. Regulatory information**
**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Safety, health and environmental regulations/legislation specific for the substance or mixture	: Ensure all national/local regulations are observed.
REACH Restrictions - Annex XVII	: Annex XVII With the exception of those listed below: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.

**15.2. Chemical Safety Assessment**

Chemical Safety Assessment	: It has not been carried out.
----------------------------	--------------------------------

**MATERIAL SAFETY DATA SHEET (MSDS)**

**CHLOROFORM SPECIALLY DRIED AR (TRICHOROMETHANE)**

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**