

# MATERIAL SAFETY DATA SHEET (MSDS)

### **DIETHYLAMINE LR**

### 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : DIETHYLAMINE LR

Product code : SS0102302500

Identification of the product : Diethylamine
CAS No :109-89-7

EC No :203-716-3 Annex No :612-003-00-X

Chemical formula : C4H11N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

SUVCHEM

Company identification Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

### 2. Hazards identification -DSD

### 2.1. Classification of the substance or mixture

# Classification EC 67/548 or EC 1999/45

Classification : F; R11

Xn; R20/21/22 C; R35

#### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302

Acute toxicity, dermal - Category 4 - Warning (CLP : Acute Tox. 4) H312 Serious eye damage - Category 1 - Danger (CLP : Eye Dam. 1) H318 Skin corrosion - Category 1A - Danger (CLP : Skin Corr. 1A) H314

Acute toxicity, Inhalation - Category 4 - Warning (CLP: Acute Tox. 4) H332



# MATERIAL SAFETY DATA SHEET (MSDS)

### **DIETHYLAMINE LR**

### 2. Hazards identification -DSD (continued)

Physical hazards : Flammable liquids - Category 2 - Danger (CLP : Flam. Liq. 2) H225

2.2. Label elements

### Labelling EC 67/548 or EC 1999/45

Symbol(s)





Symbol(s) : F : Highly flammable

C: Corrosive

R Phrase(s) : R11 : Highly flammable.

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

R35: Causes severe burns.

**S Phrase(s)** : S1/2 : Keep locked up and out of reach of children.

S3: Keep in a cool place.

S16: Keep away from sources of ignition - No smoking.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S29: Do not empty into drains.

S36/37/39: Wear suitable protective clothing, gloves and eye/face protection. S45: In case of accident or if you feel unwell, seek medical advice immediately (

show the label when possible).

Contains : Diethylamine

### Labelling Regulation EC 1272/2008 (CLP)

**Hazard pictograms** 







Signal words : Danger

**Hazard statements** : H225 : Highly flammable liquid and vapour.

H314 : Causes severe skin burns and eye damage.

H302 : Harmful if swallowed. H312 : Harmful in contact with skin.

H332 : Harmful if inhaled.

**Precautionary statements** 

• **General** : P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

• **Prevention** : P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical, ventilating, lighting, ..., equipment.

P210: Keep away from heat, sparks, open flames or hot surfaces. - No smoking. P280: Wear protective gloves, protective clothing, eye protection, face protection.



# MATERIAL SAFETY DATA SHEET (MSDS)

### **DIETHYLAMINE LR**

# 2. Hazards identification -DSD (continued)

P271: Use only outdoors or in a well-ventilated area.

P260: Do not breathe dust, fume, gas, mist, vapours, spray.

P233: Keep container tightly closed. P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

: P302+P352: IF ON SKIN : Wash with plenty of soap and water. Response

> P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position

comfortable for breathing.

P303+P361+P353: IF ON SKIN (or hair): Remove immediately all contaminated

clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse. P370+P378: In case of fire: Use for extinction.

: P403+P235: Store in well-ventilated place. Keep cool. Storage

P405: Store locked up.

: P501: Dispose of this material and its container to hazardous or special waste Disposal considerations

collection point, in accordance with local, regional, national and/or international

regulation.

**Contains** : Diethylamine

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

# 3. Composition/information on ingredients

Substance / Preparation : Diethylamine

CAS No:109-89-7 EC No: 203-716-3 Annex No:612-003-00-X

Substance.

Substance name Contents **CAS No** EC No Annex No REACH Ref. Classification Diethylamine 100 % 109-89-7 203-716-3 612-003-00-X

F; R11 Xn; R20/21/22 C; R35

Flam. Liq. 2 \_ H225 Skin Corr. 1A+ \_ H314 Eye Dam 1 \_ H318 Acute Tox. 4 (skin) \_ H312 Acute Tox. 4 (inhal) \_ H332 Acute Tox. 4 (oral) \_ H302

Contains no other components or impurities which will influence the classification of the product.



# MATERIAL SAFETY DATA SHEET (MSDS)

### **DIETHYLAMINE LR**

#### 4. First aid measures

#### 4.1. Description of first aid measures

Inhalation : Immediately call a POISON CENTER or doctor. Remove to fresh air and keep at

rest in a position comfortable for breathing. Specific treatment is urgent (see on

this label).

Skin contact : Immediately call a POISON CENTER or doctor. Wash contaminated clothing

before reuse. Wash with plenty of soap and water. Remove/Take off immediately

all contaminated clothing. Specific treatment (see on this label).

**Eye contact**: Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER or doctor. Specific treatment (see on this label). Rinse

cautiously with water for several minutes.

**Ingestion** : Specific treatment (see on this label). Immediately call a POISON CENTER or

doctor. Call a POISON CENTER or doctor if you feel unwell. Do NOT induce

vomiting. Rinse mouth.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Causes severe skin burns and eye damage.

Causes serious eye damage.

Repeated exposure to this material can result in absorption through skin causing

significant health hazard.

Danger of serious damage to health by prolonged exposure through inhalation. Swallowing a small quantity of this material will result in serious health hazard.

Corrosive to respiratory tract.

# 4.3. Indication of any immediate medical attention and special treatment needed

**General information**: Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

### 5. Fire-fighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media**: Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.

## 5.2. Special hazards arising from the substance or mixture

Flammable class : Highly flammable liquid and vapour.

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

Thermal decomposition generates: Corrosive vapours.

### 5.3. Advice for fire-fighters



# MATERIAL SAFETY DATA SHEET (MSDS)

### **DIETHYLAMINE LR**

### 5. Fire-fighting measures (continued)

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

# 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**For emergency responders** : Equip cleanup crew with proper protection.

Ventilate area.

**Technical measures** : Use special care to avoid static electric charges.

**Special precautions** : Remove ignition sources. No naked lights. No smoking.

**For non-emergency personnel** : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Clean up methods : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. Store away from other materials. Collect spillage.

#### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

## 7. Handling and storage

### 7.1. Precautions for safe handling

Handling : Handle empty containers with care because residual vapours are flammable. Use

only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Do not breathe dust, fume, gas, mist, vapours, spray. Avoid contact

during pregnancy or while nursing. Wash thoroughly after handling.

**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

Proper grounding procedures to avoid static electricity should be followed. Use

explosion-proof electrical, ventilating, lighting, ..., equipment.

**Special precautions**: No naked lights. No smoking.

### 7.2. Conditions for safe storage, including any incompatibilities



# MATERIAL SAFETY DATA SHEET (MSDS)

### **DIETHYLAMINE LR**

# 7. Handling and storage (continued)

Storage : Keep only in the original container in a cool, well ventilated place. Keep in fireproof

place.

Do not store in corrodable metal. Ground/bond container and receiving equipment.

Keep container tightly closed.

**Storage regulation** : Comply with applicable regulations.

**Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

Specific end use(s) : None.

## 8. Exposure controls/personal protection

#### 8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

• Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

• Hand protection : Wear protective gloves.

Skin protection
 Eye protection
 Wear suitable protective clothing.
 Chemical goggles or face shield.

• Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

# 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Liquid.

Colour: Clear ColorlessOdour: Fishy ammonicalOdour threshold: No data available.pH value: No data available.

Melting point [°C] : -50°C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : N/A

Flammability (solid, gas) : Flammable.

Highly flammable liquid and vapour.



# MATERIAL SAFETY DATA SHEET (MSDS)

### **DIETHYLAMINE LR**

### 9. Physical and chemical properties (continued)

Flash point [°C] : (-28 °C)

Boiling point [°C] : 55- 58°C

Initial boiling point [°C] : N/A

Final boiling point [°C] : N/A

Evaporation rate : 16,9

Vapour pressure [20°C] : 195 mm Hg @ 20°C

Vapour pressure mm/Hg : N/A
Vapour density : 2,5
Density [g/cm3] : 0,71
Relative density, gas (air=1) : N/A
Relative density, liquid (water=1) : N/A
Solubility in water [% weight] : Miscible.
Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.
Solubility : Strong alkalis.

Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : 10,10%
Explosion limits - lower [%] : 1,80%

Oxidising properties : No data available.

# 10. Stability and reactivity

#### 10.1. Reactivity

**Reactivity** : Not established.

10.2. Chemical stability

**Chemical stability** : Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.

10.4. Conditions to avoid

**Conditions to avoid** : Direct sunlight. Extremely high or low temperatures. Open flame.



# MATERIAL SAFETY DATA SHEET (MSDS)

### **DIETHYLAMINE LR**

# 10. Stability and reactivity (continued)

#### 10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products**: Fumes. Carbon monoxide. Carbon dioxide.

May release flammable gases.

Thermal decomposition generates: Corrosive vapours.

## 11. Toxicological information

### 11.1. Information on toxicological effects

**Acute toxicity** 

• Inhalation : Harmful if inhaled.

• **Dermal** : Harmful in contact with skin.

• Ingestion : Harmful if swallowed.

**Corrosion** : Causes severe skin burns and eye damage.

Causes serious eye damage. Corrosive to respiratory tract.

: Based on available data, the classification criteria are not met. Irritation : Based on available data, the classification criteria are not met. Sensitization : Based on available data, the classification criteria are not met. Mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity **Toxic for reproduction** : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. STOT-single exposure : Based on available data, the classification criteria are not met. STOT-repeated exposure : Based on available data, the classification criteria are not met. **Aspiration hazard** 

## 12. Ecological information

#### 12.1. Toxicity

**Toxicity information** : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential



# MATERIAL SAFETY DATA SHEET (MSDS)

## **DIETHYLAMINE LR**

# 12. Ecological information (continued)

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

**Environmental precautions** : Avoid release to the environment.

### 13. Disposal considerations

#### 13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**Special precautions** : Handle empty containers with care because residual vapours are flammable.

# 14. Transport information

#### 14.1. Land transport (ADR-RID)

Proper shipping name : DIETHYLAMINE

UN N° : 1154 H.I. nr : 338 ADR - Class : 3

**Labelling - Transport** : 3 : Flammable liquid. 8 : Corrosive substance.





ADR - Classification code : FC
ADR - Group : II
ADR - Packing instructions : P001



# MATERIAL SAFETY DATA SHEET (MSDS)

### **DIETHYLAMINE LR**

## 14. Transport information (continued)

ADR - Limited Quantity

**ADR** - Tunnel code

: 1 L



: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

### 14.2. Sea transport (IMDG) [English only]

Proper shipping name : DIETHYLAMINE

**UN N°** : 1154

**IMO-IMDG - Class or division** : 3 : Flammable liquid. (8 : Corrosive substance.)

IMO-IMDG - Packing group : II
IMO-IMDG - Packing instructions : P001
IMO-IMDG - Limited quantities : 1 L
IMO-IMDG - Marine pollution : No
EMS-Nr : F-E S-C

### 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : DIETHYLAMINE

UN N° : 1154

IATA - Class or division : 3 : Flammable liquid. (8 : Corrosive substance.)

IATA - Packing group : II

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing : 352

instruction

- Passenger and Cargo - Maximum : 1 L

Quantity/Packing

IATA - Cargo only : ALLOWED
- Cargo only - Packing instruction : 363
- Cargo only - Maximum Quantity/ : 5 L

Packing

IATA - Limited Quantites : 0.5 L ERG-Nr : 3CH

## 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



# MATERIAL SAFETY DATA SHEET (MSDS)

## **DIETHYLAMINE LR**

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

## **DISCLAIMER:**

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**