

## MATERIAL SAFETY DATA SHEET (MSDS)

## **ETHYLENE GLYCOL LR (ETHANEDIOL)**

## 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : ETHYLENE GLYCOL LR (ETHANEDIOL)

Product code : SS0102900500 Identification of the product : Ethanediol

> CAS No :107-21-1 EC No :203-473-3 Annex No :603-027-00-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

**Phone no.** : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

#### 2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Xn; R22

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302

2.2. Label elements

Labelling EC 67/548 or EC 1999/45



# MATERIAL SAFETY DATA SHEET (MSDS)

## **ETHYLENE GLYCOL LR (ETHANEDIOL)**

### 2. Hazards identification -DSD (continued)

Symbol(s)

×

Symbol(s) : Xn : Harmful

R Phrase(s) : R22 : Harmful if swallowed.

**S Phrase(s)** : S2 : Keep out of the reach of children.

Contains : Ethanediol

## Labelling Regulation EC 1272/2008 (CLP)

**Hazard pictograms** 



Signal words : Warning

**Hazard statements** : H302 : Harmful if swallowed.

**Precautionary statements** 

• General : P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

• **Prevention** : P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

• Response : P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel

unwell.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

Contains : Ethanediol

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

# 3. Composition/information on ingredients

Substance / Preparation : Ethanediol

CAS No :107-21-1 EC No :203-473-3 Annex No :603-027-00-1

Substance.

 Substance name
 Contents
 CAS No
 EC No
 Annex No
 REACH Ref.
 Classification

 Ethanediol
 :
 100 %
 107-21-1
 203-473-3
 603-027-00-1
 --- Xn; R22

Acute Tox. 4 (oral) \_ H302



# MATERIAL SAFETY DATA SHEET (MSDS)

## **ETHYLENE GLYCOL LR (ETHANEDIOL)**

## 3. Composition/information on ingredients (continued)

Contains no other components or impurities which will influence the classification of the product.

#### 4. First aid measures

#### 4.1. Description of first aid measures

**Inhalation** : Assure fresh air breathing. Allow the victim to rest.

**Skin contact** : Remove affected clothing and wash all exposed skin area with mild soap and

water, followed by warm water rinse.

**Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or

redness persist.

Ingestion : Obtain emergency medical attention. Rinse mouth. Call a POISON CENTER or

doctor if you feel unwell. Do NOT induce vomiting.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Swallowing a small quantity of this material will result in serious health hazard.

#### 4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

## 5. Fire-fighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media**: Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.

### 5.2. Special hazards arising from the substance or mixture

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

**Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.



# MATERIAL SAFETY DATA SHEET (MSDS)

## **ETHYLENE GLYCOL LR (ETHANEDIOL)**

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**For emergency responders** : Equip cleanup crew with proper protection.

Ventilate area.

**For non-emergency personnel** : Evacuate unnecessary personnel.

6.2. Environmental precautions

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

## 6.3. Methods and material for containment and cleaning up

Clean up methods : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

#### 7. Handling and storage

### 7.1. Precautions for safe handling

**Handling** : Wash thoroughly after handling. Do not eat, drink or smoke when using this

product.

**Technical protective measures**: Provide good ventilation in process area to prevent formation of vapour.

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage** : Keep only in the original container in a cool, well ventilated place. Keep container

closed when not in use.

**Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

### 8. Exposure controls/personal protection

#### 8.1. Exposure controls

**Personal protection** : Avoid all unnecessary exposure.



## MATERIAL SAFETY DATA SHEET (MSDS)

## **ETHYLENE GLYCOL LR (ETHANEDIOL)**

## 8. Exposure controls/personal protection (continued)

Respiratory protection
 Hand protection
 Wear approved mask.
 Wear protective gloves.

Eye protectionOthers: Chemical goggles or safety glasses.: When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

#### 9. Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state at 20 °C: Liquid.Colour: Clear syrupyOdour: Odorless

Odour threshold : No data available. pH value : No data available.

: -13 °C Melting point [°C] : N/A **Decomposition point [°C]** : N/A **Critical temperature [°C]** : 3980C Auto-ignition temperature [°C] : N/A Flammability (solid, gas) : 111 °C Flash point [°C] : 196 - 198 °C Boiling point [°C] Initial boiling point [°C] : 196°C Final boiling point [°C] : 198 °C

Evaporation rate : 1

Vapour pressure [20°C] : 0.11 hPa at 20 °C

Vapour pressure mm/Hg : N/A Vapour density : 2,14

**Density [g/cm3]** : 1.113 g/mL at 25 °C

Relative density, gas (air=1) : N/A Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : completely miscible

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : N/A Viscosity at 40°C [mm2/s] : N/A



## MATERIAL SAFETY DATA SHEET (MSDS)

## **ETHYLENE GLYCOL LR (ETHANEDIOL)**

## 9. Physical and chemical properties (continued)

## 9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : 15,30%
Explosion limits - lower [%] : 3,20%

Oxidising properties : No data available.

## 10. Stability and reactivity

#### 10.1. Reactivity

**Reactivity** : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions

**Hazardous reactions** : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

**Hazardous decomposition products**: Fumes. Carbon monoxide. Carbon dioxide.

## 11. Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity

Inhalation
 Based on available data, the classification criteria are not met.
 Dermal
 Based on available data, the classification criteria are not met.

• Ingestion : Harmful if swallowed.

**Corrosion** : Based on available data, the classification criteria are not met.



# MATERIAL SAFETY DATA SHEET (MSDS)

## **ETHYLENE GLYCOL LR (ETHANEDIOL)**

### 11. Toxicological information (continued)

Irritation : Based on available data, the classification criteria are not met. Sensitization : Based on available data, the classification criteria are not met. Mutagenicity : Based on available data, the classification criteria are not met. Carcinogenicity : Based on available data, the classification criteria are not met. **Toxic for reproduction** : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. STOT-single exposure : Based on available data, the classification criteria are not met. STOT-repeated exposure : Based on available data, the classification criteria are not met. **Aspiration hazard** 

### 12. Ecological information

#### 12.1. Toxicity

**Toxicity information** : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

**Environmental precautions** : Avoid release to the environment.

## 13. Disposal considerations

#### 13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.



# MATERIAL SAFETY DATA SHEET (MSDS)

## **ETHYLENE GLYCOL LR (ETHANEDIOL)**

## 14. Transport information

14.1. Land transport (ADR-RID)

**General information** : Not regulated.

14.2. Sea transport (IMDG) [English only]

**General information** : Not regulated.

14.3. Air transport (ICAO-IATA) [English only]

**General information** : Not regulated.

### 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental

regulations/legislation specific for the

substance or mixture

**REACH Restrictions - Annex XVII REACH Authorisation - Annex XIV**  : The components of this product are not subject to restrictions. : The components of this product are not subject to authorization.

: Ensure all national/local regulations are observed.

15.2. Chemical Safety Assessment

: It has not been carried out. **Chemical Safety Assessment** 

#### 16. Other information

Revision : Revision - See : \*

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic.

vPvB: very persistent and very bioaccumulative

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF Sources of key data used

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006

List of relevant R phrases (heading 3): R22: Harmful if swallowed. List of full text of H-statements in : H302 : Harmful if swallowed.

section 3

**Further information** : None.

Page: 8



# MATERIAL SAFETY DATA SHEET (MSDS)

# **ETHYLENE GLYCOL LR (ETHANEDIOL)**

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

## **DISCLAIMER:**

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**