OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

METHANOL LR (METHYL ALCOHOL)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Trade name	: METHANOL LR (METHYL ALCOHOL)	
Product code	: SS0103702500	
Identification of the product	: Methanol	
	CAS No: 67-56-1	
	EC No :200-659-6 Annex No :603-001-00-X	
Chemical formula	: CH4O	
1.2. Relevant identified uses of the s	substance or mixture and uses advised against	
Use	: Industrial. For professional use only.	
1.3. Details of the supplier of the safety data sheet		
	SUVCHEM	
Company identification	Chaitanya Tower, 2nd Floor, Office # 206,	
	Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062,	
	Maharashtra, India.	
	Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com	
1.4. Emergency telephone number		
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]	

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification	: F; R11 T; R23/24/25-R39/23/24/25	
Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)		
Health hazards	 Specific Target Organ Toxicity - Single exposure - Category 1 - Danger (CLP : STOT SE 1) H370 Acute toxicity, Inhalation - Category 3 - Danger (CLP : Acute Tox. 3) H331 Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301 Acute toxicity, dermal - Category 3 - Danger (CLP : Acute Tox. 3) H311 	
Physical hazards	: Flammable liquids - Category 2 - Danger (CLP : Flam. Liq. 2) H225	
2.2. Label elements		

Page : 1

OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) METHANOL LR (METHYL ALCOHOL)

2. Hazards identification -DSD (continued)

Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s)	: F : Highly flammable T : Toxic
R Phrase(s)	 R11 : Highly flammable. R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed. R39/23/24/25 : Toxic : danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.
S Phrase(s)	 S1/2 : Keep locked up and out of reach of children. S7 : Keep container tightly closed. S16 : Keep away from sources of ignition - No smoking. S36/37 : Wear suitable protective clothing and gloves. S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).
Contains	: Methanol
Labelling Regulation EC 1272/2008	<u>(CLP)</u>
Hazard pictograms	الله الله الله الله الله الله الله ال
Signal words	: Danger
Hazard statements	: H225 : Highly flammable liquid and vapour. H301 : Toxic if swallowed. H311 : Toxic in contact with skin. H331 : Toxic if inhaled. H370 : Causes damage to organ.
Precautionary statements	
• General	: P102: Keep out of reach of children. P103: Read label before use. P101: If medical advice is needed, have product container or label at hand.
• Prevention	 P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical, ventilating, lighting,, equipment. P210: Keep away from heat, sparks, open flames or hot surfaces No smoking. P280: Wear protective gloves, protective clothing, eye protection, face protection. P271: Use only outdoors or in a well-ventilated area. P260: Do not breathe dust, fume, gas, mist, vapours, spray. P233: Keep container tightly closed. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product.
• Response	: P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor. P307+P311: IF EXPOSED : Call a POISON CENTER or doctor. P302+P352: IF ON SKIN : Wash with plenty of soap and water.

Page : 2



MATERIAL SAFETY DATA SHEET (MSDS)

METHANOL LR (METHYL ALCOHOL)

2. Hazards identification -DSD (continued)		
	P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower. P363: Wash contaminated clothing before reuse. P361: Remove immediately all contaminated clothing. P370+P378: In case of fire: Use for extinction.	
• Storage	: P403+P233: Store in well-ventilated place. Keep container tightly closed. P403+P235: Store in well-ventilated place. Keep cool. P405: Store locked up.	
 Disposal considerations 	 P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. 	
Contains	: Methanol	
2.3. Other hazards		
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	

3. Composition/information on ingredients						
Substance / Preparation	: Me	thanol				
	An	No :200-659 nex No :603- bstance.	-			
Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Methanol	100 %	67-56-1	200-659-6	603-001-00-X		F; R11 T; R23/24/25-39/23/24/25
						Flam. Liq. 2 _ H225 Acute Tox. 3 (skin) _ H311 Acute Tox. 3 (inhal) _ H331 Acute Tox. 3 (oral) _ H301 STOT SE 1 _ H370

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures	
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor.
Skin contact	: Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse.



MATERIAL SAFETY DATA SHEET (MSDS)

METHANOL LR (METHYL ALCOHOL)

: Obtain medical attention if pain, blinking or redness persist. Remove contact lenses if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
: Do NOT induce vomiting. Rinse mouth. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor.
nd effects, both acute and delayed
: Causes damage to organ. Repeated exposure to this material can result in absorption through skin causing significant health hazard. Danger of serious damage to health by prolonged exposure through inhalation. Swallowing a small quantity of this material will result in serious health hazard.
nedical attention and special treatment needed
: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a POISON CENTER or doctor. Specific treatment (see on this label).
1

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
Surrounding fires	: Use water spray or fog for cooling exposed containers.
5.2. Special hazards arising from the	e substance or mixture
Flammable class	: Highly flammable liquid and vapour.
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.
5.3. Advice for fire-fighters	
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

5. Fire-fighting measures

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders	: Equip cleanup crew with proper protection.
	Ventilate area.
	Avoid breathing dust, fume, gas, mist, vapours, spray.

Page: 4

AN ISO 9001: 2015 CERTIFIED



MATERIAL SAFETY DATA SHEET (MSDS) METHANOL LR (METHYL ALCOHOL)

6. Accidental release measures (continued)	
Technical measures	: Use special care to avoid static electric charges.
Special precautions	: Remove ignition sources. No naked lights. No smoking.
For non-emergency personnel	: Evacuate unnecessary personnel.
6.2. Environmental precautions	
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
6.3. Methods and material for cont	ainment and cleaning up
Clean up methods	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

. Handling and storage	
7.1. Precautions for safe handling	
Handling	: Handle empty containers with care because residual vapours are flammable. Do no breathe dust, fume, gas, mist, vapours, spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Use only outdoors or in a well- ventilated area.
Technical protective measures	Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical, ventilating, lighting,, equipment.
Special precautions	: No naked lights. No smoking.
Special precautions 7.2. Conditions for safe storage, in	: No naked lights. No smoking.
Storage	: Keep only in the original container in a cool, well ventilated place. Keep in fireproc

 Storage - away from
 : Storage - away from

 7.3. Specific end use(s)

: None.

8. Exposure controls/personal protection

8.1. Exposure controls

Specific end use(s)

Page: 5



MATERIAL SAFETY DATA SHEET (MSDS) METHANOL LR (METHYL ALCOHOL)

8. Exposure controls/personal protection (continued)

Personal protection	: Avoid all unnecessary exposure.
 Respiratory protection 	 In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
 Hand protection 	: Wear protective gloves.
 Eye protection 	: Chemical goggles or safety glasses.
• Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.
VLA-ED [ppm]	: 200
VLA-ED [mg/m³]	: 266
VLA-EC [ppm]	: 250
VLA-EC [mg/m³]	: 333
ILV (EU) - 8 H - [ppm]	: (200 Skin.)
ILV (EU) - 8 H - [mg/m³]	:(260 Skin.)
OEL (UK)-LTEL [ppm]	: 200
OEL (UK)-STEL [ppm]	: 250

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C Colour Odour Odour threshold	: Liquid. : Colourless : Characteristic : No data available.
pH value	: No data available.
Melting point [°C]	: -98
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: Highly flammable liquid and vapour.
Flash point [°C]	: 11
Boiling point [°C]	: 65
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: 96.5 (20° C)
Vapour pressure mm/Hg	: 96.5 (20° C)



MATERIAL SAFETY DATA SHEET (MSDS) METHANOL LR (METHYL ALCOHOL)

9. Physical and chemical properties (continued)

Vapour density	: N/A	
Density [g/cm3]	: 0.8	
Relative density, gas (air=1)	: 1.1	
Relative density, liquid (water=1)	: N/A	
Solubility in water [% weight]	: Complete.	
Solubility in water	: N/A	
Log Pow octanol / water at 20°C	: No data available.	
Solubility	: N/A	
Viscosity at 40°C [mm2/s]	: N/A	
9.2. Other information		
Explosive properties	: N/A	
Explosion limits - upper [%]	: 36.5	
Explosion limits - lower [%]	: 5.5	

Explosion limits - lower [%]	: 5.5
Oxidising properties	: No data available.

10. Stability and reactivity

<u>10.1. Reactivity</u>		
Reactivity	: Not established.	
10.2. Chemical stability		
Chemical stability	: Stable under recommended storage conditions.	
10.3. Possibility of hazardous reactions		
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Open flame.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.	

Page: 7

AN ISO 9001: 2015 CERTIFIED



MATERIAL SAFETY DATA SHEET (MSDS) METHANOL LR (METHYL ALCOHOL)

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity

• Inhalation	: Toxic if inhaled.
• Dermal	: Toxic in contact with skin.
Ingestion	: Toxic if swallowed.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Causes damage to organ.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: Not established.
12.2. Persistence - degradability	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
Log Pow octanol / water at 20°C	: -0.7
12.5. Results of PBT and vPvB assessment	
Results of PBT and vPvB assessmen	It : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.

Page: 8

OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

METHANOL LR (METHYL ALCOHOL)

13. Disposal considerations

13.1. Waste treatment methods

General	 Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Special precautions	: Hazardous waste due to toxicity. Handle empty containers with care because residual vapours are flammable.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name	: METHANOL
UN N°	: 1230
H.I. nr	: 336
ADR - Class	: 3
Labelling - Transport	: 3 : Flammable liquid. 6.1 : Toxic substances.

ADR - Classification code	: FT1
ADR - Group	: 11
ADR - Packing instructions	: P001
ADR - Limited Quantity	: 1L
ADR - Tunnel code	: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.



📥 🖄

14.2. Sea transport (IMDG) [English only]

Proper shipping name	: METHANOL
UN N°	: 1230
IMO-IMDG - Class or division	: 3 : Flammable liquid. (6.1 : Toxic substances.)
IMO-IMDG - Packing group	: 11
IMO- IMDG - Packing instructions	: P001
IMO-IMDG - Limited quantities	: 1 L
IMO-IMDG - Marine pollution	: No



MATERIAL SAFETY DATA SHEET (MSDS) METHANOL LR (METHYL ALCOHOL)

14. Transport information (continued)

EMS-Nr

: F-E S-D

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	: METHANOL
UN N°	: 1230
IATA - Class or division	: 3 : Flammable liquid. (6.1 : Toxic substances.)
IATA - Packing group	: 11
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 352
- Passenger and Cargo - Maximum	: 1L
Quantity/Packing	
IATA - Cargo only	: ALLOWED
 Cargo only - Packing instruction 	: 364
- Cargo only - Maximum Quantity/	: 60 L
Packing	
IATA - Limited Quantites	: 1L
ERG-Nr	: 3L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. ne
REACH Restrictions - Annex XVII REACH Authorisation - Annex XIV	: The components of this product are not subject to restrictions. : The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.

16. Other information	
Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
List of relevant R phrases (heading 3) : R11 : Highly flammable.	
	R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed. R39/23/24/25 : Toxic : danger of very serious irreversible effects through inhalation,

Page: 10

AN ISO 9001: 2015 CERTIFIED



MATERIAL SAFETY DATA SHEET (MSDS)

METHANOL LR (METHYL ALCOHOL)

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document

Page :11