

MATERIAL SAFETY DATA SHEET (MSDS) METHANOL DRIED (0.02% WATER) AR (METHYL ALCOHOL)

1. Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name : METHANOL DRIED (0.02% WATER) AR (METHYL ALCOHOL) **Product code** : SS0103900500 Identification of the product : Methanol CAS No: 67-56-1 EC No :200-659-6 Annex No :603-001-00-X : CH4O **Chemical formula** 1.2. Relevant identified uses of the substance or mixture and uses advised against : Industrial. For professional use only. Use 1.3. Details of the supplier of the safety data sheet SUVCHEM **Company identification** Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com 1.4. Emergency telephone number Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours] 2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

 Classification
 : F; R11

 T; R23/24/25-R39/23/24/25

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

| Health hazards | : Specific Target Organ Toxicity - Single exposure - Category 1 - Danger (CLP : STOT SE 1) H370 Acute toxicity, Inhalation - Category 3 - Danger (CLP : Acute Tox. 3) H331 Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301 Acute toxicity, dermal - Category 3 - Danger (CLP : Acute Tox. 3) H311 |
|------------------|--|
| Physical hazards | : Flammable liquids - Category 2 - Danger (CLP : Flam. Liq. 2) H225 |



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) METHANOL DRIED (0.02% WATER) AR (METHYL ALCOHOL)

2. Hazards identification -DSD (continued)

Labelling EC 67/548 or EC 1999/45

2.2. Label elements

| Symbol(s) | |
|--------------------------------------|---|
| Symbol(s) | : F : Highly flammable T : Toxic |
| R Phrase(s) | R11 : Highly flammable. R23/24/25 : Toxic by inhalation, in contact with skin and if swallowed. R39/23/24/25 : Toxic : danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed. |
| S Phrase(s) | S1/2 : Keep locked up and out of reach of children. S7 : Keep container tightly closed. S16 : Keep away from sources of ignition - No smoking. S36/37 : Wear suitable protective clothing and gloves. S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible). |
| Contains | : Methanol |
| Labelling Regulation EC 1272/2008 (C | <u>SLP)</u> |
| Hazard pictograms | الله الله الله الله الله الله الله الله |
| Signal words | : Danger |
| Hazard statements | H225 : Highly flammable liquid and vapour. H301 : Toxic if swallowed. H311 : Toxic in contact with skin. H331 : Toxic if inhaled. H370 : Causes damage to organ. |
| Precautionary statements | 5 5 |
| • General | P102: Keep out of reach of children. P103: Read label before use. P101: If medical advice is needed, have product container or label at hand. |
| • Prevention | P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical, ventilating, lighting,, equipment. P210: Keep away from heat, sparks, open flames or hot surfaces No smoking. P280: Wear protective gloves, protective clothing, eye protection, face protection. P271: Use only outdoors or in a well-ventilated area. P260: Do not breathe dust, fume, gas, mist, vapours, spray. P233: Keep container tightly closed. |



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

METHANOL DRIED (0.02% WATER) AR (METHYL ALCOHOL)

| 2. Hazards identification -DSD (continued) | | |
|---|--|--|
| | P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product. | |
| • Response | P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor. P307+P311: IF EXPOSED : Call a POISON CENTER or doctor. P302+P352: IF ON SKIN : Wash with plenty of soap and water. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower. P363: Wash contaminated clothing before reuse. P361: Remove immediately all contaminated clothing. P370+P378: In case of fire: Use for extinction. | |
| Storage | : P403+P233: Store in well-ventilated place. Keep container tightly closed. P403+P235: Store in well-ventilated place. Keep cool. P405: Store locked up. | |
| Disposal considerations | P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. | |
| Contains | : Methanol | |
| 2.3. Other hazards | | |
| Other hazards | : The substance does not fulfil the criteria to be identified as PBT substance or vPvE substance according to Annex XIII of Regulation REACH. | |

| 3. Composition/information on ingredients | | | | | | | |
|---|---|-------------------|---|------------------------|--------------------------|------------|---|
| Substance / Preparation | | : Methanol | | | | | |
| | | An | No :200-659 nex No :603- bstance. | ÷ | | | |
| Substance name Methanol | : | Contents 100 % | CAS No 67-56-1 | EC No 200-659-6 | Annex No 603-001-00-X | REACH Ref. | Classification F; R11 T; R23/24/25-39/23/24/25 |
| | | | | | | | Flam. Liq. 2 _ H225 Acute Tox. 3 (skin) _ H311 Acute Tox. 3 (inhal) _ H331 Acute Tox. 3 (ontal) _ H301 STOT SE 1 _ H370 |

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measures



MATERIAL SAFETY DATA SHEET (MSDS)

METHANOL DRIED (0.02% WATER) AR (METHYL ALCOHOL)

| 4. First aid measures (continued | d) | |
|---|--|--|
| Inhalation | : Remove to fresh air and keep at rest in a position comfortable for breathing. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. | |
| Skin contact | : Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse. | |
| Eye contact | : Obtain medical attention if pain, blinking or redness persist. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. | |
| Ingestion | : Do NOT induce vomiting. Rinse mouth. Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. | |
| 4.2. Most important symptoms and effects, both acute and delayed | | |
| Symptoms relating to use | Causes damage to organ. Repeated exposure to this material can result in absorption through skin causing significant health hazard. Danger of serious damage to health by prolonged exposure through inhalation. Swallowing a small quantity of this material will result in serious health hazard. | |
| 4.3. Indication of any immediate medical attention and special treatment needed | | |
| General information | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a POISON CENTER or doctor. Specific treatment (see on this label). | |

5. Fire-fighting measures

| <u>5.1. Extinguishing media</u> | |
|---|--|
| Suitable extinguishing media Unsuitable extinguishing media Surrounding fires | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers. |
| 5.2. Special hazards arising from the | substance or mixture |
| Flammable class Hazardous combustion products | : Highly flammable liquid and vapour. : Under fire conditions, hazardous fumes will be present. |
| 5.3. Advice for fire-fighters | |
| Protection against fire | : Do not enter fire area without proper protective equipment, including respiratory protection. |
| Special procedures | : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment. |



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

METHANOL DRIED (0.02% WATER) AR (METHYL ALCOHOL)

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| For emergency responders | : Equip cleanup crew with proper protection. Ventilate area. Avoid breathing dust, fume, gas, mist, vapours, spray. | |
|---|--|--|
| Technical measures | : Use special care to avoid static electric charges. | |
| Special precautions | : Remove ignition sources. No naked lights. No smoking. | |
| For non-emergency personnel | : Evacuate unnecessary personnel. | |
| 6.2. Environmental precautions Environmental precautions | : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. | |
| 6.3. Methods and material for containment and cleaning up | | |
| Clean up methods | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage. | |

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling

| Handling | : Handle empty containers with care because residual vapours are flammable. Do not breathe dust, fume, gas, mist, vapours, spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. |
|--|---|
| Technical protective measures | Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical, ventilating, lighting,, equipment. |
| Special precautions | : No naked lights. No smoking. |
| 7.2. Conditions for safe storage, incl | uding any incompatibilities |
| | |
| Storage | : Keep only in the original container in a cool, well ventilated place. Keep in fireproof place. Ground/bond container and receiving equipment. Keep container tightly closed. |
| Storage Storage - away from | place. Ground/bond container and receiving equipment. Keep container tightly |



MATERIAL SAFETY DATA SHEET (MSDS)

METHANOL DRIED (0.02% WATER) AR (METHYL ALCOHOL)

7. Handling and storage (continued) Specific end use(s)

: None.

8. Exposure controls/personal protection

8.1. Exposure controls

| Personal protection: Avoid all unnecessary exposure.• Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.• Hand protection: Wear protective gloves.• Eye protection: Chemical goggles or safety glasses.• Others: When using, do not eat, drink or smoke.8.2. Control parameters: When using, do not eat, drink or smoke.VLA-ED [ppm]: 200VLA-ED [mg/m³]: 266VLA-EC [ppm]: 250VLA-EC [mg/m³]: (200 Skin.)ILV (EU) - 8 H - [mg/m³]: (260 Skin.)OEL (UK)-LTEL [ppm]: 200OEL (UK)-LTEL [ppm]: 220 | | |
|---|--|--|
| Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.• Hand protection: Wear protective gloves.• Eye protection: Chemical goggles or safety glasses.• Others: When using, do not eat, drink or smoke.8.2. Control parameters: When using, do not eat, drink or smoke.VLA-ED [ppm]: 200VLA-ED [mg/m³]: 266VLA-EC [mg/m³]: 250VLA-EC [mg/m³]: 333ILV (EU) - 8 H - [mg/m³]: (200 Skin.)ILV (EU) - 8 H - [mg/m³]: (260 Skin.)OEL (UK)-LTEL [ppm]: 200 | Personal protection | : Avoid all unnecessary exposure. |
| • Eye protection: Chemical goggles or safety glasses.• Others: When using, do not eat, drink or smoke.8.2. Control parameters: Wo data available.VLA-ED [ppm]: No data available.VLA-ED [mg/m³]: 200VLA-EC [mg/m³]: 266VLA-EC [mg/m³]: 333ILV (EU) - 8 H - [ppm]: (200 Skin.)ILV (EU) - 8 H - [mg/m³]: (260 Skin.)OEL (UK)-LTEL [ppm]: 200 | Respiratory protection | Where exposure through inhalation may occur from use, respiratory protection |
| • Others: When using, do not eat, drink or smoke.8.2. Control parametersOccupational Exposure Limits: No data available.VLA-ED [ppm]: 200VLA-ED [mg/m³]: 266VLA-EC [ppm]: 250VLA-EC [mg/m³]: 333ILV (EU) - 8 H - [ppm]: (200 Skin.)ILV (EU) - 8 H - [mg/m³]: (260 Skin.)OEL (UK)-LTEL [ppm]: 200 | Hand protection | : Wear protective gloves. |
| 8.2. Control parameters Occupational Exposure Limits : No data available. VLA-ED [ppm] : 200 VLA-ED [mg/m³] : 266 VLA-EC [ppm] : 250 VLA-EC [mg/m³] : 333 ILV (EU) - 8 H - [ppm] : (200 Skin.) ILV (EU) - 8 H - [mg/m³] : (260 Skin.) OEL (UK)-LTEL [ppm] : 200 | Eye protection | : Chemical goggles or safety glasses. |
| Occupational Exposure Limits : No data available. VLA-ED [ppm] : 200 VLA-ED [mg/m³] : 266 VLA-EC [ppm] : 250 VLA-EC [mg/m³] : 333 ILV (EU) - 8 H - [ppm] : (200 Skin.) ILV (EU) - 8 H - [mg/m³] : (260 Skin.) OEL (UK)-LTEL [ppm] : 200 | Others | : When using, do not eat, drink or smoke. |
| VLA-ED [ppm] : 200 VLA-ED [mg/m³] : 266 VLA-EC [ppm] : 250 VLA-EC [mg/m³] : 333 ILV (EU) - 8 H - [ppm] : (200 Skin.) ILV (EU) - 8 H - [mg/m³] : (260 Skin.) OEL (UK)-LTEL [ppm] : 200 | 8.2. Control parameters | |
| VLA-ED [mg/m³] : 266 VLA-EC [ppm] : 250 VLA-EC [mg/m³] : 333 ILV (EU) - 8 H - [ppm] : (200 Skin.) ILV (EU) - 8 H - [mg/m³] : (260 Skin.) OEL (UK)-LTEL [ppm] : 200 | Occupational Exposure Limits | : No data available. |
| VLA-EC [ppm] : 250 VLA-EC [mg/m³] : 333 ILV (EU) - 8 H - [ppm] : (200 Skin.) ILV (EU) - 8 H - [mg/m³] : (260 Skin.) OEL (UK)-LTEL [ppm] : 200 | VLA-ED [ppm] | : 200 |
| VLA-EC [mg/m³] : 333 ILV (EU) - 8 H - [ppm] : (200 Skin.) ILV (EU) - 8 H - [mg/m³] : (260 Skin.) OEL (UK)-LTEL [ppm] : 200 | VLA-ED [mg/m³] | : 266 |
| ILV (EU) - 8 H - [ppm] : (200 Skin.) ILV (EU) - 8 H - [mg/m³] : (260 Skin.) OEL (UK)-LTEL [ppm] : 200 | VLA-EC [ppm] | : 250 |
| ILV (EU) - 8 H - [mg/m³] : (260 Skin.) OEL (UK)-LTEL [ppm] : 200 | VLA-EC [mg/m³] | : 333 |
| OEL (UK)-LTEL [ppm] : 200 | ILV (EU) - 8 H - [ppm] | : (200 Skin.) |
| | ILV (EU) - 8 H - [mg/m³] | : (260 Skin.) |
| OFI (IIK)-STEI [ppm] | OEL (UK)-LTEL [ppm] | : 200 |
| | OEL (UK)-STEL [ppm] | : 250 |

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Colour : Colourless |
|--|
| |
| Odour : Characteristic |
| Odour threshold : No data available. |
| pH value : No data available. |
| Melting point [°C] : -98 |
| Decomposition point [°C] : N/A |
| Critical temperature [°C] : N/A |
| Auto-ignition temperature [°C] : N/A |
| Flammability (solid, gas): Highly flammable liquid and vapour. |



MATERIAL SAFETY DATA SHEET (MSDS)

METHANOL DRIED (0.02% WATER) AR (METHYL ALCOHOL)

9. Physical and chemical properties (continued)

| Flash point [°C] | : 11 |
|------------------------------------|----------------------|
| Boiling point [°C] | : 65 |
| Initial boiling point [°C] | : N/A |
| Final boiling point [°C] | : N/A |
| Evaporation rate | : N/A |
| Vapour pressure [20°C] | : 96.5 (20° C) |
| Vapour pressure mm/Hg | : 96.5 (20° C) |
| Vapour density | : N/A |
| Density [g/cm3] | : 0.8 |
| Relative density, gas (air=1) | : 1.1 |
| Relative density, liquid (water=1) | : N/A |
| Solubility in water [% weight] | : Complete. |
| Solubility in water | : N/A |
| Log Pow octanol / water at 20°C | : No data available. |
| Solubility | : N/A |
| Viscosity at 40°C [mm2/s] | : N/A |
| 9.2. Other information | |
| Explosive properties | : N/A |
| Explosion limits - upper [%] | : 36.5 |
| Explosion limits - lower [%] | : 5.5 |
| Oxidising properties | : No data available. |
| | |

10. Stability and reactivity

| <u>10.1. Reactivity</u> | | | |
|--|--|--|--|
| Reactivity | : Not established. | | |
| 10.2. Chemical stability | | | |
| Chemical stability | : Stable under recommended storage conditions. | | |
| 10.3. Possibility of hazardous reactions | | | |
| Hazardous reactions | : Not established. | | |
| 10.4. Conditions to avoid | | | |
| Conditions to avoid | : Direct sunlight. Extremely high or low temperatures. Open flame. | | |



MATERIAL SAFETY DATA SHEET (MSDS)

METHANOL DRIED (0.02% WATER) AR (METHYL ALCOHOL)

10. Stability and reactivity (continued)

10.5. Incompatible materials

Materials to avoid

: Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.

11. Toxicological information

11.1. Information on toxicological effects

| Acute | toxi | city |
|-------|------|------|
|-------|------|------|

| Inhalation | : Toxic if inhaled. |
|------------------------|---|
| • Dermal | : Toxic in contact with skin. |
| Ingestion | : Toxic if swallowed. |
| Corrosion | : Based on available data, the classification criteria are not met. |
| Irritation | : Based on available data, the classification criteria are not met. |
| Sensitization | : Based on available data, the classification criteria are not met. |
| Mutagenicity | : Based on available data, the classification criteria are not met. |
| Carcinogenicity | : Based on available data, the classification criteria are not met. |
| Toxic for reproduction | : Based on available data, the classification criteria are not met. |
| STOT-single exposure | : Causes damage to organ. |
| STOT-repeated exposure | : Based on available data, the classification criteria are not met. |
| Aspiration hazard | : Based on available data, the classification criteria are not met. |

12. Ecological information

| <u>12.1. Toxicity</u> | |
|---|--------------------|
| Toxicity information | : Not established. |
| <u> 12.2. Persistence - degradability</u> | |
| Persistence - degradability | : Biodegradable. |
| 12.3. Bioaccumulative potential | |
| Bioaccumulative potential | : Not established. |



MATERIAL SAFETY DATA SHEET (MSDS)

METHANOL DRIED (0.02% WATER) AR (METHYL ALCOHOL)

| 12. Ecological information (continued) | | |
|--|---|--|
| <u>12.4. Mobility in soil</u> | | |
| Mobility in soil Log Pow octanol / water at 20°C | : Not established. : -0.7 | |
| 12.5. Results of PBT and vPvB assessment | | |
| Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH. | | |
| 12.6. Other adverse effects | | |
| Environmental precautions | : Avoid release to the environment. | |
| 13. Disposal considerations | | |
| · · · · · · · · · · · · · · · · · · · | | |
| 13.1. Waste treatment methods | | |
| General | : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. | |
| Special precautions | Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Hazardous waste due to toxicity. Handle empty containers with care because residual vapours are flammable. | |
| 14. Transport information | | |
| | | |

<u>14.1. Land transport (ADR-RID)</u> Proper shipping name

| Proper shipping name | : METHANOL |
|---------------------------|---|
| UN N° | : 1230 |
| H.I. nr | : 336 |
| ADR - Class | : 3 |
| Labelling - Transport | : 3 : Flammable liquid. 6.1 : Toxic substances. |
| | |
| ADR - Classification code | : FT1 |

| ADR - Classification code | : FT1 |
|----------------------------|--------|
| ADR - Group | : 11 |
| ADR - Packing instructions | : P001 |



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

METHANOL DRIED (0.02% WATER) AR (METHYL ALCOHOL)

14. Transport information (continued)

ADR - Limited Quantity ADR - Tunnel code

- :1L
- : D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.



14.2. Sea transport (IMDG) [English only]

| Proper shipping name | : METHANOL |
|----------------------------------|---|
| UN N° | : 1230 |
| IMO-IMDG - Class or division | : 3 : Flammable liquid. (6.1 : Toxic substances.) |
| IMO-IMDG - Packing group | : 11 |
| IMO- IMDG - Packing instructions | : P001 |
| IMO-IMDG - Limited quantities | : 1 L |
| IMO-IMDG - Marine pollution | : No |
| EMS-Nr | : F-E S-D |

14.3. Air transport (ICAO-IATA) [English only]

| Proper shipping name | : METHANOL |
|---|---|
| UN N° | : 1230 |
| IATA - Class or division | : 3 : Flammable liquid. (6.1 : Toxic substances.) |
| IATA - Packing group | : 11 |
| IATA - Passenger and Cargo Aircraft | : ALLOWED |
| - Passenger and Cargo - Packing instruction | : 352 |
| - Passenger and Cargo - Maximum Quantity/Packing | : 1 L |
| IATA - Cargo only | : ALLOWED |
| - Cargo only - Packing instruction | : 364 |
| - Cargo only - Maximum Quantity/ Packing | : 60 L |
| IATA - Limited Quantites | : 1 L |
| ERG-Nr | : 3L |

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



MATERIAL SAFETY DATA SHEET (MSDS)

METHANOL DRIED (0.02% WATER) AR (METHYL ALCOHOL)

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document