

# MATERIAL SAFETY DATA SHEET (MSDS)

# iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER

## 1. Identification of the substance/mixture and of the company/undertaking

<u>1.1. Product identifier</u>		
Trade name	: iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER	
Product code	: SS0106100500	
Identification of the product	: Amyl alcohol (except tert-pentanol) CAS No :123-51-3	
	EC No :204-633-5	
	Annex No :603-006-00-7	
	Alliex No :003-000-00-7	
1.2. Relevant identified uses of the su	bstance or mixture and uses advised against	
Use	: Industrial. For professional use only.	
1.3. Details of the supplier of the safety data sheet		
1.3. Details of the supplier of the safe	<u>iy data sheet</u>	
	SUVCHEM	
Company identification	SUVCHEM	
	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road,	
	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062,	
	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India.	
	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95	
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India.	
	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95	
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com	
Company identification <u>1.4. Emergency telephone number</u>	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95	

## 2. Hazards identification -DSD

## 2.1. Classification of the substance or mixture

#### Classification EC 67/548 or EC 1999/45

Classification	: R10
	Xn; R20
	R66
	Xi; R37

### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards	: Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation - Category 3 - Warning (CLP : STOT SE 3) H335 Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332
Physical hazards	: Flammable liquids - Category 3 - Warning (CLP : Flam. Liq. 3) H226
2.2. Label elements	

#### **OM SHREE GANESHYA NAMAH**



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**

## 2. Hazards identification -DSD (continued)

#### Labelling EC 67/548 or EC 1999/45

Symbol(s)



Countral (a)	. Ya di kazaful	
Symbol(s)	: Xn : Harmful : R10 : Flammable.	
R Phrase(s)	R20 : Harmful by inhalation.	
	R37 : Irritating to respiratory system.	
	R66 : Repeated exposure may cause skin dryness or cracking.	
S Phrase(s)	: S2 : Keep out of the reach of children. S46 : If swallowed seek medical advice immediately and show this container or	
	label.	
Contains	: Amyl alcohol (except tert-pentanol)	
Labelling Regulation EC 1272/2008 (C	<u>SLP)</u>	
Hazard pictograms		
	$\vee$ $\vee$	
Signal words	: Warning	
Hazard statements	: H226 : Flammable liquid and vapour.	
	H332 : Harmful if inhaled. H335 : May cause respiratory irritation.	
Precautionary statements	1333 . May cause respiratory initiation.	
General	: P102: Keep out of reach of children.	
	P103: Read label before use.	
	P101: If medical advice is needed, have product container or label at hand.	
Prevention	: P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical, ventilating, lighting,, equipment.	
	P210: Keep away from heat, sparks, open flames or hot surfaces No smoking.	
	P280: Wear protective gloves, protective clothing, eye protection, face protection.	
	P271: Use only outdoors or in a well-ventilated area. P261: Avoid breathing dust, fume, gas, mist, vapours, spray.	
	P233: Keep container tightly closed.	
Response	: P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position	
	comfortable for breathing. P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated	
	clothing. Rinse skin with water/shower.	
	P370+P378: In case of fire: Use for extinction.	
Storage	: P403+P233: Store in well-ventilated place. Keep container tightly closed. P403+P235: Store in well-ventilated place. Keep cool.	
	P405+P255. Store in weil-ventilated place. Reep cool. P405: Store locked up.	



# MATERIAL SAFETY DATA SHEET (MSDS)

# **iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**

2. Hazards identification -DSD (continued)		
<ul> <li>Disposal considerations</li> </ul>	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	
Contains	: Amyl alcohol (except tert-pentanol)	
2.3. Other hazards		
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	

3. Composition/information on ingredients						
Substance / Preparation	CA EC An	: Amyl alcohol (except tert-pentanol) CAS No :123-51-3 EC No :204-633-5 Annex No :603-006-00-7 Substance.				
Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Amyl alcohol (except tert-	100 %	123-51-3	204-633-5	603-006-00-7		R10 Xn; R20 R66 Xi; R37
						Flam. Liq. 3 _ H226 Acute Tox. 4 (inhal) _ H332 STOT SE 3 _ H335 STOT RE _ EUH066

Contains no other components or impurities which will influence the classification of the product.

## 4. First aid measures

## 4.1. Description of first aid measures

Inhalation	: Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep at rest in a position comfortable for breathing.	
Skin contact	: Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water.	
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.	
Ingestion	: Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms relating to use	. Danger of serious damage to health by prolonged exposure through inhalation. May	
Symptoms relating to use	: Danger of serious damage to health by prolonged exposure through inhalation. May cause respiratory irritation. Repeated exposure may cause skin dryness or cracking.	
	cause respiratory irritation. Repeated exposure may cause skin dryness or cracking.	
	cause respiratory irritation.	
	cause respiratory irritation. Repeated exposure may cause skin dryness or cracking.	



# MATERIAL SAFETY DATA SHEET (MSDS)

# **iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**

# 5. Fire-fighting measures

5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.	
5.2. Special hazards arising from the substance or mixture		
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.	
5.3. Advice for fire-fighters		
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.	
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.	

## 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.	
Technical measures	: Use special care to avoid static electric charges.	
Special precautions	: Remove ignition sources. No naked lights. No smoking.	
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.	
6.3. Methods and material for containment and cleaning up		
Clean up methods	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	

### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

## 7. Handling and storage

### 7.1. Precautions for safe handling



# MATERIAL SAFETY DATA SHEET (MSDS)

# **iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**

7. Handling and storage (continued)			
Handling	<ul> <li>Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.</li> <li>Handle empty containers with care because residual vapours are flammable. Use only outdoors or in a well-ventilated area. Avoid breathing dust, fume, gas, mist, vapours, spray. Take precautionary measures against static discharge.</li> </ul>		
Technical protective measures	Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical, ventilating, lighting,, equipment. Use only non- sparking tools.		
Special precautions	: No naked lights. No smoking. Avoid breathing dust, fume, gas, mist, vapours, spray.		
7.2. Conditions for safe storage, inc	cluding any incompatibilities		
Storage	: Keep only in the original container in a cool, well ventilated place. Keep in fireproof place. Ground/bond container and receiving equipment. Keep container tightly closed.		
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.		
<u>7.3. Specific end use(s)</u>			
Specific end use(s)	: None.		

### 8. Exposure controls/personal protection

8.1. Exposure controls	
Personal protection	: Avoid all unnecessary exposure.
<ul> <li>Respiratory protection</li> </ul>	: In case of insufficient ventilation, wear suitable respiratory equipment.
<ul> <li>Hand protection</li> </ul>	: Wear protective gloves.
<ul> <li>Eye protection</li> </ul>	: Chemical goggles or safety glasses.
• Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Clear Colorless
Odour	: N/A
Odour threshold	: No data available.



# MATERIAL SAFETY DATA SHEET (MSDS)

# **iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**

## 9. Physical and chemical properties (continued)

pH value	: No data available.
Melting point [°C]	: -117 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
	Flammable liquid and vapour.
Flash point [°C]	: 43 °C
Boiling point [°C]	: 130 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: 3 hPa at 20 °C
Vapour pressure mm/Hg	: N/A
Vapour density	: 3,04
Density [g/cm3]	: 0,801
Relative density, gas (air=1)	: 0,809
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: N/A
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	:5.6 at 25 g/l at 20
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: 9,00%
Explosion limits - lower [%]	: 1,20%
Oxidising properties	: No data available.

## 10. Stability and reactivity

<u>10.1. Reactivity</u>	
Reactivity	: Not established.
10.2. Chemical stability	
Chemical stability	: Stable under recommended storage conditions.
<u>10.3. Possibility of hazardous reacti</u>	ons



# MATERIAL SAFETY DATA SHEET (MSDS)

# **iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**

10. Stability and reactivity (continued)	
Hazardous reactions	: Not established.
10.4. Conditions to avoid	
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.
10.5. Incompatible materials	
Materials to avoid	: Strong acids. Strong bases.
10.6. Hazardous decomposition products	
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.

### 11. Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	
Inhalation	: Harmful if inhaled.
• Dermal	: Based on available data, the classification criteria are not met.
<ul> <li>Ingestion</li> </ul>	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: May cause respiratory irritation. Repeated exposure may cause skin dryness or cracking.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

## 12. Ecological information

12.1. Toxicity

**Toxicity information** 

: Not established.

12.2. Persistence - degradability



# MATERIAL SAFETY DATA SHEET (MSDS)

# iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER

12. Ecological information (conti	nued)
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.
12.5. Results of PBT and vPvB as	sessment
Results of PBT and vPvB assessr	<b>nent</b> : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.
12.6. Other adverse effects	
Environmental precautions	: Avoid release to the environment.
13. Disposal considerations	
13.1. Waste treatment methods	
General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection
Special precautions	point, in accordance with local, regional, national and/or international regulation. : Handle empty containers with care because residual vapours are flammable.
14. Transport information	
14.1. Land transport (ADR-RID)	
Proper shipping name UN N° H.I. nr ADR - Class Labelling - Transport	: PENTANOLS : 1105 : 30 : 3 : 3 : Flammable liquid.
ADR - Classification code ADR - Group	: F1 : III



# MATERIAL SAFETY DATA SHEET (MSDS)

# **iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**

## 14. Transport information (continued)

ADR - Packing instructions ADR - Limited Quantity ADR - Tunnel code : P001 R001 LP001



: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

### 14.2. Sea transport (IMDG) [English only]

Proper shipping name	: PENTANOLS
UN N°	: 1105
IMO-IMDG - Class or division	: 3 : Flammable liquid.
IMO-IMDG - Packing group	: 111
IMO- IMDG - Packing instructions	: P001 LP01
IMO-IMDG - Limited quantities	: 5 L
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-E S-D

### 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	: PENTANOLS
UN N°	: 1105
IATA - Class or division	: 3 : Flammable liquid.
IATA - Packing group	: 111
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 355
- Passenger and Cargo - Maximum	: 60 L
Quantity/Packing	
IATA - Cargo only	: ALLOWED
<ul> <li>Cargo only - Packing instruction</li> </ul>	: 366
<ul> <li>Cargo only - Maximum Quantity/</li> </ul>	: 220 L
Packing	
IATA - Limited Quantites	: 10 L
ERG-Nr	: 3L

### 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



# MATERIAL SAFETY DATA SHEET (MSDS)

# **iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**

Revision       : Revision - See : *         Abbreviations and acronyms       : PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative         Sources of key data used       : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF	15. Regulatory information (continue	15. Regulatory information (continued)	
REACH Authorisation - Annex XIV       : The components of this product are not subject to authorization.         15.2. Chemical Safety Assessment       : It has not been carried out.         16. Other information       : Revision - See : *         Abbreviations and acronyms       : PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative         Sources of key data used       : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006         List of relevant R phrases (heading 3): R10 : Flammable. R20 : Harmful by inhalation. R37 : Irritating to respiratory system. R66 : Repeated exposure may cause skin dryness or cracking.         List of full text of H-statements in section 3       : H226 : Flammable liquid and vapour. H332 : Harmful if inhaled. H335 : May cause respiratory irritation. EUH066: Repeated exposure may cause skin dryness or cracking.	regulations/legislation specific for the		
15.2. Chemical Safety Assessment         Chemical Safety Assessment       : It has not been carried out.         16. Other information         Revision       : Revision - See : *         Abbreviations and acronyms       : PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative         Sources of key data used       : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006         List of relevant R phrases (heading 3)       : R10 : Flammable. R20 : Harmful by inhalation. R37 : Irritating to respiratory system. R66 : Repeated exposure may cause skin dryness or cracking.         List of full text of H-statements in section 3       : H226 : Flammable liquid and vapour. H332 : Harmful if inhaled. H335 : May cause respiratory irritation. EUH066: Repeated exposure may cause skin dryness or cracking.	<b>REACH Restrictions - Annex XVII</b>	: The components of this product are not subject to restrictions.	
Chemical Safety Assessment       : It has not been carried out.         16. Other information	<b>REACH</b> Authorisation - Annex XIV	: The components of this product are not subject to authorization.	
16. Other information         Revision       : Revision - See : *         Abbreviations and acronyms       : PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative         Sources of key data used       : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006         List of relevant R phrases (heading 3) : R10 : Flammable. R20 : Harmful by inhalation. R37 : Irritating to respiratory system. R66 : Repeated exposure may cause skin dryness or cracking.         List of full text of H-statements in section 3       : H226 : Flammable liquid and vapour. H332 : Harmful if inhaled. H335 : May cause respiratory irritation. EUH066: Repeated exposure may cause skin dryness or cracking.	15.2. Chemical Safety Assessment		
Revision       : Revision - See : *         Abbreviations and acronyms       : PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative         Sources of key data used       : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006         List of relevant R phrases (heading 3) : R10 : Flammable. R20 : Harmful by inhalation. R37 : Irritating to respiratory system. R66 : Repeated exposure may cause skin dryness or cracking.         List of full text of H-statements in section 3       : H226 : Flammable liquid and vapour. H332 : Harmful if inhaled. H335 : May cause respiratory irritation. EUH066: Repeated exposure may cause skin dryness or cracking.	Chemical Safety Assessment	: It has not been carried out.	
Revision       : Revision - See : *         Abbreviations and acronyms       : PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative         Sources of key data used       : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006         List of relevant R phrases (heading 3) : R10 : Flammable. R20 : Harmful by inhalation. R37 : Irritating to respiratory system. R66 : Repeated exposure may cause skin dryness or cracking.         List of full text of H-statements in section 3       : H226 : Flammable liquid and vapour. H332 : Harmful if inhaled. H335 : May cause respiratory irritation. EUH066: Repeated exposure may cause skin dryness or cracking.			
Abbreviations and acronyms: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulativeSources of key data used: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging or substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006List of relevant R phrases (heading 3): R10 : Flammable. R20 : Harmful by inhalation. R37 : Irritating to respiratory system. R66 : Repeated exposure may cause skin dryness or cracking.List of full text of H-statements in section 3: H226 : Flammable liquid and vapour. H332 : Harmful if inhaled. H335 : May cause respiratory irritation. EUH066: Repeated exposure may cause skin dryness or cracking.	16. Other information		
<ul> <li>vPvB: very persistent and very bioaccumulative</li> <li>Sources of key data used</li> <li>REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006</li> <li>List of relevant R phrases (heading 3) : R10 : Flammable. R20 : Harmful by inhalation. R37 : Irritating to respiratory system. R66 : Repeated exposure may cause skin dryness or cracking.</li> <li>List of full text of H-statements in section 3</li> <li>H226 : Flammable liquid and vapour. H332 : Harmful if inhaled. H335 : May cause respiratory irritation. EUH066: Repeated exposure may cause skin dryness or cracking.</li> </ul>	Revision	: Revision - See : *	
THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006List of relevant R phrases (heading 3) : R10 : Flammable. R20 : Harmful by inhalation. R37 : Irritating to respiratory system. R66 : Repeated exposure may cause skin dryness or cracking.List of full text of H-statements in section 3: H226 : Flammable liquid and vapour. H332 : Harmful if inhaled. H335 : May cause respiratory irritation. EUH066: Repeated exposure may cause skin dryness or cracking.	Abbreviations and acronyms		
R20 : Harmful by inhalation. R37 : Irritating to respiratory system. R66 : Repeated exposure may cause skin dryness or cracking.List of full text of H-statements in section 3: H226 : Flammable liquid and vapour. H332 : Harmful if inhaled. H335 : May cause respiratory irritation. EUH066: Repeated exposure may cause skin dryness or cracking.	Sources of key data used		
List of full text of H-statements in section 3R37 : Irritating to respiratory system. R66 : Repeated exposure may cause skin dryness or cracking.List of full text of H-statements in section 3: H226 : Flammable liquid and vapour. H332 : Harmful if inhaled. H335 : May cause respiratory irritation. EUH066: Repeated exposure may cause skin dryness or cracking.	List of relevant R phrases (heading 3,	) : R10 : Flammable.	
section 3H332 : Harmful if inhaled.H335 : May cause respiratory irritation.EUH066: Repeated exposure may cause skin dryness or cracking.		R37 : Irritating to respiratory system.	
Further information : None.		H332 : Harmful if inhaled. H335 : May cause respiratory irritation.	
	Further information	: None.	

storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

## DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its comprehensiveness
  or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly
  trained person using this product.

End of document

Page: 10

AN ISO 9001: 2015 CERTIFIED