

CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.  
 CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER

#### 1. Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Trade name : iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER

Product code : SS0106102500

Identification of the product : Amyl alcohol (except tert-pentanol)  
 CAS No :123-51-3  
 EC No :204-633-5  
 Annex No :603-006-00-7

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

##### 1.3. Details of the supplier of the safety data sheet

Company identification : SUVCHEM  
 Chaitanya Tower, 2nd Floor, Office # 206,  
 Siddharth Nagar, S.V. Road,  
 Goregaon (West), Mumbai - 400062,  
 Maharashtra, India.  
 Contact: +91 22 28725393 / 94 / 95  
 Email ID: info@suvchem.com/care@suvchem.com

##### 1.4. Emergency telephone number

Phone no. : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

##### 2.1. Classification of the substance or mixture

##### Classification EC 67/548 or EC 1999/45

Classification : R10  
 Xn; R20  
 R66  
 Xi; R37

##### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -  
 Category 3 - Warning (CLP : STOT SE 3) H335  
 Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332

Physical hazards : Flammable liquids - Category 3 - Warning (CLP : Flam. Liq. 3) H226

##### 2.2. Label elements

**MATERIAL SAFETY DATA SHEET (MSDS)**
**iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**
**2. Hazards identification -DSD (continued)**
**Labelling EC 67/548 or EC 1999/45**
**Symbol(s)**

**Symbol(s)**

: Xn : Harmful

**R Phrase(s)**

: R10 : Flammable.

R20 : Harmful by inhalation.

R37 : Irritating to respiratory system.

R66 : Repeated exposure may cause skin dryness or cracking.

**S Phrase(s)**

: S2 : Keep out of the reach of children.

S46 : If swallowed seek medical advice immediately and show this container or label.

**Contains**

: Amyl alcohol (except tert-pentanol)

**Labelling Regulation EC 1272/2008 (CLP)**
**Hazard pictograms**

**Signal words**

: Warning

**Hazard statements**

: H226 : Flammable liquid and vapour.

H332 : Harmful if inhaled.

H335 : May cause respiratory irritation.

**Precautionary statements**
**• General**

: P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

**• Prevention**

: P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical, ventilating, lighting, ..., equipment.

P210: Keep away from heat, sparks, open flames or hot surfaces. - No smoking.

P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P233: Keep container tightly closed.

**• Response**

: P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.

P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower.

P370+P378: In case of fire: Use for extinction.

**• Storage**

: P403+P233: Store in well-ventilated place. Keep container tightly closed.

P403+P235: Store in well-ventilated place. Keep cool.

P405: Store locked up.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**
**2. Hazards identification -DSD (continued)**

- **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Contains** : Amyl alcohol (except tert-pentanol)

**2.3. Other hazards**

- Other hazards** : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

**3. Composition/information on ingredients**

- Substance / Preparation** : Amyl alcohol (except tert-pentanol)  
 CAS No :123-51-3  
 EC No :204-633-5  
 Annex No :603-006-00-7  
 Substance.

Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Amyl alcohol (except tert-pentanol)	100 %	123-51-3	204-633-5	603-006-00-7	-----	R10 Xn; R20 R66 Xi; R37 ----- Flam. Liq. 3 _ H226 Acute Tox. 4 (inhal) _ H332 STOT SE 3 _ H335 STOT RE _ EUH066

Contains no other components or impurities which will influence the classification of the product.

**4. First aid measures**
**4.1. Description of first aid measures**

- Inhalation** : Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep at rest in a position comfortable for breathing.
- Skin contact** : Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water.
- Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
- Ingestion** : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

- Symptoms relating to use** : Danger of serious damage to health by prolonged exposure through inhalation. May cause respiratory irritation.  
 Repeated exposure may cause skin dryness or cracking.

**4.3. Indication of any immediate medical attention and special treatment needed**

- General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**MATERIAL SAFETY DATA SHEET (MSDS)**
**iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**
**5. Fire-fighting measures**
**5.1. Extinguishing media**

**Suitable extinguishing media** : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media** : Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.

**5.2. Special hazards arising from the substance or mixture**

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

**5.3. Advice for fire-fighters**

**Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.

**Special procedures** : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

**6. Accidental release measures**
**6.1. Personal precautions, protective equipment and emergency procedures**

**For emergency responders** : Equip cleanup crew with proper protection.  
Ventilate area.

**Technical measures** : Use special care to avoid static electric charges.

**Special precautions** : Remove ignition sources. No naked lights. No smoking.

**For non-emergency personnel** : Evacuate unnecessary personnel.

**6.2. Environmental precautions**

**Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

**6.3. Methods and material for containment and cleaning up**

**Clean up methods** : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

**6.4. Reference to other sections**

See section 8. Exposure controls/personal protection

**7. Handling and storage**
**7.1. Precautions for safe handling**

**MATERIAL SAFETY DATA SHEET (MSDS)**
**iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**
**7. Handling and storage (continued)**

<b>Handling</b>	: Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Handle empty containers with care because residual vapours are flammable. Use only outdoors or in a well-ventilated area. Avoid breathing dust, fume, gas, mist, vapours, spray. Take precautionary measures against static discharge.
<b>Technical protective measures</b>	: Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical, ventilating, lighting, ..., equipment. Use only non-sparking tools.
<b>Special precautions</b>	: No naked lights. No smoking. Avoid breathing dust, fume, gas, mist, vapours, spray.

**7.2. Conditions for safe storage, including any incompatibilities**

<b>Storage</b>	: Keep only in the original container in a cool, well ventilated place. Keep in fireproof place. Ground/bond container and receiving equipment. Keep container tightly closed.
<b>Storage - away from</b>	: Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.

**7.3. Specific end use(s)**

<b>Specific end use(s)</b>	: None.
----------------------------	---------

**8. Exposure controls/personal protection**
**8.1. Exposure controls**

<b>Personal protection</b>	: Avoid all unnecessary exposure.
• <b>Respiratory protection</b>	: In case of insufficient ventilation, wear suitable respiratory equipment.
• <b>Hand protection</b>	: Wear protective gloves.
• <b>Eye protection</b>	: Chemical goggles or safety glasses.
• <b>Others</b>	: When using, do not eat, drink or smoke.

**8.2. Control parameters**

<b>Occupational Exposure Limits</b>	: No data available.
-------------------------------------	----------------------

**9. Physical and chemical properties**
**9.1. Information on basic physical and chemical properties**

<b>Physical state at 20 °C</b>	: Liquid.
<b>Colour</b>	: Clear Colorless
<b>Odour</b>	: N/A
<b>Odour threshold</b>	: No data available.

**MATERIAL SAFETY DATA SHEET (MSDS)**
**iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**
**9. Physical and chemical properties (continued)**

pH value	: No data available.
Melting point [°C]	: -117 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A Flammable liquid and vapour.
Flash point [°C]	: 43 °C
Boiling point [°C]	: 130 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: 3 hPa at 20 °C
Vapour pressure mm/Hg	: N/A
Vapour density	: 3,04
Density [g/cm <sup>3</sup> ]	: 0,801
Relative density, gas (air=1)	: 0,809
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: N/A
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 5.6 at 25 g/l at 20
Viscosity at 40°C [mm <sup>2</sup> /s]	: N/A

**9.2. Other information**

Explosive properties	: N/A
Explosion limits - upper [%]	: 9,00%
Explosion limits - lower [%]	: 1,20%
Oxidising properties	: No data available.

**10. Stability and reactivity**
**10.1. Reactivity**

Reactivity	: Not established.
------------	--------------------

**10.2. Chemical stability**

Chemical stability	: Stable under recommended storage conditions.
--------------------	--

**10.3. Possibility of hazardous reactions**

**MATERIAL SAFETY DATA SHEET (MSDS)**
**iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**
**10. Stability and reactivity (continued)**

Hazardous reactions : Not established.

**10.4. Conditions to avoid**

Conditions to avoid : Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

**10.5. Incompatible materials**

Materials to avoid : Strong acids. Strong bases.

**10.6. Hazardous decomposition products**

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.  
May release flammable gases.

**11. Toxicological information**
**11.1. Information on toxicological effects**
**Acute toxicity**

- Inhalation : Harmful if inhaled.
- Dermal : Based on available data, the classification criteria are not met.
- Ingestion : Based on available data, the classification criteria are not met.

Corrosion : Based on available data, the classification criteria are not met.

Irritation : May cause respiratory irritation.

Repeated exposure may cause skin dryness or cracking.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

**12. Ecological information**
**12.1. Toxicity.**

Toxicity information : Not established.

**12.2. Persistence - degradability**



**MATERIAL SAFETY DATA SHEET (MSDS)**
**iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**
**12. Ecological information (continued)**

Persistence - degradability : Biodegradable.

**12.3. Bioaccumulative potential**

Bioaccumulative potential : Not established.

**12.4. Mobility in soil**

Mobility in soil : Not established.

**12.5. Results of PBT and vPvB assessment**

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.

**12.6. Other adverse effects**

Environmental precautions : Avoid release to the environment.

**13. Disposal considerations**
**13.1. Waste treatment methods**

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.  
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Special precautions : Handle empty containers with care because residual vapours are flammable.

**14. Transport information**
**14.1. Land transport (ADR-RID)**

Proper shipping name : PENTANOLS  
 UN N° : 1105  
 H.I. nr : 30  
 ADR - Class : 3  
 Labelling - Transport : 3 : Flammable liquid.



ADR - Classification code : F1  
 ADR - Group : III



**MATERIAL SAFETY DATA SHEET (MSDS)**
**iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**
**14. Transport information (continued)**

ADR - Packing instructions : P001 R001 LP001  
 ADR - Limited Quantity : 5 L  
 ADR - Tunnel code



: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and  
 E. Other carriage: Passage forbidden through tunnels of category E.

**14.2. Sea transport (IMDG) [English only]**

Proper shipping name : PENTANOLS  
 UN N° : 1105  
 IMO-IMDG - Class or division : 3 : Flammable liquid.  
 IMO-IMDG - Packing group : III  
 IMO-IMDG - Packing instructions : P001 LP01  
 IMO-IMDG - Limited quantities : 5 L  
 IMO-IMDG - Marine pollution : No  
 EMS-Nr : F-E S-D

**14.3. Air transport (ICAO-IATA) [English only]**

Proper shipping name : PENTANOLS  
 UN N° : 1105  
 IATA - Class or division : 3 : Flammable liquid.  
 IATA - Packing group : III  
 IATA - Passenger and Cargo Aircraft : ALLOWED  
   - Passenger and Cargo - Packing : 355  
 instruction  
   - Passenger and Cargo - Maximum : 60 L  
 Quantity/Packing  
 IATA - Cargo only : ALLOWED  
   - Cargo only - Packing instruction : 366  
   - Cargo only - Maximum Quantity/ : 220 L  
 Packing  
 IATA - Limited Quantities : 10 L  
 ERG-Nr : 3L

**15. Regulatory information**
**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**MATERIAL SAFETY DATA SHEET (MSDS)**
**iso-AMYL ALCOHOL FOR MILK TESTING MIXTURE OF ISOMER**
**15. Regulatory information (continued)**

- Safety, health and environmental regulations/legislation specific for the substance or mixture** : Ensure all national/local regulations are observed.
- REACH Restrictions - Annex XVII** : The components of this product are not subject to restrictions.
- REACH Authorisation - Annex XIV** : The components of this product are not subject to authorization.

**15.2. Chemical Safety Assessment**

- Chemical Safety Assessment** : It has not been carried out.

**16. Other information**

- Revision** : Revision - See : \*
- Abbreviations and acronyms** : PBT: persistent, bioaccumulative and toxic.  
vPvB: very persistent and very bioaccumulative
- Sources of key data used** : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- List of relevant R phrases (heading 3)** : R10 : Flammable.  
R20 : Harmful by inhalation.  
R37 : Irritating to respiratory system.  
R66 : Repeated exposure may cause skin dryness or cracking.
- List of full text of H-statements in section 3** : H226 : Flammable liquid and vapour.  
H332 : Harmful if inhaled.  
H335 : May cause respiratory irritation.  
EUH066: Repeated exposure may cause skin dryness or cracking.
- Further information** : None.

storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

**DISCLAIMER:**

- SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**