OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) n-AMYL ALCOHOL LR (FOR SYNTHESIS)

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name	: n-AMYL ALCOHOL LR (FOR SYNTHESIS)
Product code Identification of the product	: SS0107002500 : 1-pentanol CAS No :71-41-0 EC No :200-752-1 Annex No :603-200-00-1
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against
Use	: Industrial. For professional use only.
1.3. Details of the supplier of the safe	ety data sheet
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95
1.4. Emergency telephone number	Email ID: info@suvchem.com/care@suvchem.com
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification	: R10 Xn; R20 Xi; R37/38
Hazard Class and Category Code(s),	Regulation (EC) No 1272/2008 (CLP)
Health hazards	: Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation - Category 3 - Warning (CLP : STOT SE 3) H335 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315 Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332
Physical hazards	: Flammable liquids - Category 3 - Warning (CLP : Flam. Liq. 3) H226
2.2. Label elements	

OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) n-AMYL ALCOHOL LR (FOR SYNTHESIS)

2. Hazards identification -DSD (continued)

Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s) R Phrase(s) S Phrase(s)	 : Xn : Harmful : R10 : Flammable. R20 : Harmful by inhalation. R37/38 : Irritating to respiratory system and skin. : S1/2 : Keep locked up and out of reach of children. S36/37 : Wear suitable protective clothing and gloves. S46 : If swallowed seek medical advice immediately and show this container or label.
Contains	: 1-pentanol
Labelling Regulation EC 1272/2008 (C	<u>;LP)</u>
Hazard pictograms	
Signal words	: Warning
Hazard statements	 H226 : Flammable liquid and vapour. H315 : Causes skin irritation. H332 : Harmful if inhaled. H335 : May cause respiratory irritation.
Precautionary statements	
• General	 P102: Keep out of reach of children. P103: Read label before use. P101: If medical advice is needed, have product container or label at hand.
• Prevention	 P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical, ventilating, lighting,, equipment. P210: Keep away from heat, sparks, open flames or hot surfaces No smoking. P280: Wear protective gloves, protective clothing, eye protection, face protection. P271: Use only outdoors or in a well-ventilated area. P261: Avoid breathing dust, fume, gas, mist, vapours, spray. P233: Keep container tightly closed. P264: Wash thoroughly after handling.
• Response	 P302+P352: IF ON SKIN : Wash with plenty of soap and water. P332+P313: If skin irritation occurs : Get medical advice. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower. P363: Wash contaminated clothing before reuse.



MATERIAL SAFETY DATA SHEET (MSDS) n-AMYL ALCOHOL LR (FOR SYNTHESIS)

2. Hazards identification -DSD (continued)			
	P370+P378: In case of fire: Use for extinction.		
Storage	: P403+P233: Store in well-ventilated place. Keep container tightly closed. P403+P235: Store in well-ventilated place. Keep cool. P405: Store locked up.		
 Disposal considerations 	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.		
Contains	: 1-pentanol		
2.3. Other hazards			
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.		

3. Composition/information on ingredients							
Substance / Pre	eparation	: 1-pentanol CAS No :71-41-0 EC No :200-752-1 Annex No :603-200-00-1 Substance.					
Substance name 1-pentanol	:	Contents 100 %	CAS No 71-41-0	EC No 200-752-1	Annex No 603-200-00-1	REACH Ref.	Classification R10 Xn; R20 Xi; R37/38
							Flam. Liq. 3 _ H226 Acute Tox. 4 (inhal) _ H332 Skin Irrit. 2 _ H315 STOT SE 3 _ H335

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures	
4.1. Description of first aid r	neasures
Inhalation	: Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: Wash contaminated clothing before reuse. If skin irritation occurs : Get medical advice. Remove/Take off immediately all contaminated clothing. Specific treatment (see on this label). Wash with plenty of soap and water.
Eye contact	 Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
Ingestion	: Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.
4.2. Most important sympton	<u>ms and effects, both acute and delayed</u>



MATERIAL SAFETY DATA SHEET (MSDS) n-AMYL ALCOHOL LR (FOR SYNTHESIS)

4. First aid measures (continued)				
Symptoms relating to use	: Danger of serious damage to health by prolonged exposure through inhalation. Causes skin irritation. May cause respiratory irritation.			
4.3. Indication of any immediate medical attention and special treatment needed				
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).			
5. Fire-fighting measures				
5.1. Extinguishing media				
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.			
5.2. Special hazards arising from the	substance or mixture			
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.			
5.3. Advice for fire-fighters				
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.			
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.			

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.	
Technical measures	: Use special care to avoid static electric charges.	
Special precautions	: Remove ignition sources. No naked lights. No smoking.	
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.	

6.3. Methods and material for containment and cleaning up



MATERIAL SAFETY DATA SHEET (MSDS) n-AMYL ALCOHOL LR (FOR SYNTHESIS)

6. Accidental release measures (co	6. Accidental release measures (continued)			
Clean up methods	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.			
6.4. Reference to other sections				
See section 8. Exposure controls/pers	sonal protection			
7. Handling and storage				
7.1. Precautions for safe handling				
Handling	: Handle empty containers with care because residual vapours are flammable. Take precautionary measures against static discharge. Avoid breathing dust, fume, gas, mist, vapours, spray. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling.			
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical, ventilating, lighting,, equipment. Use only non- sparking tools.			
Special precautions	: No naked lights. No smoking. Avoid breathing dust, fume, gas, mist, vapours, spray.			
7.2. Conditions for safe storage, inc	luding any incompatibilities			
Storage	: Keep only in the original container in a cool, well ventilated place. Keep in fireproof place. Ground/bond container and receiving equipment. Keep container tightly closed.			
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.			
<u>7.3. Specific end use(s)</u>				
Specific end use(s)	: None.			
8. Exposure controls/personal prof	tection			

8.1. Exposure controls

Personal protection Respiratory protection Hand protection Skin protection 	 : Avoid all unnecessary exposure. : In case of insufficient ventilation, wear suitable respiratory equipment. : Wear protective gloves. : Wear suitable protective clothing.
Eye protection Others	: When using, do not eat, drink or smoke.



MATERIAL SAFETY DATA SHEET (MSDS) n-AMYL ALCOHOL LR (FOR SYNTHESIS)

8. Exposure controls/personal protection (continued)

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Clear Colorless
Odour	: Pleasant
Odour threshold	: 0.1 ppm
pH value	: No data available.
Melting point [°C]	: -78 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: 313°C
Auto-ignition temperature [°C]	: 300 °C
Flammability (solid, gas)	: Flammable.
	Flammable liquid and vapour.
Flash point [°C]	: 33°C
Boiling point [°C]	: 137.5°C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: 0.4 kPa
Vapour pressure mm/Hg	: N/A
Vapour density	: 3
Density [g/cm3]	: 0,8146
Relative density, gas (air=1)	: 3,04
Relative density, liquid (water=1)	
Solubility in water [% weight]	: 22.8 g/l at 25 °C
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 7
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A



MATERIAL SAFETY DATA SHEET (MSDS) n-AMYL ALCOHOL LR (FOR SYNTHESIS)

9. Physical and chemical properties (continued)		
Explosion limits - upper [%] Explosion limits - lower [%] Oxidising properties	: 10,00% : 1,20% : No data available.	
10. Stability and reactivity		
10.1. Reactivity		
Reactivity	: Not established.	
10.2. Chemical stability		
Chemical stability	: Stable under recommended storage conditions.	
10.3. Possibility of hazardous reaction	<u>ns</u>	
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.	

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity	
Inhalation	: Harmful if inhaled.
• Dermal	: Based on available data, the classification criteria are not met.
 Ingestion 	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes skin irritation. May cause respiratory irritation.



MATERIAL SAFETY DATA SHEET (MSDS) n-AMYL ALCOHOL LR (FOR SYNTHESIS)

11. Toxicological information (continued)

Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

<u>12.1. Toxicity</u>		
Toxicity information	: Not established.	
<u> 12.2. Persistence - degradability</u>		
Persistence - degradability	: Biodegradable.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	: Not established.	
<u>12.4. Mobility in soil</u>		
Mobility in soil	: Not established.	
12.5. Results of PBT and vPvB assess	ment	
Results of PBT and vPvB assessment	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	
12.6. Other adverse effects		
Environmental precautions	: Avoid release to the environment.	
13. Disposal considerations		
13.1. Waste treatment methods		
Gonoral	: Avoid release to the environment. Dispess in a safe manner in accordance with	

General

 Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.
 Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.



MATERIAL SAFETY DATA SHEET (MSDS) n-AMYL ALCOHOL LR (FOR SYNTHESIS)

13. Disposal considerations (continued)

Special precautions

: Handle empty containers with care because residual vapours are flammable.

14. Transport information

14.1. Land transport (ADR-RID)

Proper shipping name	
UN N°	
H.I. nr	
ADR - Class	
Labelling - Transport	

- : PENTANOLS
- : 1105 : 33
- : 3
- : 3 : Flammable liquid.



A

ADR - Classification code	
ADR - Group	
ADR - Packing instructions	
ADR - Limited Quantity	
ADR - Tunnel code	

- A	.	
	- Contraction 199	
100		

- : II : P001 R001
- :1L

: F1

: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.



14.2. Sea transport (IMDG) [English only]

Proper shipping name	: PENTANOLS
UN N°	: 1105
IMO-IMDG - Class or division	: 3 : Flammable liquid.
IMO-IMDG - Packing group	: 11
IMO- IMDG - Packing instructions	: P001
IMO-IMDG - Limited quantities	: 1 L
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-E S-D

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : PENTANOLS



MATERIAL SAFETY DATA SHEET (MSDS) n-AMYL ALCOHOL LR (FOR SYNTHESIS)

14. Transport information (continued)

	4405
UN N°	: 1105
IATA - Class or division	: 3 : Flammable liquid.
IATA - Packing group	: 11
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 353
- Passenger and Cargo - Maximum Quantity/Packing	: 5 L
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 364
- Cargo only - Maximum Quantity/ Packing	: 60 L
IATA - Limited Quantites	: 1 L
ERG-Nr	: 3L

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. e
REACH Restrictions - Annex XVII REACH Authorisation - Annex XIV	The components of this product are not subject to restrictions.The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	

: It has not been carried out.

16. Other information

Chemical Safety Assessment

Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
List of relevant R phrases (heading 3) : R10 : Flammable. R20 : Harmful by inhalation. R37/38 : Irritating to respiratory system and skin.
List of full text of H-statements in section 3	: H226 : Flammable liquid and vapour. H315 : Causes skin irritation. H332 : Harmful if inhaled.

Page: 10

AN ISO 9001: 2015 CERTIFIED



MATERIAL SAFETY DATA SHEET (MSDS)

n-AMYL ALCOHOL LR (FOR SYNTHESIS)

16. Other information (continued)

H335 : May cause respiratory irritation.

Further information

: None.

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document