

# MATERIAL SAFETY DATA SHEET (MSDS)

## **iso-OCTANE HPLC (2,2,4-TRIMETHYL PENTANE)**

## 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : iso-OCTANE HPLC (2,2,4-TRIMETHYL PENTANE)

Product code : SS0109101000

**Identification of the product** : 2,2,4-TRIMETHYL PENTANE for HPLC and Spectroscopy

CAS No: 540-84-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use** : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206.

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

**Phone no.** : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

#### 2.1. Classification of the substance or mixture

## Classification EC 67/548 or EC 1999/45

Classification : F; R11

Xn; R65 R67 Xi; R38 N; R50-53

### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Narcotic effects - Category 3 -

Warning (CLP: STOT SE 3) H336

Aspiration hazard - Category 1 - Danger (CLP : Asp. Tox. 1) H304 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315

Physical hazards : Flammable liquids - Category 2 - Danger (CLP : Flam. Liq. 2) H225

Environmental hazards : Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP

: Aquatic Acute 1) H400

Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (

CLP: Aquatic Chronic 1) H410



# MATERIAL SAFETY DATA SHEET (MSDS)

# **iso-OCTANE HPLC (2,2,4-TRIMETHYL PENTANE)**

### 2. Hazards identification -DSD (continued)

#### 2.2. Label elements

#### Labelling EC 67/548 or EC 1999/45

Symbol(s)





Symbol(s) : F : Highly flammable

N: Dangerous for the environment

Xn: Harmful

R Phrase(s) : R11 : Highly flammable.

R38: Irritating to skin.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

R65 : Harmful : may cause lung damage if swallowed. R67 : Vapours may cause drowsiness and dizziness.

S Phrase(s)

S16: Keep away from sources of ignition - No smoking.

S29: Do not empty into drains.

S33 : Take precautionary measures against static discharges.

S60: This material and its container must be disposed of as hazardous waste. S61: Avoid release to the environment. Refer to special instructions/Safety data

sheets.

S62: If swallowed, do not induce vomiting: seek medical advice immediately and

show this container or label.

#### Labelling Regulation EC 1272/2008 (CLP)

#### **Hazard pictograms**









Signal words : Danger

**Hazard statements** : H225 : Highly flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

H410: Very toxic to aquatic life with long lasting effects.

**Precautionary statements** 

Prevention : P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical, ventilating, lighting, ..., equipment.

P210: Keep away from heat, sparks, open flames or hot surfaces. - No smoking. P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P273: Avoid release to the environment. P233: Keep container tightly closed.



# MATERIAL SAFETY DATA SHEET (MSDS)

## iso-OCTANE HPLC (2,2,4-TRIMETHYL PENTANE)

#### 2. Hazards identification -DSD (continued)

P264: Wash thoroughly after handling.

Response : P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor.

P302+P352: IF ON SKIN: Wash with plenty of soap and water. P332+P313: If skin irritation occurs: Get medical advice.

P391: Collect spillage.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position

comfortable for breathing.

P303+P361+P353: IF ON SKIN (or hair): Remove immediately all contaminated

clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse. P370+P378: In case of fire: Use for extinction.

• Storage : P403+P233: Store in well-ventilated place. Keep container tightly closed.

P403+P235: Store in well-ventilated place. Keep cool.

P405: Store locked up.

• Disposal considerations : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

#### 3. Composition/information on ingredients

Substance / Preparation : 2,2,4-TRIMETHYL PENTANE for HPLC and Spectroscopy

Substance.

Contains no other components or impurities which will influence the classification of the product.

### 4. First aid measures

### 4.1. Description of first aid measures

**Inhalation** : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or doctor if you feel unwell.

**Skin contact**: Wash with plenty of soap and water. Remove/Take off immediately all contaminated

clothing. Specific treatment (see on this label). Get medical advice. Wash

contaminated clothing before reuse. If skin irritation occurs:

**Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or

redness persist.

Ingestion : Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce

vomiting.

## 4.2. Most important symptoms and effects, both acute and delayed



# MATERIAL SAFETY DATA SHEET (MSDS)

# iso-OCTANE HPLC (2,2,4-TRIMETHYL PENTANE)

### 4. First aid measures (continued)

**Symptoms relating to use** : May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause drowsiness or dizziness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

#### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media**: Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.

#### 5.2. Special hazards arising from the substance or mixture

Flammable class : Highly flammable liquid and vapour.

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

Avoid breathing dust, fume, gas, mist, vapours, spray.

**Technical measures** : Use special care to avoid static electric charges.

**Special precautions** : Remove ignition sources. No naked lights. No smoking.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

Avoid release to the environment.



# MATERIAL SAFETY DATA SHEET (MSDS)

## **iso-OCTANE HPLC (2,2,4-TRIMETHYL PENTANE)**

#### 6. Accidental release measures (continued)

#### 6.3. Methods and material for containment and cleaning up

Clean up methods : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

#### 7. Handling and storage

#### 7.1. Precautions for safe handling

Handling : Handle empty containers with care because residual vapours are flammable. Wash

thoroughly after handling.

Use only outdoors or in a well-ventilated area.

**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

Proper grounding procedures to avoid static electricity should be followed. Use

explosion-proof electrical, ventilating, lighting, ..., equipment.

**Special precautions** : No naked lights. No smoking.

Avoid breathing dust, fume, gas, mist, vapours, spray.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep in fireproof

place. Ground/bond container and receiving equipment. Keep container tightly

closed

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

Specific end use(s) : None.

#### 8. Exposure controls/personal protection

#### 8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

• Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection

equipment is recommended. Wear respiratory protection.

• Hand protection : Wear protective gloves.

Skin protection
 Eye protection
 Wear suitable protective clothing.
 Chemical goggles or safety glasses.



# MATERIAL SAFETY DATA SHEET (MSDS)

## **iso-OCTANE HPLC (2,2,4-TRIMETHYL PENTANE)**

## 8. Exposure controls/personal protection (continued)

• Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

## 9. Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Liquid.

Colour: Clear ColorlessOdour: Benzene-likeOdour threshold: No data available.pH value: No data available.

Melting point [°C] : -107.45°C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : 418°C

Flammability (solid, gas) : Flammable.

Highly flammable liquid and vapour.

Flash point [°C] : -12°C

Boiling point [°C] : 98 - 99 °C

Initial boiling point [°C] : 98°C

Final boiling point [°C] : 99 °C

Evaporation rate : N/A

**Vapour pressure [20°C]** : 5.4 kPa (@ 20°C)

Vapour pressure mm/Hg : N/A
Vapour density : 3,93

Density [g/cm3] : 0,69194

Relative density, gas (air=1) : N/A

Relative density, liquid (water=1) : 0,69194

Solubility in water [% weight] : Insoluble.

Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available.

Solubility : N/A Viscosity at 40°C [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A



# MATERIAL SAFETY DATA SHEET (MSDS)

## iso-OCTANE HPLC (2,2,4-TRIMETHYL PENTANE)

### 9. Physical and chemical properties (continued)

Explosion limits - upper [%] : 6% Explosion limits - lower [%] : 1%

Oxidising properties : No data available.

## 10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

**Hazardous reactions** : Not established.

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures. Open flame.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

May release flammable gases.

## 11. Toxicological information

### 11.1. Information on toxicological effects

**Acute toxicity** 

• Inhalation : May be fatal if swallowed and enters airways.

• **Dermal** : Based on available data, the classification criteria are not met.

Ingestion : May be fatal if swallowed and enters airways.

**Corrosion** : Based on available data, the classification criteria are not met.

**Irritation** : Causes skin irritation.

Sensitization: Based on available data, the classification criteria are not met.Mutagenicity: Based on available data, the classification criteria are not met.Carcinogenicity: Based on available data, the classification criteria are not met.



# MATERIAL SAFETY DATA SHEET (MSDS)

# **iso-OCTANE HPLC (2,2,4-TRIMETHYL PENTANE)**

### 11. Toxicological information (continued)

**Toxic for reproduction** : Based on available data, the classification criteria are not met.

**STOT-single exposure** : May cause drowsiness or dizziness.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

**Aspiration hazard** : May be fatal if swallowed and enters airways.

## 12. Ecological information

12.1. Toxicity

**Toxicity information**: Very toxic to aquatic life with long lasting effects.

12.2. Persistence - degradability

**Persistence - degradability** : May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

**Environmental precautions** : Avoid release to the environment.

#### 13. Disposal considerations

#### 13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**Special precautions** : Handle empty containers with care because residual vapours are flammable.

Hazardous waste due to toxicity.



# MATERIAL SAFETY DATA SHEET (MSDS)

## iso-OCTANE HPLC (2,2,4-TRIMETHYL PENTANE)

### 14. Transport information

#### 14.1. Land transport (ADR-RID)

Proper shipping name : OCTANES UN N° : 1262 H.I. nr : 33 ADR - Class : 3

**Labelling - Transport** : 3 : Flammable liquid.



ADR - Classification code : F1
ADR - Group : II

ADR - Packing instructions : P001 R001

ADR - Limited Quantity : 1 L

**ADR - Tunnel code** 



: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

#### 14.2. Sea transport (IMDG) [English only]

Proper shipping name : OCTANES UN N° : 1262

**IMO-IMDG - Class or division** : 3 : Flammable liquid.

IMO-IMDG - Packing group : II
IMO- IMDG - Packing instructions : P001
IMO-IMDG - Limited quantities : 1 L
IMO-IMDG - Marine pollution : Yes
EMS-Nr : F-E S-E

#### 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : OCTANES UN N° : 1262

IATA - Class or division : 3 : Flammable liquid.

: 353

IATA - Packing group : II

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing

instruction



## MATERIAL SAFETY DATA SHEET (MSDS)

## iso-OCTANE HPLC (2,2,4-TRIMETHYL PENTANE)

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

### **DISCLAIMER:**

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

**End of document**