

### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

## **N-HEPTANE 99% LR**

### 1. Identification of the substance/mixture and of the company/undertaking

<u>1.1. Product identifier</u> Trade name	: N-HEPTANE 99% LR		
Product code Identification of the product	: SS0111500500 : HEPTANE 85% CAS No: 142-82-5		
1.2. Relevant identified uses of the substance or mixture and uses advised against			
Use	: Industrial. For professional use only.		
1.3. Details of the supplier of the safety data sheet			
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com		
1.4. Emergency telephone number			

### 2. Hazards identification -DSD

#### 2.1. Classification of the substance or mixture

#### Classification EC 67/548 or EC 1999/45

Classification	: F; R11
	Xn; R65
	R67
	Xi; R38
	N; R50-53

### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards	: Specific Target Organ Toxicity - Single exposure - Narcotic effects - Category 3 - Warning (CLP : STOT SE 3) H336 Aspiration hazard - Category 1 - Danger (CLP : Asp. Tox. 1) H304 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315
Physical hazards	: Flammable liquids - Category 2 - Danger (CLP : Flam. Liq. 2) H225
Environmental hazards	: Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400 Hazardous to the aquatic environment - Chronic hazard - Category 1 - Warning (

Page : 1



#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

## N-HEPTANE 99% LR

2. Hazards	identification	-DSD	(continued)
------------	----------------	------	-------------

CLP : Aquatic Chronic 1) H410

#### 2.2. Label elements

Labelling	EC	67/548	or EC	1999/45
Labelling		01/040		1000/40

### Symbol(s)

Symbol(a)



· F · Highly flammable

Symbol(s)	N : Dangerous for the environment Xn : Harmful	
R Phrase(s)	<ul> <li>R11 : Highly flammable.</li> <li>R38 : Irritating to skin.</li> <li>R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>R65 : Harmful : may cause lung damage if swallowed.</li> <li>R67 : Vapours may cause drowsiness and dizziness.</li> </ul>	
S Phrase(s)	: S16 : Keep away from sources of ignition - No smoking.	
	S29 : Do not empty into drains.	
	S33 : Take precautionary measures against static discharges. S60 : This material and its container must be disposed of as hazardous waste.	
	S61 : Avoid release to the environment. Refer to special instructions/Safety data	
	sheets.	
	S62 : If swallowed, do not induce vomiting : seek medical advice immediately and	
	show this container or label.	
Labelling Regulation EC 1272/2008 (CLP)		

#### Hazard pictograms

Signal words Hazard statements : Danger

- : H225 : Highly flammable liquid and vapour.
- H304 : May be fatal if swallowed and enters airways.
- H315 : Causes skin irritation.
- H336 : May cause drowsiness or dizziness.
- H410 : Very toxic to aquatic life with long lasting effects.

**Precautionary statements** 

Prevention

- : P240: Ground/bond container and receiving equipment.
  - P241: Use explosion-proof electrical, ventilating, lighting, ..., equipment.
- P210: Keep away from heat, sparks, open flames or hot surfaces. No smoking.
- P280: Wear protective gloves, protective clothing, eye protection, face protection. P271: Use only outdoors or in a well-ventilated area.

Page: 2

### AN ISO 9001: 2015 CERTIFIED



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

## **N-HEPTANE 99% LR**

2. Hazards identification -DSD (continued)		
	P261: Avoid breathing dust, fume, gas, mist, vapours, spray. P273: Avoid release to the environment. P233: Keep container tightly closed. P264: Wash thoroughly after handling.	
• Response	<ul> <li>P301+P310: IF SWALLOWED : Immediately call a POISON CENTER or doctor. P302+P352: IF ON SKIN : Wash with plenty of soap and water. P332+P313: If skin irritation occurs : Get medical advice. P391: Collect spillage. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower. P363: Wash contaminated clothing before reuse. P370+P378: In case of fire: Use for extinction.</li> </ul>	
• Storage	: P403+P233: Store in well-ventilated place. Keep container tightly closed. P403+P235: Store in well-ventilated place. Keep cool. P405: Store locked up.	
<ul> <li>Disposal considerations</li> </ul>	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	
2.3. Other hazards		
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	

3. Composition/information on ingredients		
Substance / Preparation	: HEPTANE 85%	
	Substance.	
Contains no other components or impurities which will influence the classification of the product.		

# 4. First aid measures

4.1. Description of first aid measures	
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.
Skin contact	: Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Specific treatment (see on this label). Get medical advice. Wash contaminated clothing before reuse. If skin irritation occurs :
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### **N-HEPTANE 99% LR**

4. First aid measures (continue	d)
Ingestion	: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.
4.2. Most important symptoms a	and effects, both acute and delayed
Symptoms relating to use	: May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness.
4.3. Indication of any immediate	medical attention and special treatment needed
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

### 5. Fire-fighting measures

### 5.1. Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.	
5.2. Special hazards arising from the substance or mixture		
Flammable class Hazardous combustion products	: Highly flammable liquid and vapour. : Under fire conditions, hazardous fumes will be present.	
5.3. Advice for fire-fighters		
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.	
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.	

### 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders	: Equip cleanup crew with proper protection. Ventilate area. Avoid breathing dust, fume, gas, mist, vapours, spray.
Technical measures	: Use special care to avoid static electric charges.
Special precautions	: Remove ignition sources. No naked lights. No smoking.

Page: 4

AN ISO 9001: 2015 CERTIFIED



## MATERIAL SAFETY DATA SHEET (MSDS)

## **N-HEPTANE 99% LR**

6. Accidental release measures (continued)		
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.	
6.3. Methods and material for conta	ainment and cleaning up	
Clean up methods	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
6.4. Reference to other sections		
See section 8. Exposure controls/per	sonal protection	
7. Handling and storage		
7.1. Precautions for safe handling		
Handling	: Handle empty containers with care because residual vapours are flammable. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.	
Technical protective measures	<ul> <li>Provide good ventilation in process area to prevent formation of vapour.</li> <li>Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical, ventilating, lighting,, equipment.</li> </ul>	
Special precautions	: No naked lights. No smoking. Avoid breathing dust, fume, gas, mist, vapours, spray.	
7.2. Conditions for safe storage, in	cluding any incompatibilities	
Storage	: Keep only in the original container in a cool, well ventilated place. Keep in fireproof place. Ground/bond container and receiving equipment. Keep container tightly closed.	
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.	

7.3. Specific end use(s)

Specific end use(s)

: None.

### 8. Exposure controls/personal protection

### 8.1. Exposure controls

Page: 5



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

## N-HEPTANE 99% LR

3. Exposure controls/personal protection (continued)	
Personal protection	: Avoid all unnecessary exposure.
<ul> <li>Respiratory protection</li> </ul>	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Wear respiratory protection.
<ul> <li>Hand protection</li> </ul>	: Wear protective gloves.
<ul> <li>Skin protection</li> </ul>	: Wear suitable protective clothing.
Eye protection	: Chemical goggles or safety glasses.
Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Clear Colorless
Odour	: mild odor - gasoline-like
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: -91 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: 223°C
Flammability (solid, gas)	: Flammable. Highly flammable liquid and vapour.
Flash point [°C]	: -4,0 °C
Boiling point [°C]	: 98 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: 2,8
Vapour pressure [20°C]	:53.3 hPa at 20,0 °C
Vapour pressure mm/Hg	: 46 mm Hg @ 25 deg C
Vapour density	: 3,5
Density [g/cm3]	: 0,68
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
	: Insoluble.



# MATERIAL SAFETY DATA SHEET (MSDS)

## N-HEPTANE 99% LR

9. Physical and chemical properties	(continued)	
Solubility in water Log Pow octanol / water at 20°C Solubility Viscosity at 40°C [mm2/s]	: N/A : No data available. : N/A : N/A	
9.2. Other information		
Explosive properties Explosion limits - upper [%] Explosion limits - lower [%] Oxidising properties	: N/A : 7% : 1,10% : No data available.	
10. Stability and reactivity		
<u>10.1. Reactivity</u>		
Reactivity	: Not established.	
10.2. Chemical stability		
Chemical stability	: Stable under recommended storage conditions.	
10.3. Possibility of hazardous reactions		
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Open flame.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition prod	ucts	
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.	

## 11. Toxicological information

### 11.1. Information on toxicological effects

Page: 7



### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

## N-HEPTANE 99% LR

### 11. Toxicological information (continued)

Acute toxicity	
Inhalation	: May be fatal if swallowed and enters airways.
• Dermal	: Based on available data, the classification criteria are not met.
<ul> <li>Ingestion</li> </ul>	: May be fatal if swallowed and enters airways.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes skin irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: May be fatal if swallowed and enters airways.

### 12. Ecological information

<u>12.1. Toxicity</u>		
Toxicity information	: Very toxic to aquatic life with long lasting effects.	
<u>12.2. Persistence - degradability</u>		
Persistence - degradability	: May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	: Not established.	
<u>12.4. Mobility in soil</u>		
Mobility in soil	: Not established.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessme	ent : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	
12.6. Other adverse effects		
Environmental precautions	: Avoid release to the environment.	



#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

## MATERIAL SAFETY DATA SHEET (MSDS)

### **N-HEPTANE 99% LR**

13. Disposal considerations	
13.1. Waste treatment method	ls
General	<ul> <li>Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.</li> <li>Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> </ul>
Special precautions	: Handle empty containers with care because residual vapours are flammable. Hazardous waste due to toxicity.

### **14. Transport information**

### 14.1. Land transport (ADR-RID)

Proper shipping name	: HEPTANES
UN N°	: 1206
H.I. nr	: 33
ADR - Class	: 3
Labelling - Transport	: 3 : Flammable liquid.
	•
ADR - Classification code	: F1
ADR - Group	: 11
ADR - Packing instructions	: P001 R001
ADR - Limited Quantity	: 1 L
ADR - Tunnel code	

: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

### 14.2. Sea transport (IMDG) [English only]

Proper shipping name	: HEPTANES
UN N°	: 1206
IMO-IMDG - Class or division	: 3 : Flammable liquid.
IMO-IMDG - Packing group	: 11
IMO- IMDG - Packing instructions	: P001

Page: 9



## MATERIAL SAFETY DATA SHEET (MSDS)

## N-HEPTANE 99% LR

14. Transport information (continued	1)
IMO-IMDG - Limited quantities	: 1 L
IMO-IMDG - Marine pollution	: Yes
EMS-Nr	: F-E S-D
<u>14.3. Air transport (ICAO-IATA) [Engli</u>	<u>sh only]</u>
Proper shipping name	: HEPTANES
UN N°	: 1206
IATA - Class or division	: 3 : Flammable liquid.
IATA - Packing group	: 11
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 353
- Passenger and Cargo - Maximum Quantity/Packing	: 5 L
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 364
- Cargo only - Maximum Quantity/ Packing	: 60 L
IATA - Limited Quantites	: 1 L
ERG-Nr	: 3H

### 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture	: Ensure all national/local regulations are observed. e
<b>REACH Restrictions - Annex XVII</b>	: The components of this product are not subject to restrictions.
<b>REACH Authorisation - Annex XIV</b>	: The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.
16. Other information	

Revision	: Revision - See : *	
Abbreviations and ac	nyms : PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative	



## MATERIAL SAFETY DATA SHEET (MSDS)

## N-HEPTANE 99% LR

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

## DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
  comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
  the material by a properly trained person using this product.

End of document

Page :11