

# MATERIAL SAFETY DATA SHEET (MSDS)

# tert-AMYL ALCOHOL AR (FOR SYNTHESIS)

### 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : tert-AMYL ALCOHOL AR (FOR SYNTHESIS)

Product code : SS0112400500
Identification of the product : 2-methylbutan-2-ol CAS No :75-85-4

EC No :200-908-9 Annex No :603-007-00-2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification SUVCHEM
Chaitanya Tower

Chaitanya Tower, 2nd Floor, Office # 206,

Siddharth Nagar, S.V. Road,

Goregaon (West), Mumbai - 400062,

Maharashtra, India.

Contact: +91 22 28725393 / 94 / 95

Email ID: info@suvchem.com/care@suvchem.com

1.4. Emergency telephone number

**Phone no.** : + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]

#### 2. Hazards identification -DSD

#### 2.1. Classification of the substance or mixture

### Classification EC 67/548 or EC 1999/45

Classification : F; R11

Xn; R20 Xi; R37/38

### Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -

Category 3 - Warning (CLP: STOT SE 3) H335

Acute toxicity, Inhalation - Category 4 - Warning (CLP : Acute Tox. 4) H332

Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315

Physical hazards : Flammable liquids - Category 2 - Danger (CLP : Flam. Liq. 2) H225

2.2. Label elements



# MATERIAL SAFETY DATA SHEET (MSDS)

# tert-AMYL ALCOHOL AR (FOR SYNTHESIS)

## 2. Hazards identification -DSD (continued)

#### Labelling EC 67/548 or EC 1999/45

Symbol(s)





Symbol(s) : F : Highly flammable

Xn: Harmful

R Phrase(s) : R11 : Highly flammable.

R20: Harmful by inhalation.

R37/38: Irritating to respiratory system and skin.

**S Phrase(s)** : S2 : Keep out of the reach of children.

S46: If swallowed seek medical advice immediately and show this container or

label.

Contains : 2-methylbutan-2-ol

### Labelling Regulation EC 1272/2008 (CLP)

**Hazard pictograms** 





Signal words : Danger

Hazard statements : H225 : Highly flammable liquid and vapour.

H315 : Causes skin irritation. H332 : Harmful if inhaled.

H335: May cause respiratory irritation.

**Precautionary statements** 

• **General** : P102: Keep out of reach of children.

P103: Read label before use.

P101: If medical advice is needed, have product container or label at hand.

Prevention : P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical, ventilating, lighting, ..., equipment.

P210: Keep away from heat, sparks, open flames or hot surfaces. - No smoking. P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P233: Keep container tightly closed. P264: Wash thoroughly after handling.

• Response : P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P332+P313: If skin irritation occurs : Get medical advice.

P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position

comfortable for breathing.

P303+P361+P353: IF ON SKIN (or hair): Remove immediately all contaminated

clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.



# MATERIAL SAFETY DATA SHEET (MSDS)

# tert-AMYL ALCOHOL AR (FOR SYNTHESIS)

### 2. Hazards identification -DSD (continued)

P370+P378: In case of fire: Use for extinction.

• Storage : P403+P233: Store in well-ventilated place. Keep container tightly closed.

P403+P235: Store in well-ventilated place. Keep cool.

P405: Store locked up.

• **Disposal considerations** : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

Contains : 2-methylbutan-2-ol

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

# 3. Composition/information on ingredients

Substance / Preparation : 2-methylbutan-2-ol

CAS No :75-85-4 EC No :200-908-9 Annex No :603-007-00-2

Substance.

 Substance name
 Contents
 CAS No
 EC No
 Annex No
 REACH Ref.
 Classification

 2-methylbutan-2-ol
 :
 100 %
 75-85-4
 200-908-9
 603-007-00-2
 --- F; R11 Xn; R20 Xi; R20 Xi; R37/38

Al, R3//36

Flam. Liq. 2 \_ H225

Acute Tox. 4 (inhal) \_ H332

Skin Irrit. 2 \_ H315

STOT SE 3 \_ H335

Contains no other components or impurities which will influence the classification of the product.

### 4. First aid measures

#### 4.1. Description of first aid measures

Inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or doctor if you feel unwell.

**Skin contact** : Specific treatment (see on this label). Remove/Take off immediately all

contaminated clothing. Wash with plenty of soap and water. Get medical advice. If

skin irritation occurs: Wash contaminated clothing before reuse.

**Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or

redness persist.

**Ingestion** : Obtain emergency medical attention. Rinse mouth. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed



# MATERIAL SAFETY DATA SHEET (MSDS)

# tert-AMYL ALCOHOL AR (FOR SYNTHESIS)

## 4. First aid measures (continued)

**Symptoms relating to use** : Danger of serious damage to health by prolonged exposure through inhalation.

Causes skin irritation. May cause respiratory irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**General information** : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

**Unsuitable extinguishing media**: Do not use a heavy water stream.

**Surrounding fires** : Use water spray or fog for cooling exposed containers.

### 5.2. Special hazards arising from the substance or mixture

Flammable class : Highly flammable liquid and vapour.

**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

## 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

**Technical measures** : Use special care to avoid static electric charges.

**Special precautions** : Remove ignition sources. No naked lights. No smoking.

For non-emergency personnel : Evacuate unnecessary personnel.

## 6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.



# MATERIAL SAFETY DATA SHEET (MSDS)

# tert-AMYL ALCOHOL AR (FOR SYNTHESIS)

## 6. Accidental release measures (continued)

#### 6.3. Methods and material for containment and cleaning up

Clean up methods : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as

possible. Store away from other materials. Collect spillage.

#### 6.4. Reference to other sections

See section 8. Exposure controls/personal protection

## 7. Handling and storage

### 7.1. Precautions for safe handling

**Handling** : Handle empty containers with care because residual vapours are flammable. Wash

thoroughly after handling. Avoid breathing dust, fume, gas, mist, vapours, spray.

Use only outdoors or in a well-ventilated area.

**Technical protective measures** : Provide good ventilation in process area to prevent formation of vapour.

Proper grounding procedures to avoid static electricity should be followed. Use

explosion-proof electrical, ventilating, lighting, ..., equipment.

Special precautions : No naked lights. No smoking. Avoid breathing dust, fume, gas, mist, vapours,

spray.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage** : Keep only in the original container in a cool, well ventilated place. Keep in fireproof

place. Ground/bond container and receiving equipment. Keep container tightly

closed.

**Storage - away from** : Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

Specific end use(s) : None.

#### 8. Exposure controls/personal protection

### 8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

• Hand protection : Wear protective gloves.

Skin protection
 Eye protection
 Wear suitable protective clothing.
 Chemical goggles or safety glasses.



# MATERIAL SAFETY DATA SHEET (MSDS)

# tert-AMYL ALCOHOL AR (FOR SYNTHESIS)

## 8. Exposure controls/personal protection (continued)

• Others : When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

### 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Liquid.

Colour: Clear ColorlessOdour: Camphor odorOdour threshold: No data available.pH value: No data available.

Melting point [°C] : -12 °C

Decomposition point [°C] : N/A

Critical temperature [°C] : N/A

Auto-ignition temperature [°C] : 437 °C

Flammability (solid, gas) : Flammable.

Highly flammable liquid and vapour.

Flash point [°C] : 20 °C : 102 °C **Boiling point [°C]** : N/A Initial boiling point [°C] : N/A Final boiling point [°C] : N/A **Evaporation rate** : 16 hPa Vapour pressure [20°C] : N/A Vapour pressure mm/Hg : 3 Vapour density : 0,81 Density [g/cm3] : 3,04 Relative density, gas (air=1) Relative density, liquid (water=1) : N/A Solubility in water [% weight] : N/A Solubility in water : N/A

Log Pow octanol / water at 20°C : No data available. Solubility : 6 at 118 g/l at 20 °

Viscosity at 40°C [mm2/s] : N/A

#### 9.2. Other information



# MATERIAL SAFETY DATA SHEET (MSDS)

## tert-AMYL ALCOHOL AR (FOR SYNTHESIS)

## 9. Physical and chemical properties (continued)

Explosive properties : N/A
Explosion limits - upper [%] : 9,00%
Explosion limits - lower [%] : 1,20%

Oxidising properties : No data available.

### 10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

**Hazardous reactions** : Not established.

10.4. Conditions to avoid

**Conditions to avoid** : Direct sunlight. Extremely high or low temperatures. Open flame.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

May release flammable gases.

### 11. Toxicological information

## 11.1. Information on toxicological effects

**Acute toxicity** 

• Inhalation : Harmful if inhaled.

Dermal
 Ingestion
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

**Irritation** : Causes skin irritation.

May cause respiratory irritation.



# MATERIAL SAFETY DATA SHEET (MSDS)

# tert-AMYL ALCOHOL AR (FOR SYNTHESIS)

### 11. Toxicological information (continued)

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

## 12. Ecological information

### 12.1. Toxicity

**Toxicity information** : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Mobility in soil : Not established.

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment: The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

**Environmental precautions** : Avoid release to the environment.

# 13. Disposal considerations

#### 13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.



# MATERIAL SAFETY DATA SHEET (MSDS)

# tert-AMYL ALCOHOL AR (FOR SYNTHESIS)

## 13. Disposal considerations (continued)

**Special precautions** : Handle empty containers with care because residual vapours are flammable.

### 14. Transport information

### 14.1. Land transport (ADR-RID)

Proper shipping name : PENTANOLS

UN N° : 1105 H.I. nr : 33 ADR - Class : 3

**Labelling - Transport** : 3 : Flammable liquid.



ADR - Classification code : F1
ADR - Group : II

ADR - Packing instructions : P001 R001

ADR - Limited Quantity : 1 L

ADR - Tunnel code



: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

# 14.2. Sea transport (IMDG) [English only]

Proper shipping name : PENTANOLS

**UN N°** : 1105

**IMO-IMDG - Class or division** : 3 : Flammable liquid.

IMO-IMDG - Packing group : II
IMO- IMDG - Packing instructions : P001
IMO-IMDG - Limited quantities : 1 L
IMO-IMDG - Marine pollution : No
EMS-Nr : F-E S-D

### 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name : PENTANOLS



# MATERIAL SAFETY DATA SHEET (MSDS)

## tert-AMYL ALCOHOL AR (FOR SYNTHESIS)

### 14. Transport information (continued)

UN N° : 1105

IATA - Class or division : 3: Flammable liquid.

IATA - Packing group

IATA - Passenger and Cargo Aircraft : ALLOWED

- Passenger and Cargo - Packing

instruction

: 353

- Passenger and Cargo - Maximum : 5 L

Quantity/Packing

IATA - Cargo only : ALLOWED - Cargo only - Packing instruction : 364 - Cargo only - Maximum Quantity/

**Packing** 

**IATA - Limited Quantites** : 1 L **ERG-Nr** : 3L

## 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental

regulations/legislation specific for the

substance or mixture

: Ensure all national/local regulations are observed.

: The components of this product are not subject to restrictions. **REACH Restrictions - Annex XVII** : The components of this product are not subject to authorization. **REACH Authorisation - Annex XIV** 

15.2. Chemical Safety Assessment

: It has not been carried out. **Chemical Safety Assessment** 

#### 16. Other information

Revision : Revision - See : \*

: PBT: persistent, bioaccumulative and toxic. Abbreviations and acronyms

vPvB: very persistent and very bioaccumulative

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF Sources of key data used

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006

List of relevant R phrases (heading 3): R11: Highly flammable.

R20: Harmful by inhalation.

R37/38: Irritating to respiratory system and skin.

List of full text of H-statements in

section 3

: H225 : Highly flammable liquid and vapour.

H315: Causes skin irritation. H332: Harmful if inhaled.

Page: 10



# MATERIAL SAFETY DATA SHEET (MSDS)

# tert-AMYL ALCOHOL AR (FOR SYNTHESIS)

## 16. Other information (continued)

H335: May cause respiratory irritation.

Further information : None.

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

## **DISCLAIMER:**

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
  comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
  the material by a properly trained person using this product.

**End of document** 

Page: 11