OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) m-ANISIDINE (FOR SYNTHESIS)

1. Identification of the substance/mixture and of the company/undertaking

<u>1.1. Product identifier</u> Trade name	: m-ANISIDINE (FOR SYNTHESIS)	
Product code Identification of the product	: SS0112700100 : M-ANISIDINE	
	CAS No: 536-90-3	
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised against	
Use	: Industrial. For professional use only.	
1.3. Details of the supplier of the safety data sheet		
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India.	
	Contact: +91 22 28725393 / 94 / 95	
1.4. Emergency telephone number	Email ID: info@suvchem.com/care@suvchem.com	
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]	

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification	: Xn; R22
	Xi; R36
	N; R50

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards	: Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation - Category 3 - Warning (CLP : STOT SE 3) H335 Acute toxicity, Oral - Category 4 - Warning (CLP : Acute Tox. 4) H302 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315 Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319
Environmental hazards	: Hazardous to the aquatic environment - Acute hazard - Category 1 - Warning (CLP : Aquatic Acute 1) H400 Hazardous to the aquatic environment - Chronic hazard - Category 4 (CLP : Aquatic Chronic 4) H413

Page : 1

OM SHREE GANESHYA NAMAH



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS) m-ANISIDINE (FOR SYNTHESIS)

2. Hazards identification -DSD (continued)

2.2. Label elements

Labelling EC 67/548 or EC 1999/45	
Symbol(s)	*
Symbol(s)	: Xn : Harmful N : Dangerous for the environment
R Phrase(s)	 R 22 : Harmful if swallowed. R36 : Irritating to eyes. R37 : Irritating to respiratory system. R38 : Irritating to skin. R50 : Very toxic to aquatic organisms. R53 : May cause long-term adverse effects in the aquatic environment.
S Phrase(s)	: S20 : When using do not eat or drink. S60 : This material and its container must be disposed of as hazardous waste. S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.
Labelling Regulation EC 1272/2008 (C	<u>LP)</u>
Hazard pictograms	
Signal words	: Warning
Hazard statements	 : H302 : Harmful if swallowed. H319 : Causes serious eye irritation. H315 : Causes skin irritation. H335 : May cause respiratory irritation. H400 : Very toxic to aquatic life. H413 : May cause long lasting harmful effects to aquatic life.
Precautionary statements	
Prevention	 P280: Wear protective gloves, protective clothing, eye protection, face protection. P271: Use only outdoors or in a well-ventilated area. P261: Avoid breathing dust, fume, gas, mist, vapours, spray. P273: Avoid release to the environment. P264: Wash thoroughly after handling. P270: Do not eat, drink or smoke when using this product.
• Response	 P302+P352: IF ON SKIN : Wash with plenty of soap and water. P301+P312: IF SWALLOWED : Call a POISON CENTER or doctor if you feel unwell. P332+P313: If skin irritation occurs : Get medical advice. P391: Collect spillage.

Page : 2



MATERIAL SAFETY DATA SHEET (MSDS) m-ANISIDINE (FOR SYNTHESIS)

2. Hazards identification -DSD (continued)		
	P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P363: Wash contaminated clothing before reuse.	
Storage	: P403+P233: Store in well-ventilated place. Keep container tightly closed. P405: Store locked up.	
 Disposal considerations 	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	
2.3. Other hazards		
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	

3. Composition/information on ingredients

Substance / Preparation : M-ANISIDINE

Substance.

Contains no other components or impurities which will influence the classification of the product.

4. First aid measures

4.1. Description of first aid measu	res	
Inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.	
Skin contact	: Specific treatment (see on this label). Get medical advice. If skin irritation occurs : Wash with plenty of soap and water. Wash contaminated clothing before reuse.	
Eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists : Get medical advice.	
Ingestion	: Obtain emergency medical attention. Call a POISON CENTER or doctor if you feel unwell. Do NOT induce vomiting. Rinse mouth.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms relating to use	: Swallowing a small quantity of this material will result in serious health hazard. Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation.	
4.3. Indication of any immediate m	nedical attention and special treatment needed	

Page: 3



MATERIAL SAFETY DATA SHEET (MSDS)

m-ANISIDINE (FOR SYNTHESIS)

4. First aid measures (continued)	
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
5. Fire-fighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.
5.2. Special hazards arising from the	e substance or mixture
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.
5.3. Advice for fire-fighters	
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.	
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.	
6.3. Methods and material for containment and cleaning up		
Clean up methods	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
6.4. Reference to other sections		



MATERIAL SAFETY DATA SHEET (MSDS) m-ANISIDINE (FOR SYNTHESIS)

6. Accidental release measures (continued)

e e e ution e feu e efe le endline

See section 8. Exposure controls/personal protection

7. Handling and storage

7.1. Precautions for safe handling		
Handling	: Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.	
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.	
Special precautions	: Avoid breathing dust, fume, gas, mist, vapours, spray.	
The second state storage, including any incompatibilities Storage : Keep only in the original container in a cool, well ventilated place. Keep container		
Storage		
C	tightly closed.	
Storage Storage - away from		
C	tightly closed.	

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection	: Avoid all unnecessary exposure.
 Respiratory protection 	: Wear approved mask.
 Hand protection 	: Wear protective gloves.
 Skin protection 	: Wear suitable protective clothing.
Eye protection	: Chemical goggles or safety glasses.
Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C : Liquid.

Page : 5



MATERIAL SAFETY DATA SHEET (MSDS) m-ANISIDINE (FOR SYNTHESIS)

9. Physical and chemical properties (continued)

Colour	: Dark red
Odour	: N/A
Odour threshold	: No data available.
pH value	: No data available.
Melting point [°C]	: - 1 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: N/A
Boiling point [°C]	: 251 °C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	: N/A
Vapour density	: N/A
Density [g/cm3]	: 1,096
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: N/A
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: N/A
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity

: Not established.

10.2. Chemical stability

Page: 6



MATERIAL SAFETY DATA SHEET (MSDS) m-ANISIDINE (FOR SYNTHESIS)

10. Stability and reactivity (continued)		
Chemical stability	: Stable under recommended storage conditions.	
10.3. Possibility of hazardous reactions		
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide.	

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity	
 Inhalation 	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
 Ingestion 	: Harmful if swallowed.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

12.1. Toxicity



MATERIAL SAFETY DATA SHEET (MSDS) m-ANISIDINE (FOR SYNTHESIS)


12. Ecological information (continued)			
Toxicity information	: Very toxic to aquatic life. May cause long lasting harmful effects to aquatic life.		
<u> 12.2. Persistence - degradability</u>			
Persistence - degradability	: May cause long-term adverse effects in the environment.		
12.3. Bioaccumulative potential			
Bioaccumulative potential	: Not established.		
<u>12.4. Mobility in soil</u>			
Mobility in soil	: Not established.		
12.5. Results of PBT and vPvB assess	ment		
Results of PBT and vPvB assessment	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.		
12.6. Other adverse effects			
Environmental precautions	: Avoid release to the environment.		
13. Disposal considerations			
13.1. Waste treatment methods			
General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.		
14. Transport information			
14.1. Land transport (ADR-RID)			
Proper shipping name	: ANISIDINES		
UN N°	: 2431		
H.I. nr	: 60		
ADR - Class	: 6.1		

Labelling - Transport: 6.1 : Toxic substances.



MATERIAL SAFETY DATA SHEET (MSDS) m-ANISIDINE (FOR SYNTHESIS)

14. Transport information (continued)



14.2. Sea transport (IMDG) [English only]

Proper shipping name	: ANISIDINES
UN N°	: 2431
IMO-IMDG - Class or division	: 6.1 : Toxic substances.
IMO-IMDG - Packing group	: 111
IMO- IMDG - Packing instructions	: P001 LP01
IMO-IMDG - Limited quantities	: 5 L
IMO-IMDG - Marine pollution	: Yes
EMS-Nr	: F-A S-A

14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	: ANISIDINES
UN N°	: 2431
IATA - Class or division	: 6.1 : Toxic substances.
IATA - Packing group	: 111
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 655
- Passenger and Cargo - Maximum Quantity/Packing	: 60 L
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 663
- Cargo only - Maximum Quantity/ Packing	: 220 L



MATERIAL SAFETY DATA SHEET (MSDS) m-ANISIDINE (FOR SYNTHESIS)

	: 2 L
ERG-Nr	
	: 6L
5. Regulatory information	
15.1. Safety, health and environmental	regulations/legislation specific for the substance or mixture
Safety, health and environmental regulations/legislation specific for the substance or mixture	: Ensure all national/local regulations are observed.
REACH Restrictions - Annex XVII	: The components of this product are not subject to restrictions.
REACH Authorisation - Annex XIV	: The components of this product are not subject to authorization.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.
6. Other information	
Revision	: Revision - See : *
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
Further information	: None.

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

• **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.

- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document

Page : 10