

### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# **O-CRESOL (FOR SYNTHESIS)**

# 1. Identification of the substance/mixture and of the company/undertaking

<u>1.1. Product identifier</u> Trade name	: O-CRESOL (FOR SYNTHESIS)	
Product code Identification of the product	: SS0114200500 : O-CRESOL 98% CAS No :95-48-7	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Use	: Industrial. For professional use only.	
1.3. Details of the supplier of the safety data sheet		
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road, Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95 Email ID: info@suvchem.com/care@suvchem.com	
<u>1.4. Emergency telephone number</u>		
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [ Office hours ]	

## 2. Hazards identification -DSD

## 2.1. Classification of the substance or mixture

#### Classification EC 67/548 or EC 1999/45

Classification : T; R24/25 C; R34

# Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards: Acute toxicity, Oral - Category 3 - Danger (CLP : Acute Tox. 3) H301<br/>Acute toxicity, dermal - Category 3 - Danger (CLP : Acute Tox. 3) H311<br/>Skin corrosion - Category 1B - Danger (CLP : Skin Corr. 1B) H314

2.2. Label elements

Labelling EC 67/548 or EC 1999/45



# CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) O-CRESOL (FOR SYNTHESIS)

2. Hazards identification -DSD (continued)		
Symbol(s)		
Symbol(s)	: T : Toxic	
R Phrase(s)	: R24/25 : Toxic in contact with skin and if swallowed. R34 : Causes burns.	
S Phrase(s)	: S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection. S45 : In case of accident or if you feel unwell, seek medical advice immediately ( show the label when possible).	
Labelling Regulation EC 1272/2008 (CLP)		
Hazard pictograms		
Signal words	: Danger	
Hazard statements	<ul> <li>H314 : Causes severe skin burns and eye damage.</li> <li>H301 : Toxic if swallowed.</li> <li>H311 : Toxic in contact with skin.</li> </ul>	
Precautionary statements		
Prevention	<ul> <li>P280: Wear protective gloves, protective clothing, eye protection, face protection.</li> <li>P260: Do not breathe dust, fume, gas, mist, vapours, spray.</li> <li>P264: Wash thoroughly after handling.</li> <li>P270: Do not eat, drink or smoke when using this product.</li> </ul>	
• Response	<ul> <li>P302+P352: IF ON SKIN : Wash with plenty of soap and water. P301+P330+P331: IF SWALLOWED : Rinse mouth. Do NOT induce vomiting. P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing. P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower. P363: Wash contaminated clothing before reuse. P361: Remove immediately all contaminated clothing.</li> </ul>	
Storage	: P405: Store locked up.	
<ul> <li>Disposal considerations</li> </ul>	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	
2.3. Other hazards		
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	



# MATERIAL SAFETY DATA SHEET (MSDS) O-CRESOL (FOR SYNTHESIS)

	Substance / Preparation	: O-CRESOL 98% CAS No :95-48-7 Substance.	
	Contains no other components or impuri	ties which will influence the classification of the product.	
4.	First aid measures		
	4.1. Description of first aid measures		
	Inhalation	: Immediately call a POISON CENTER or doctor. Remove to fresh air and keep at rest in a position comfortable for breathing.	
	Skin contact	: Immediately call a POISON CENTER or doctor. Wash with plenty of soap and water. Specific treatment (see on this label). Wash contaminated clothing before reuse. Remove/Take off immediately all contaminated clothing.	
	Eye contact	: Immediately call a POISON CENTER or doctor. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	Ingestion	: Specific treatment (see on this label). Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting.	
	4.2. Most important symptoms and effects, both acute and delayed		
	Symptoms relating to use	<ul> <li>Repeated exposure to this material can result in absorption through skin causing significant health hazard.</li> <li>Causes severe skin burns and eye damage.</li> <li>Swallowing a small quantity of this material will result in serious health hazard.</li> </ul>	
	4.3. Indication of any immediate medical attention and special treatment needed		
	General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	

# 5. Fire-fighting measures

3. Composition/information on ingredients

# 5.1. Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	<ul> <li>Foam. Dry powder. Carbon dioxide. Water spray. Sand.</li> <li>Do not use a heavy water stream.</li> <li>Use water spray or fog for cooling exposed containers.</li> </ul>	
5.2. Special hazards arising from the substance or mixture		
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present. Thermal decomposition generates : Corrosive vapours.	



# CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) O-CRESOL (FOR SYNTHESIS)

5. Fire-fighting measures (continued)		
5.3. Advice for fire-fighters		
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.	
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.	
6. Accidental release measures		
6.1. Personal precautions, protectiv	ve equipment and emergency procedures	
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area.	
For non-emergency personnel	: Evacuate unnecessary personnel.	
6.2. Environmental precautions		
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.	
6.3. Methods and material for containment and cleaning up		
Clean up methods	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
6.4. Reference to other sections		
See section 8. Exposure controls/personal protection		
7. Handling and storage		
7.1. Precautions for safe handling		
Handling	: Do not breathe dust, fume, gas, mist, vapours, spray. Wash thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.	
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.	
7.2. Conditions for safe storage, inc	cluding any incompatibilities	
Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.	
Storage regulation	: Comply with applicable regulations.	



# CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

**O-CRESOL (FOR SYNTHESIS)** 

7. Handling and storage (continued)		
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.	
7.3. Specific end use(s)		
Specific end use(s)	: None.	
8. Exposure controls/personal protection		
8.1. Exposure controls		
Personal protection	: Avoid all unnecessary exposure.	
Respiratory protection	: Wear approved mask.	
Hand protection	: Wear protective gloves.	
Skin protection	: Wear suitable protective clothing.	
Eye protection	: Chemical goggles or face shield.	
Others	: When using, do not eat, drink or smoke.	
8.2. Control parameters		
Occupational Exposure Limits	: No data available.	

# 9. Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Colour: White powderOdour: Phenolic likeOdour threshold: 5 ppmpH value: No data available.Melting point [°C]: 30 - 34 °CDecomposition point [°C]: N/A
Odour threshold: 5 ppmpH value: No data available.Melting point [°C]: 30 - 34 °C
pH value: No data available.Melting point [°C]: 30 - 34 °C
Melting point [°C] : 30 - 34 °C
Decomposition point I°C1 : N/A
Critical temperature [°C] : 424°C
Auto-ignition temperature [°C] : 598.89°C
Flammability (solid, gas) : N/A
Flash point [°C] : 81°C
Boiling point [°C] : 191.5°C
Initial boiling point [°C] : N/A
Final boiling point [°C] : N/A
Evaporation rate : N/A



# MATERIAL SAFETY DATA SHEET (MSDS) O-CRESOL (FOR SYNTHESIS)

# 9. Physical and chemical properties (continued)

Vapour pressure [20°C]	: 0.4 hPa at 20°C
Vapour pressure mm/Hg	: N/A
Vapour density	: 3,72
Density [g/cm3]	: 1,047
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	: Partially soluble in
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	: 4,5 at 25,00000 g/l
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: N/A
Explosion limits - lower [%]	: N/A
Oxidising properties	: No data available.

# 10. Stability and reactivity

10.1. Reactivity		
Reactivity	: Not established.	
10.2. Chemical stability		
Chemical stability	: Stable under recommended storage conditions.	
10.3. Possibility of hazardous reaction	ons	
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition products		



# MATERIAL SAFETY DATA SHEET (MSDS) O-CRESOL (FOR SYNTHESIS)

# **10. Stability and reactivity (continued)** Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

Thermal decomposition generates : Corrosive vapours.

# 11. Toxicological information

# 11.1. Information on toxicological effects

Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Toxic in contact with skin.
Ingestion	: Toxic if swallowed.
Corrosion	: Causes severe skin burns and eye damage.
Irritation	: Based on available data, the classification criteria are not met.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

# 12. Ecological information

<u>12.1. Toxicity</u>	
Toxicity information	: Not established.
<u>12.2. Persistence - degradability</u>	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.

12.5. Results of PBT and vPvB assessment



#### CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS) O-CRESOL (FOR SYNTHESIS)

12. Ecological information (continued)		
Results of PBT and vPvB assessmen	t : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	
12.6. Other adverse effects		
Environmental precautions	: Avoid release to the environment.	
13. Disposal considerations		
13.1. Waste treatment methods		
General	: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	
Special precautions	: Hazardous waste due to toxicity.	

# 14. Transport information

# 14.1. Land transport (ADR-RID)

Proper shipping name	: CRESOLS, SOLID
UN N°	: 3455
H.I. nr	: 68
ADR - Class	: 6.1
Labelling - Transport	: 6.1 : Toxic substances. 8 : Corrosive substance.

: TC2 : II : P002 : 500 G



ADR - Classification code
ADR - Group
ADR - Packing instructions
ADR - Limited Quantity

**ADR - Tunnel code** 

: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.





# MATERIAL SAFETY DATA SHEET (MSDS) O-CRESOL (FOR SYNTHESIS)

# 14. Transport information (continued)

# 14.2. Sea transport (IMDG) [English only]

Proper shipping name	: CRESOLS, SOLID
UN N°	: 3455
IMO-IMDG - Class or division	: 6.1 : Toxic substances. ( 8 : Corrosive substance. )
IMO-IMDG - Packing group	: II
IMO- IMDG - Packing instructions	: P002
IMO-IMDG - Limited quantities	: 500 g
IMO-IMDG - Marine pollution	: No
IMO-IMDG - Marine pollution	: No
EMS-Nr	: F-A S-B

# 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	: CRESOLS, SOLID
UN N°	: 3455
IATA - Class or division	: 6.1 : Toxic substances. (8 : Corrosive substance.)
IATA - Packing group	: 11
IATA - Passenger and Cargo Aircraft	: ALLOWED
- Passenger and Cargo - Packing instruction	: 668
- Passenger and Cargo - Maximum Quantity/Packing	: 15 kg
IATA - Cargo only	: ALLOWED
- Cargo only - Packing instruction	: 675
- Cargo only - Maximum Quantity/ Packing	: 50 kg
IATA - Limited Quantites	: 1 kg
ERG-Nr	: 6C

# 15. Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for th substance or mixture	: Ensure all national/local regulations are observed. <b>e</b>
<b>REACH Restrictions - Annex XVII</b>	: The components of this product are not subject to restrictions.
<b>REACH Authorisation - Annex XIV</b>	: The components of this product are not subject to authorization.

## 15.2. Chemical Safety Assessment



# MATERIAL SAFETY DATA SHEET (MSDS)

# **O-CRESOL (FOR SYNTHESIS)**

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

# DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
  comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
  the material by a properly trained person using this product.

End of document

Page :10

AN ISO 9001: 2015 CERTIFIED