

]

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

TRIETHANOLAMINE LR

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Trade name	: TRIETHANOLAMINE LR		
Product code	: SS0119602500 CAS No: 102-71-6		
1.2. Relevant identified uses of the substance or mixture and uses advised against			
Use	: Industrial. For professional use only.		
1.3. Details of the supplier of the safety data sheet			
Company identification	SUVCHEM Chaitanya Tower, 2nd Floor, Office # 206, Siddharth Nagar, S.V. Road,		
	Goregaon (West), Mumbai - 400062, Maharashtra, India. Contact: +91 22 28725393 / 94 / 95		
1.4. Emergency telephone number	Email ID: info@suvchem.com/care@suvchem.com		
Phone no.	: + 91 22 28725393 / 94 / 95 (9:00am - 6:00 pm) [Office hours]		

2. Hazards identification -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Not classified.

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Not classified.

Health hazards

: Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

Not classified. Contains

: Pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate

Labelling Regulation EC 1272/2008 (CLP)

Not classified.

Page: 1

AN ISO 9001: 2015 CERTIFIED



MATERIAL SAFETY DATA SHEET (MSDS)

TRIETHANOLAMINE LR

2. Hazards identification -DSD (continued)		
Signal words	: Warning	
Hazard statements	: H319 : Causes serious eye irritation.	
Precautionary statements		
Prevention	: P280: Wear protective gloves, protective clothing, eye protection, face protection. P264: Wash thoroughly after handling.	
• Response	: P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.	
Contains	: Pentasodium (carboxylatomethyl)iminobis(ethylenenitrilo)tetraacetate	
2.3. Other hazards		
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	

3. Composition/information on ingredients

Substance / Preparation	: Pre	paration.				
Substance name	Contents	CAS No	EC No	Annex No	REACH Ref.	Classification
Pentasodium (carboxylatomethyl) : iminobis(ethylenenitrilo) tetraacetate		7601-90-3				Not classified (DSD/DPD) Not classified (GHS)

4. First aid measures

4.1. Description of first aid measures

Inhalation	: Assure fresh air breathing. Allow the victim to rest.		
Skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.		
Eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice.		
Ingestion	: Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms relating to use	: Causes serious eye irritation.		
4.3. Indication of any immediate medical attention and special treatment needed			
General information	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).		



MATERIAL SAFETY DATA SHEET (MSDS)

TRIETHANOLAMINE LR

5. Fire-fighting measures

5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream. : Use water spray or fog for cooling exposed containers.	
5.2. Special hazards arising from the substance or mixture		
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.	
5.3. Advice for fire-fighters		
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.	
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.	

6. Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures For emergency responders : Equip cleanup crew with proper protection. Ventilate area. For non-emergency personnel : Evacuate unnecessary personnel. 6.2. Environmental precautions **Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. 6.3. Methods and material for containment and cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. **Clean up methods** Store away from other materials. 6.4. Reference to other sections See section 8. Exposure controls/personal protection 7. Handling and storage

7.1. Precautions for safe handling

Handling

: Wash thoroughly after handling.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

TRIETHANOLAMINE LR

7. Handling and storage (continued)

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.
<u>7.3. Specific end use(s)</u>	
Specific end use(s)	: None.

8. Exposure controls/personal protection

8.1. Exposure controls

Personal protection	: Avoid all unnecessary exposure.
 Respiratory protection 	: Wear approved mask.
 Hand protection 	: Wear protective gloves.
 Eye protection 	: Chemical goggles or safety glasses.
• Others	: When using, do not eat, drink or smoke.
8.2. Control parameters	
Occupational Exposure Limits	: No data available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state at 20 °C	: Liquid.
Colour	: Colorless viscous
Odour	: Odorless
Odour threshold	: No data available.
pH value	: Not applicable.
Melting point [°C]	: 18 - 21 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: N/A
Flammability (solid, gas)	: N/A
Flash point [°C]	: 179 °C
Boiling point [°C]	: 190 - 193 °C



MATERIAL SAFETY DATA SHEET (MSDS)

TRIETHANOLAMINE LR

9. Physical and chemical properties (continued)

Initial boiling point [°C]	: 190°C
Final boiling point [°C]	: 193 °C
Evaporation rate	: N/A
Vapour pressure [20°C]	: 1 mm Hg (@ 20°C)
Vapour pressure mm/Hg	: 1 mm Hg (@ 20°C)
Vapour density	: 5,15
Density [g/cm3]	: 1,124
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	:149 g/l at 20 °C - c
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	:10.5 - 11.5 at 149 g
Viscosity at 40°C [mm2/s]	: N/A
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: 8,50%
Explosion limits - lower [%]	: 1,30%
Oxidising properties	: No data available.

10. Stability and reactivity

<u>10.1. Reactivity</u>		
Reactivity	: Not established.	
10.2. Chemical stability		
Chemical stability	: Stable under recommended storage conditions.	
10.3. Possibility of hazardous reactions		
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

TRIETHANOLAMINE LR

10. Stability and reactivity (continued)

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
Acute toxicity	
Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
 Ingestion 	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes serious eye irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

12. Ecological information

12.1.	<u>Toxicity</u>

Toxicity information	: The product has been not fully tested. The calculated risk has been done under the requirements of the EU regulations.
<u> 12.2. Persistence - degradability</u>	
Persistence - degradability	: Biodegradable.
12.3. Bioaccumulative potential	
Bioaccumulative potential	: Not established.
<u>12.4. Mobility in soil</u>	
Mobility in soil	: Not established.



CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)

TRIETHANOLAMINE LR

12. Ecological information (continued)

12.5. Results of PBT and vPvB assessment Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH. 12.6. Other adverse effects **Environmental precautions** : Avoid release to the environment. 13. Disposal considerations 13.1. Waste treatment methods : Avoid release to the environment. Dispose in a safe manner in accordance with General local/national regulations. 14. Transport information 14.1. Land transport (ADR-RID) : Not regulated. **General information** 14.2. Sea transport (IMDG) [English only] **General information** : Not regulated. 14.3. Air transport (ICAO-IATA) [English only] **General information** : Not regulated. 15. Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Safety, health and environmental : Ensure all national/local regulations are observed. regulations/legislation specific for the substance or mixture **REACH Restrictions - Annex XVII** : The components of this product are not subject to restrictions. **REACH Authorisation - Annex XIV** : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

Chemical Safety Assessment : It has not been carried out.



MATERIAL SAFETY DATA SHEET (MSDS)

TRIETHANOLAMINE LR

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- SUVCHEM shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its
 comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of
 the material by a properly trained person using this product.

End of document