

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)**POTASSIUM ACETATE LR****1. Product Identification**

Synonyms: Acetic acid, potassium salt
CAS No.: 127-08-2

Product Coad: P0164005000

Molecular Weight: 98.15
Chemical Formula: KC₂H₃O₂

2. Composition/Information on Ingredients

Ingredient	CAS No	Percent	Hazardous
Potassium Acetate	127-08-2	99 - 100%	Yes

3. Hazards Identification

Emergency Overview As part of good industrial and personal hygiene and safety procedure, avoid all unnecessary exposure to the chemical substance and ensure prompt removal from skin, eyes and clothing.

Inhalation: May cause mild irritation to the respiratory tract.

Ingestion: Extremely large oral dosages may produce gastrointestinal disturbances. Has diuretic effect.

Skin Contact: No adverse effects expected. May cause mild irritation and redness.

Eye Contact: No adverse effects expected. May cause mild irritation, possible reddening.

4. First Aid Measures

Inhalation: Remove to fresh air. Get medical attention for any breathing difficulty.

Ingestion: If large amounts were swallowed, give water to drink and get medical advice.

Skin Contact: Wash exposed area with soap and water. Get medical advice if irritation develops.

Eye Contact: Wash thoroughly with running water. Get medical advice if irritation develops.

5. Fire Fighting Measures

Fire: Not considered to be a fire hazard.

Explosion: Not considered to be an explosion hazard.

Fire Extinguishing Media: Use any means suitable for extinguishing surrounding fire.

Special Information: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

6. Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Sweep up and containerize for reclamation or disposal. Vacuuming or wet sweeping may be used to avoid dust dispersal.

7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits: None established.

Ventilation System: In general, dilution ventilation is a satisfactory health hazard control for this substance. However, if conditions of use create discomfort to the worker, a local exhaust system should be considered. **Personal Respirators (NIOSH Approved):** For conditions of use where exposure to dust or mist is apparent and engineering controls are not feasible, a particulate respirator (NIOSH type N95 or better filters) may be worn. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator. **WARNING:** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection: Wear protective gloves and clean body-covering clothing.

Eye Protection: Use chemical safety goggles. Maintain eye wash fountain and quick-drench facilities in work area.

CHAITANYA CHS, 2nd FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAI 400062, MH, INDIA.
CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

MATERIAL SAFETY DATA SHEET (MSDS)**POTASSIUM ACETATE LR****9. Physical and Chemical Properties**

Appearance: White, deliquescent, crystalline powder.

Odor: Odorless.

Solubility: 200 g/100 g water.

Specific Gravity: 1.57 @ 25C

pH: 9.7 Conc: 0.1M (solution)

% Volatiles by volume @ 21C (70F): 0

10. Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage.

Hazardous Decomposition Products: May produce oxides of carbon and the contained metal.

Hazardous Polymerization: Will not occur.

Incompatibilities: Strong oxidizing agents.

Conditions to Avoid: Moisture, heat, flames, ignition sources and incompatibles.

11. Toxicological Information

Oral rat LD50: 3250 mg/kg

---NTP Carcinogen---

Ingredient	Known	Anticipated	IARC Category
Potassium Acetate (127-08-2)	No	No	None

12. Ecological Information

Environmental Fate: No information found.

Environmental Toxicity: No information found.

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

NON HAZARDOUS FOR AIR, ROAD AND SEA TRANSPORT

15. REGULATORY

SARA Title III: N/A

Federal Regulatory: N/A

MATERIAL SAFETY DATA SHEET (MSDS)

POTASSIUM ACETATE LR

16. Other Information**NFPA Ratings:** Health: 1 Flammability: 0 Reactivity: 0**Label Hazard Warning:**

As part of good industrial and personal hygiene and safety procedure, avoid all unnecessary exposure to the chemical substance and ensure prompt removal from skin, eyes and clothing.

Label Precautions:

None.

Label First Aid:

Not applicable.

Product Use:

Laboratory Reagent.

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- **SUVCHEM** Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- **SUVCHEM** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document