

# CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# RHODAMINE B (FOR MICROSCOPY) (C. I. NO. 45170)

### **1. Product Identification**

Synonyms: Ammonium, (o-carboxyphenyl)-6-(diethylamino)-3H-xanthen-3-ylidene)die thyl-, chloride; FD and C Red No. 19; Basic Violet 10; Rhodamine O; Tetraethylrhodamine; CI 45170 CAS No.: 81-88-9

Product Coad: R0174600100

## Molecular Weight: 479.02 Chemical Formula: C28H31N2O3CI

## 2. Composition/Information on Ingredients

Ingredient	CAS No	Percent	Hazardous
Rhodamine B	81-88-9	100%	Yes

### **3. Hazards Identification**

Emergency Overview CAUTION! MAY BE HARMFUL IF SWALLOWED. MAY CAUSE IRRITATION TO SKIN, EYES, AND RESPIRATORY TRACT. Inhalation: May cause irritation to the respiratory tract. Symptoms may include coughing, sore throat, labored breathing, and chest pain. Ingestion: No information found, but compound should be handled as a potential health hazard. May cause irritation to the gastro-intestinal tract. Skin Contact: May cause irritation with redness and pain. Eye Contact: May cause irritation, redness and pain. Chronic Exposure: Possible cancer hazard based on animal data. Rhodamine dyes can cause phototoxic or photoallergic reactions.

# 4. First Aid Measures

Inhalation: Remove to fresh air. Get medical attention for any breathing difficulty. Ingestion: Give large amounts of water to drink. Never give anything by mouth to an unconscious person. Get medical attention. Skin Contact: Immediately flush skin with plenty of water for at least 15 minutes. Call a physician if irritation develops. Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower eyelids occasionally. Call a physician if irritation persists.

# 5. Fire Fighting Measures

Fire: Not considered to be a fire hazard. Explosion: Not considered to be an explosion hazard. Fire Extinguishing Media: Use any means suitable for extinguishing surrounding fire. Special Information: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

## 6. Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust.

## 7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

# 8. Exposure Controls/Personal Protection

Airborne Exposure Limits: None established. Ventilation System: A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details. Personal Respirators (NIOSH Approved): For conditions of use where exposure to dust or mist is apparent and engineering controls are not feasible, a particulate respirator (NIOSH type N95 or better filters) may be worn. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres. Skin Protection: Wear protective gloves and clean body-covering clothing. Eye Protection: Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area

# AN ISO 9001: 2015 CERTIFIED



# CHAITANYA CHS, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# RHODAMINE B (FOR MICROSCOPY) (C. I. NO. 45170)

## 9. Physical and Chemical Properties

Appearance: Green crystals or reddish-violet powder

Odor: No information found. Solubility: Very soluble in water.

## 10. Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage. Hazardous Decomposition Products: Burning may produce ammonia, carbon monoxide, carbon dioxide, nitrogen oxides. May produce hydrogen chloride. Hazardous Polymerization: Will not occur. Incompatibilities: Strong oxidizers.

Conditions to Avoid: Incompatibles.

### **<u>11. Toxicological Information</u>**

**Toxicological Data:** Oral mouse LD50: 887 mg/kg; investigated as a mutagen, tumorigen, reproductive effector **Carcinogenicity:** There is limited evidence that this material causes cancer in laboratory animals. There is no evidence that this material causes cancer in humans.

---NTP Carcinogen----

Ingredient	Known	Anticip	bated	IAR	C Category
Rhodamine B (81-88-9)	1	No	No		3

### **12. Ecological Information**

Environmental Fate: No information found. Environmental Toxicity: No information found.

## **13. Disposal Considerations**

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

# 14. Transport Information

Not regulated.

### 15. Regulatory Information

N/A

## 16. Other Information

NFPA Ratings: Health: 1 Flammability: 0 Reactivity: 0

Label Hazard Warning: CAUTION! MAY BE HARMFUL IF SWALLOWED. MAY CAUSE IRRITATION TO SKIN, EYES, AND RESPIRATORY TRACT. Label Precautions: Avoid breathing dust. Avoid contact with eyes, skin and clothing. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling.

Label First Aid: If swallowed, give large amounts of water to drink. Never give anything by mouth to an unconscious person. Call a physician. In case of contact, immediately flush skin or eyes with plenty of water for at least 15 minutes. Call a physician if irritation develops or persists. If inhaled, remove to fresh air. Get medical attention for any breathing difficulty.

Product Use: Laboratory Reagent.



CHAITANYA CH5, 2<sup>nd</sup> FLOOR, OFFICE # 206, SIDDHARTH NAGAR, S.V.ROAD, GOREGAON (W), MUMBAł 400062, MH, INDIA. CONTACT: +9122 28725393 /94/ 95 | EMAILID: CARE@SUVCHEM.COM

# MATERIAL SAFETY DATA SHEET (MSDS)

# RHODAMINE B (FOR MICROSCOPY) (C. I. NO. 45170)

In accordance with REACH Regulation (CE) N° 1907/2006 and with CLP Regulation (CE) N° 1272/2008

DISCLAIMER:

- SUVCHEM Products are to be used as Lab Chemicals for R&D only. Not for drug, medicinal, household or other uses.
- **SUVCHEM** shall not be responsible for any damage resulting from handling or from contact with the above product.
- SUVCHEM provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product.

End of document